

PVC SCHEDULE 40 FITTINGS



90° Ell (s x s)



90° Ell (s x t)



90° Ell (s x spj)



45° Ell (s x s)



Tee (s x s x s)



Tee (t x t x t)



Coupling



Male Adapter



Female Adapter

| | 1/2" | 3/4" | 1" | 1 1/4" | 1 1/2" | 2" |
|---|--------|------|-------|--------|--------|--------|
| 90° Ells x s | \$.83 | .93 | 1.69 | 2.97 | 3.21 | 5.00 |
| 90° Ell Reducing*s x s | | 1.69 | 2.97 | 4.73 | 7.56 | 12.83 |
| 90° Combo Ells x fip | 1.04 | 1.17 | 2.24 | 3.73 | 4.11 | 10.70 |
| 90° Combo Reducing*s x fip | | 1.24 | 3.42 | 5.00 | 8.28 | 14.35 |
| 90° Street Ellslip x spigot | 2.35 | 2.90 | 5.00 | 5.97 | 6.59 | 12.73 |
| 90° Street Ellmip x fip | 2.45 | 2.97 | 5.14 | 6.35 | 6.93 | 13.18 |
| 45° Ellslip x spigot & s x s | 1.38 | 2.14 | 2.55 | 3.59 | 4.49 | 5.87 |
| Tees x s x s | 1.02 | 1.16 | 2.21 | 3.43 | 4.18 | 6.09 |
| Tee Reducing*s x s x s | | 1.38 | 2.55 | 3.83 | 6.69 | 6.59 |
| Tee Combos x s x fip | 1.36 | 2.11 | 3.91 | 6.28 | 8.18 | 10.38 |
| Tee Combo Reducing*s x s x fip | | 1.83 | 3.97 | 6.59 | 8.18 | 10.32 |
| Couplings x s | .55 | .76 | 1.31 | 1.83 | 1.97 | 2.97 |
| Reducer*s x s | | 1.38 | 2.35 | 3.97 | 4.17 | 6.66 |
| Coupling Threadedt x t | 1.04 | 1.97 | Ⓣ7.75 | Ⓣ9.27 | Ⓣ9.37 | Ⓣ10.96 |
| Adapter Males x mip | .76 | .83 | 1.48 | 1.83 | 2.45 | 3.21 |
| Adapter Male Reducing* ...s x mip | | 1.48 | 4.62 | 5.62 | 6.80 | 7.76 |
| Adapter Females x fip | .93 | 1.17 | 1.38 | 2.14 | 2.45 | 3.28 |
| Adapter Fem. Reducing*s x fip | | 1.72 | 2.28 | 5.85 | | |
| Adapter Fem. Ftg.ftg x fip | 1.05 | 1.26 | 2.00 | 2.80 | 3.47 | |
| Cap Slip | .76 | .86 | 1.38 | 1.97 | 2.14 | 2.55 |
| Cap Threaded | 1.59 | 1.83 | 2.76 | 3.28 | 3.42 | 6.21 |
| Plug Slip | 1.83 | 2.14 | 2.55 | 3.42 | 4.38 | 5.42 |
| Plug Threaded | 2.24 | 2.42 | 3.97 | 4.17 | 4.66 | 5.76 |
| Bushing S x S* | 1.59 | .86 | 1.59 | 2.14 | 2.24 | 3.73 |
| Bushing S x T* | 1.83 | 1.38 | 2.24 | 3.42 | 3.97 | 5.31 |
| Bushing T x T* | 3.97 | 2.45 | 3.42 | 5.11 | 6.18 | 6.59 |
| Cross Slip | 3.21 | 5.31 | 6.59 | 8.69 | 9.87 | 14.56 |
| Wye Slip | 3.59 | 5.62 | 7.87 | 12.08 | 15.53 | 46.54 |
| 90° Side Outlet Ells x s | 4.52 | 6.18 | 7.90 | | 8.66 | 12.04 |

*= price for reducing down one size Ⓣ = Sch120