Residential Fixtures and Faucets

List Price Guide - April 1, 2023



American Standard

Fixture Colors and Finishes

The color availability of each product is shown beneath the product categories in this chart. This guide also provides the color codes assigned to each color or finish.

Kitchen Sinks			
White 020	Stainless Steel 075†	Brilliant White 308	
Ceramic – Bathr	oom Sinks and Toile	ts	
White 020	Linen 222	Bone 021	
Baths and Whirl	pools		
Arctic 011*	White 020	Linen 222	
Acrylic and Gelo	oat Walk-in Baths	Shower Bases	
White W	Linen L	White 020	Soft White 218
Shower Glass D	oors"		
Clear 400	Rain 422	Hammered 436	
Americast® and	Enameled Tubs		
Arctic 011	White 020	Linen 222	Bone 021
Furniture			
White 020	Smoked Grey 475	Dark Cherry 476	Quartz 820
Dark Grey 477	Ash 478	Walnut 479	

Color	Color Code						
Trim & Accessory	Trim & Accessory Finishes [§]						
Polished Chrome	002						
Arctic	011						
Polished Nickel	013						
White	020						
Bone	021						
Brushed Stainless Steel	073						
Polished Brass	099						
Matte Black	243						
Legacy Bronze	278						
Brushed Nickel	295						
Shower Door Fi	nishes [‡]						
Brushed Nickel	006						
Silver	213						

- * For bathtubs & whirlpools only
- † For kitchen sinks only

Oil Rubbed Bronze

- ‡ Not pictured
- § Available for select products only
- See shower door description for specific glass availability in that style.

224

Color samples may vary slightly from the actual colors. Not all colors and finishes are available on all products.

American Standard

LIFE.LOVE.HOME

Kitchen Sinks Inspired Possibilities Kitchen Sinks Overview Country Kitchen Sink Cast tron Sinks Stainless Stel Sinks Sink/Faucet Systems Kitchen Faucets Selectronic* Hands-Free Technology Selectflor* Multi-Function Spray Technology Kitchen and Bar Faucets Overview Pull-Down Faucets Touchless Faucets Beale* Measurefil** Faucets Single-Handle Faucets Single-Handle Bar Faucets Single-Handle Bar Faucets 2-Handle Faucets Single-Handle Bar Faucets 2-Handle Faucets Single-Handle Faucets Semi-Professional Faucets Port Filler Laundy Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-in Baths Gelcoat Walk-in Baths Gelcoat Walk-in Baths Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Pressional Faucets Bathtubs - Workiew Drains and Accessories Bathtubs - Workiew Drains and Accessories Bathtubs - Soskers Bathtubs - Handle Baths Bathtubs - Soskers Bathtubs - Handle Baths Bathtubs - Soskers Bathtubs - Handle Baths Bathtubs - Combination Spas Americast* Enameled Steel Bathaneaute Bathtubs Bathtubs - Handle Bathtubs Bathtubs - Handle Bathtubs Bathtubs - Handle Bathtubs Bathtubs - Handle Bathtubs Bathtubs - Combination Spas Americast* Enameled Steel Enameled Steel Bathtubs	Icons	
Kitchen Sinks Overview Country Kitchen Sink Cast Iron Sinks Stainless Steel Sinks Sink/Faucet Systems Kitchen Faucets Selectronic* Hands-Free Technology SelectFlo* Multi-Function Spray Technology Kitchen and Bar Faucets Overview Pull-Down Faucets Pull-Out Faucets Touchiess Faucets Beade* MeasureFli* Faucet Single-Handle Faucets 2-Handle Faucets Single-Handle Bar Faucets Single-Handle Bar Faucets Sami-Professional Faucets 2-Handle Bar Faucets Sami-Professional Faucets Sami-Professional Faucets Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-in Baths Gelcoat Walk-in Baths Gelcoat Walk-in Baths Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean* System Whitipools and Air Baths Bathtubs - Combination Spas Bathtubs - Combination Spas Bathtubs - Combination Spas Bathtubs - Combination Spas Americast* Enameled Steel	Kitchen Sinks	
Country Kitchen Sink Cast Iron Sinks Stainless Steel Sliks Sink/Faucet Systems Kitchen Faucets Selectronic® Hands-Free Technology SelectFlo® Multi-Function Spray Technology Kitchen and Bar Faucets Overview Pull-Down Faucets Pull-Out Faucets Touchless Faucets Beale® MeasureFli® Faucet Single-Handle Faucets Single-Handle Faucets Single-Handle Bar Sucets Single-Handle B	Inspired Possibilities	
Cast Iron Sinka Statinless Steel Sinks Sink/Faucet Systems Kitchen Faucets Selectronic® Hands-Free Technology SelectFlo® Multi-Function Syray Technology Kitchen and Bar Faucets Overview Pull-Down Faucets Pull-Out Faucets Touchiess Faucets Beate® MeasureFill® Faucet Single-Handle Faucets Single-Handle Faucets 2-Handle Faucets Single-Handle Bar Faucets Semi-Professional Faucets 2-Handle Bar Faucets Semi-Professional Faucets Put Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Qelcoatt Walk-In Baths Walk-In Baths Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Overview Bathtubs Overview Drains and Accessories Bathtubs - Wiripools and Air Baths Walk-In Baths Seathubs - Soakers Bathtubs - Combination Spas	Kitchen Sinks Overview	
Stainless Steel Sinks Sink/Faucet Systems Kitchen Faucets Selectronic* Hands-Free Technology SelectFlo* Multt-Function Spray Technology Kitchen and Bar Faucets Overview Pull-Down Faucets Pull-Out Faucets Pull-Out Faucets Touchiess Faucets Beale* MeasureFill* Faucet Single-Handle Faucets 2-Handle Faucets 2-Handle Bar Faucets Single-Handle Bar Faucets Semi-Professional Faucets Put Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-in Baths Seted Shower Safety Tubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtubs Overview Bathtubs Overview Bathtubs Systems EverClean* System EverClean* System EverClean* System Whirlpoolis and Air Baths Bathtubs - Air Baths Bathtubs - Air Baths Bathtubs - Combination Spas Americast* Enameled Steel	Country Kitchen Sink	
Sink/Faucet Systems Kitchen Faucets SelectToin® Hands-Free Technology SelectToin® Multi-Function Spray Technology Kitchen and Bar Faucets Overview Pull-Down Faucets Pull-Out Faucets Pull-Out Faucets Beale® MeasureFiil® Faucet Single-Handle Faucets 2-Handle Faucets Single-Handle Faucets 2-Handle Bar Faucets Single-Handle Bar Faucets Semi-Professional Faucets Por Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelicoat Walk-In Baths Gelicoat Walk-In Baths Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Safers Bathtub Overview Bathtub Systems EverCleam® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Orombination Spas Bathtubs – Orombination Spas Americast® Enameled Steel		
Selectronic® Hands-Free Technology Selectrio® Multi-Function Spray Technology Kitchen and Bar Faucets Overview Puil-Down Faucets Puil-Out Faucets Puil-Out Faucets Touchless Faucets Beale® MeasureFill® Faucet Single-Handle Faucets 2-Handle Faucets 2-Handle Bar Faucets Single-Handle Bar Faucets Semi-Professional Faucets Semi-Professional Faucets Put Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs - Air Baths Bathtubs - Air Baths Bathtubs - Minippolo Bathtubs - Air Baths Bathtubs - Osmbination Spas Bathtubs - Ombination Spas Americast® Enameled Steel	Stainless Steel Sinks	
SelectFlo® Multi-Function Spray Technology Kitchen and Bar Faucets Overview Pull-Down Faucets Pull-Out Faucets Touchless Faucets Beale® Measurefill® Faucet Single-Handle Faucets 2-Handle Faucets 2-Handle Faucets Single-Handle Bar Faucets 2-Handle Bar Faucets Senile-Handle Bar Faucets Senile-Handle Bar Faucets Semi-Professional Faucets Semi-Professional Faucets Semi-Professional Faucets Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-in Baths Walk-in Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Soakers Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel	Sink/Faucet Systems	
SelectFlo® Multi-Function Spray Technology Kitchen and Bar Faucets Overview Pull-Down Faucets Pull-Out Faucets Touchless Faucets Beale® MeasureFill® Faucet Single-Handle Faucets 2-Handle Bar Faucets Single-Handle Bar Faucets Single-Handle Bar Faucets Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelocat Walk-In Baths Gelocat Walk-In Baths Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Overview Darins and Accessories Bathlubs Overview Bathlub Systems EverClean® System Whirpools and Air Baths Bathtubs – Combination Spas	Kitchen Faucets	
SelectFlo® Multi-Function Spray Technology Kitchen and Bar Faucets Overview Pull-Down Faucets Pull-Out Faucets Touchless Faucets Beale® MeasureFill® Faucet Single-Handle Faucets Single-Handle Bar Faucets Single-Handle Bar Faucets Semi-Professional Faucets Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelocat Walk-In Baths Gelocat Walk-In Baths Freestanding Bathtubs Freestanding Bathtubs Overview Darian and Accessories Bathlubs Overview Bathlub Systems EverClean® System Whirpools and Air Baths Bathtubs - Air Baths Bathtubs - Combination Spas Americast® Enameted Steel	Selectronic® Hands-Free Technol	ology
Kitchen and Bar Faucets Pull-Down Faucets Pull-Out Faucets Touchless Faucets Beate® MeasureFill® Faucet Single-Handle Faucets Single-Handle Bar Faucets Single-Handle Bar Faucets Single-Handle Bar Faucets Semi-Professional Faucets Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Gelcoat Walk-In Baths Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Overview Bathubs Overview Bathubs Overview Bathubs Overview Bathubs Systems EverClean® System Whirlpools and Air Baths Bathtubs - Aore Baths Bathtubs - Combination Spas Americast® Enameled Steel		
Pull-Out Faucets Touchless Faucets Beale* MeasureFill* Faucet Single-Handle Faucets 2-Handle Faucets Single-Handle Bar Faucets 2-Handle Bar Faucets 2-Handle Bar Faucets Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathlub Systems EverClean* System Whirlpools and Air Baths Bathtubs – Combination Spas Bathtubs – Combination Spas Bathtubs – Combination Spas Bathutbs – Combination Spas Americast® Enameled Steel		
Touchless Faucets Beale* MeasureFill* Faucet Single-Handle Faucets 2-Handle Faucets Single-Handle Bar Faucets 2-Handle Bar Faucets Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Bathub Systems EverClean* System Whirlpools and Air Baths Bathtubs - Soakers Bathtubs - Combination Spas	Pull-Down Faucets	
Beale® MeasureFill® Faucets Single-Handle Faucets 2-Handle Faucets Single-Handle Bar Faucets 2-Handle Bar Faucets Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Air Baths Bathtubs – Soakers Bathtubs – Combination Spas	Pull-Out Faucets	
Single-Handle Faucets 2-Handle Bar Faucets 2-Handle Bar Faucets 2-Handle Bar Faucets 2-Handle Bar Faucets Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Vorview Bathub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Soakers Bathtubs – Ombination Spas Bathtubs – Combination Spas	Touchless Faucets	
2-Handle Bar Faucets Single-Handle Bar Faucets 2-Handle Bar Faucets Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Gelcoat Walk-In Baths Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtub Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs - Kandle Air Baths Bathtubs - Soakers Bathtubs - Combination Spas Americast® Enameled Steel	Beale [®] MeasureFill [™] Faucet	
2-Handle Bar Faucets 2-Handle Bar Faucets 2-Handle Bar Faucets Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Gelcoat Walk-In Baths Yalk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs - Soakers Bathtubs - Whirlpools Bathtubs - Air Baths Bathtubs - Combination Spas Bathtubs - Combination Spas Bathtubs - Combination Spas Americast® Enameled Steel	Single-Handle Faucets	
2-Handle Bar Faucets Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs - Air Baths Bathtubs - Air Baths Bathtubs - Combination Spas Americast® Enameled Steel		
2-Handle Bar Faucets Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs - Air Baths Bathtubs - Air Baths Bathtubs - Combination Spas Americast® Enameled Steel		
Semi-Professional Faucets Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtub Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs - Soakers Bathtubs - Whirlpools Bathtubs - Air Baths Bathtubs - Combination Spas Americast® Enameled Steel		
Pot Filler Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtubs Overview Bathtubs Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Laundry Faucet Accessories Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Soakers Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Bathing Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtubs Overview Bathtubs Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Air Baths Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Safer and Accessible Living Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs - Soakers Bathtubs - Whirlpools Bathtubs - Air Baths Bathtubs - Air Baths Bathtubs - Combination Spas Americast® Enameled Steel		
Independent, Safer and Comfortable Bathing Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Acrylic Walk-In Baths Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Gelcoat Walk-In Baths Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Whirlpools Bathtubs – Combination Spas Americast® Enameled Steel		able Bathing
Walk-In Bath Accessories Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Seated Shower Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Safety Tubs Freestanding Bathtubs Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Air Baths Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs - Soakers Bathtubs - Whirlpools Bathtubs - Air Baths Bathtubs - Air Baths Bathtubs - Combination Spas Americast® Enameled Steel		
Freestanding Bathtubs Overview Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Drains and Accessories Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Bathtubs Overview Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		<i>1</i>
Bathtub Systems EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel	Drains and Accessories	
EverClean® System Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Whirlpools and Air Baths Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Bathtubs – Soakers Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel	EverClean® System	
Bathtubs – Whirlpools Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel	Whirlpools and Air Baths	
Bathtubs – Air Baths Bathtubs – Combination Spas Americast® Enameled Steel		
Bathtubs – Combination Spas Americast® Enameled Steel	Bathtubs – Whirlpools	
Americast® Enameled Steel	Bathtubs - Air Baths	
	Bathtubs - Combination Spas	
Enameled Steel Bathtubs	Americast® Enameled Steel	
	Enameled Steel Bathtubs	

Continued on next page.

americanstandard.com List Price Guide 2023-4

Table of Contents

Shower and Tub Doors Shower and Tub Doors Overview How to Measure the Perfect Shower Door Frameless Shower Doors Semi-Frameless Shower Doors Framed Shower Doors Shower and Tub Enclosure/Bathing Fixture Cross Reference **Shower Bases** Acrylic Shower Bases Solid Surface Shower Bases **Bathroom Furniture Furniture Overview** Consoles Washstands Vanities American Standard® Furniture for Townsend® **Bathroom Sinks** Bathroom Sinks Overview Pedestal Sinks Above Counter Sinks Drop-In Sinks **Under Counter Sinks** Wall-Hung Sinks **Toilets** No-Touch Flush for Home and Business Studio® S Low Profile One-Piece Toilet Standard Toilets Overview One-Piece Toilets Two-Piece Toilets Bidets Advanced Clean® SpaLet® Bidet Toilet SpaLet Bidet Seats **Toilet Seats** Toilet Trip Levers Optional Toilet Tanks

Warranties

Residential Faucets

Icons

Look for these symbols throughout our **List Price Guide** to quickly identify key information and important features of our products. Each symbol is prominently displayed to make your purchasing decision easier and ensure your choice of product meets your requirements.



Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

CALGreen® is a registered trademark of California Building Standards Commission.

Images throughout the price guide are for illustrative purpose only – actual features may vary.

americanstandard.com List Price Guide 2023-4

From the sleek luster of stainless steel to the charm of a farmhouse style, every kitchen sink in the American Standard collection is crafted for superior performance and lasting durability.

Meticulously designed for the busiest kitchens, when only the best will do.



Inspired Possibilities

The kitchen has changed dramatically over the years. It has become automated, wired and built to ease the stress of today's family on the go. But, just as it was 100 years ago, and will likely be 100 years from now, the kitchen remains the heart of the home; for that reason, our sinks and accessories are designed with you and your everyday life in mind.

The kitchen sink is likely one of the most used appliances in your home.

Whether it's washing dishes, prepping food or just cleaning your hands – through it all, you expect your sink to last and look good while doing so. American Standard is dedicated to providing kitchen sinks and accessories that work hard for you while still boasting the quality and timeless style that you deserve.

Why Choose American Standard Sinks?

Our sinks are made with you in mind, with multiple materials and designs to choose from and several installation options for both replacement and custom solutions.

Performance

Our use of long-lasting, solid materials and our flawless attention to detail creates dependable performance for life.



Durable – Stainless steel comes in many different shapes, sizes and thicknesses. American Standard offers 16, 18 and 20-gauge T304 stainless steel.



Eco-Friendly – All of our sinks are lead-free, and our Fine Fireclay models are crafted from recyclable, eco-friendly materials.

Sustainable – Our cast iron sinks are crafted from over 80% recycled or reclaimed iron, making them a great choice for the environmentally conscious home owner.

Technology

Our innovations make life easier and more enjoyable by solving the little and not so little problems of everyday living.



Quiet

SoundSecure™ – Rubber sound pads on the bottom of the sink help to reduce excess sound and vibration during use.



SoundSecure+™ – Exceptional sound deadening with rubber sound pads on both the bottom and sides of the underside of the sink.



Protected

StoneLock™ – Our multilayer spray insulation covers the underside of your sink to further help with sound absorption and to minimize condensation.



Pekoe® 33" Stainless Steel Apron Sink 18SB.9332200A.075



Delancey® 39" Cast Iron Sink 77DB30190.308

americanstandard.com List Price Guide 2023-4

Kitchen Sinks Overview

Country Kitchen Sink



Delancey® Cast Iron



Quince® Cast Iron







Kitchen Sinks Overview

Pekoe® Stainless Steel











Edgewater® Stainless Steel







Portsmouth® Stainless Steel















Reliant® Stainless Steel







Colony® Kitchen Sinks and Faucet Systems









Hillsdale Stainless Steel



*ADA compliant version available. See product page for details.

americanstandard.com List Price Guide 2023-4

Country Sink Kitchen Sinks



30 x 22-Inch Vitreous China 2-Hole Single Bowl Country Kitchen Sink

- High splash back
- Vitreous china
- Faucet holes on 8" (203 mm) centers for wall-mounted sink faucet
 3-½" (89 mm) drain with strainer included
 Requires support framing in cabinetry

Nominal Dimensions:

22 in x 30 in x 9-1/2 in (558 mm x 762 mm x 241 mm)

18 in (wide) 26-1/2 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
30 x 22-Inch Vitreous China 2-Hole Single-Bowl Country Kitchen Sink	100 lb 45.4 ka	9062008.020	White	1,168



Delancey® 36 x 22-Inch Cast Iron 4-Hole Undermount Single Bowl Apron Front Kitchen Sink

- Cast Iron Single Bowl Apron Front Sink
- 8-7/8" (225 mm) depth
- Undermount installation
- 4 oversized holes
- Lustrous Brilliant White finish
- 39" minimum cabinet base required Limited Lifetime Warranty

Nominal Dimensions:

22-1/16 in x 36 in x 8-13/16 in (560 mm x 914 mm x 223 mm)

Bowl Size:

32-9/16 in (wide) 15-3/8 in (front to back) 8-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Delancey® 36 x 22-Inch Cast Iron 4-Hole Undermount Single-Bowl Apron Front Kitchen Sink	165 lb 75.3 kg	77SB36220A.308	Brilliant White	1,549
Optional Components:				
Delancey® 36-Inch Single Bowl Apron Front Kitchen Sink Grid	3 lb 1.4 kg	8430000.075	Stainless Steel	210
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Delancey® 33 x 22-Inch Cast Iron 4-Hole Undermount Single Bowl Apron Front Kitchen Sink

- Cast Iron Single Bowl Apron Front Sink
- 8-7/8" (225 mm) depth
- Undermount installation
- 4 oversized holes
- Lustrous Brilliant White finish
- 36" minimum cabinet base required
- Limited Lifetime Warranty

Nominal Dimensions:

22-3/16 in x 33-1/16 in x 8-13/16 in (563 mm x 839 mm x $\,$ 223 mm)

Bowl Size:

29-1/8 in (wide) 15 in (front to back) 8-3/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Delancey® 33 x 22-Inch Cast Iron 4-Hole Undermount Single-Bowl Apron Front Kitchen Sink	176 lb 79.9 kg	77SB33220A.308	Brilliant White	1,493
Optional Components:				
Delancey® 33-Inch Single Bowl Apron Front Kitchen Sink Grid	2 lb 1.1 kg	8418000.075	Stainless Steel	183
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Delancey® 30 x 22-Inch Cast Iron 4-Hole Undermount Single Bowl Apron Front Kitchen Sink

- Single bowl sink
- 8-7/8" (25 mm) depth
- Undermount installation
- 4 oversized holes
- Lustrous Brilliant White finish
- •33" minimum cabinet base required
- Cast Iron Single Bowl Apron Front Sink
- Brilliant White Finish
- Undermount Installation
- Limited Lifetime Warranty

Nominal Dimensions:

22-1/16 in x 30 in x 8-13/16 in (560 mm x 762 mm x 223 mm)

Bowl Size

26-1/16 in (wide) 15-3/8 in (front to back) 8-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Delancey® 30 x 22-Inch Cast Iron 4-Hole Undermount Single-Bowl Apron Front Kitchen Sink	139 lb 63.1 kg	77SB30220A.308	Brilliant White	1,442
Optional Components:				
Delancey® 30-Inch Single Bowl Kitchen Sink Grid	2 lb 1.1 kg	8432000.075	Stainless Steel	171
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Delancey® 36 x 22-Inch Cast Iron 4-Hole Undermount Double Bowl Apron Front Kitchen Sink

- Cast Iron Double Bowl Apron Front Sink
- 8-7/8" (225 mm) depth
- Under mount installation
- 4 oversized holes
- Lustrous Brilliant white finish
- •39" (991 mm) minimum cabinet base required
- Limited Lifetime Warranty

Nominal Dimensions:

22-1/16 in x 36 in x 8-13/16 in (560 mm x 914 mm x 223 mm)

Powl Cizo

32-9/16 in (wide) 15-3/8 in (front to back) 8-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Delancey® 36 x 22-Inch Cast Iron 4-Hole Undermount Double-Bowl Apron Front Kitchen Sink	182 lb 82.9 kg	77DB36220A.308	Brilliant White	1,725
Optional Components:				
Delancey® 36-Inch Double Bowl Apron Front Kitchen Sink Grid – Pack of 2	2 lb 1.4 kg	8431000.075	Stainless Steel	235
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Delancey® 33 x 22-Inch Cast Iron 4-Hole Undermount Double Bowl Apron Front Kitchen Sink

- Cast Iron Double Bowl Apron Front Sink
- 8-7/8" (225 mm) depth
- Undermount installation
- 4 oversized holes
- · Lustrous Brilliant white finish
- 36" (914 mm) minimum cabinet base required
 Limited Lifetime Warranty

Nominal Dimensions:

22-1/16 in x 33-1/16 in x 8-13/16 in (560 mm x 839 mm x 223 mm)

Bowl Size:

13-7/16 in (wide) 15-1/16 in (front to back) 8-11/16 in (deep)



Description	Net Wt	SKU	Color	List Price
	1101 111			LISTITIO
Delancey® 33 x 22-Inch Cast Iron 4-Hole Undermount Double-Bowl Apron Front Kitchen Sink	176 lb 79.9 kg	77DB33220A.308	Brilliant White	1,656
Optional Components:				
Delancey® 33 x 22-Inch Double Bowl Apron Front Kitchen Sink Grid – Pack of 2	2 lb 1.1 kg	8419000.075	Stainless Steel	210
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Delancey® 30 x 19-Inch Cast Iron Undermount Single Bowl Kitchen Sink

- Single bowl sink
- Undermount installation
- Lustrous Brilliant White finish
- 33" (838 mm) minimum cabinet base required
- Limited Lifetime Warranty

Nominal Dimensions:

19 in x 30 in x 8-3/4 in (482 mm x 762 mm x 222 mm)

Bowl Size:

26-1/16 in (wide) 15-3/8 in (front to back) 8-11/16 in (deep)



Description	Net Wt	SKU	Color	List Price
Delancey® 30 x 19-Inch Cast Iron Undermount Single-Bowl Kitchen Sink	97 lb 44.2 kg	77SB30190.308	Brilliant White	998
Optional Components:				
Delancey® 30-Inch Single Bowl Kitchen Sink Grid	2 lb 1.1 kg	8432000.075	Stainless Steel	171
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Delancey® 18 x 16-Inch Cast Iron Undermount Single Bowl Kitchen Sink

- Single bowl sink
- Undermount installation
- Lustrous Brilliant White finish
- •21" (533 mm) minimum cabinet base required
- •8" deep bowl
- Undermount Installation
 Minimum 21" (533mm) cabinet required
 Limited Lifetime Warranty

Nominal Dimensions:

16 in x 18 in x 8 in (406 mm x 457 mm x 203 mm)

Bowl Size:

14-13/16 in (wide) 12-13/16 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Delancey® 18 x 16-Inch Cast Iron Undermount Single-Bowl Kitchen Sink	51 lb 23.4 kg	77SB16180.308	Brilliant White	638
Optional Components:				
Delancey® 16 x 18-Inch Single Bowl Cast Iron Kitchen Sink Grid	1 lb 0.5 kg	8422000.075	Stainless Steel	132
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Delancey® 30 x 19-Inch Cast Iron Undermount Double Bowl Kitchen Sink

- Cast Iron Double Bowl Sink
- Under mount installation
- Lustrous Brilliant White finish
 33" (838 mm) minimum cabinet base required
- 8-7/8" deep bowls
- Limited Lifetime Warranty

Nominal Dimensions:

19-1/16 in x 30-1/16 in x 8.85 in (484 mm x 763 mm x 224 mm)

Bowl Size:

11-11/16 in (wide) 15-3/8 in (front to back) 8-11/16 in (deep)





Description	Net Wt	SKU	Color	List Price
Delancey® 30 x 19-Inch Cast Iron Undermount Double-Bowl Kitchen Sink	90 lb 41.0 kg	77DB30190.308	Brilliant White	1,008
Optional Components:				
Delancey® 30 x 19-Inch Double Bowl Kitchen Sink Grid – Pack of 2	2 lb 1.0 kg	8433000.075	Stainless Steel	210
Waste Fitting	0 lb 0.3 ka	9028000.075	Stainless Steel	33





Quince® 33 x 22-Inch Cast Iron 3-Hole Drop-In Single Bowl Kitchen Sink

- Cast Iron Single Bowl Sink
- Convenient drop-in installation
- Lustrous Brilliant White finish
- 3-hole
- Offset drain
- 36" (914 mm) minimum cabinet base required
 9-3/8" deep bowl
- Limited Lifetime Warranty

Nominal Dimensions:

22-1/16 in x 33 in x 9-15/16 in (560 mm x 838 mm x 252 mm)

Bowl Size:

30-1/4 in (wide) 19-5/16 in (front to back) 9-3/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Quince® 33 x 22-Inch Cast Iron 3-Hole Drop-In Single-Bowl Kitchen Sink	105 lb 47.7 kg	77SB33223.308	Brilliant White	769
Optional Components:				
Quince® 33 x 22-Inch Single Bowl Kitchen Sink Grid	3 lb 1.4 kg	8415000.075	Stainless Steel	171
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Quince® 25 x 22-Inch Cast Iron 3-Hole Drop-In Single Bowl Kitchen Sink

- Single bowl sink
- Convenient drop-in installation
 Lustrous Brilliant White finish
- 3-hole drop-in sink
- •27" (686 mm) minimum cabinet base required
- Cast Iron Single Bowl Sink
- 3 hole
- •9" deep bowl
- Limited Lifetime Warranty

Nominal Dimensions:

21-15/16 in x 25 in x 8-7/8 in (557 mm x 635 mm x 225 mm)

21-7/16 in (wide) 15-3/4 in (front to back) 8-7/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Quince® 25 x 22-Inch Cast Iron 3-Hole Drop-In Single-Bowl Kitchen Sink	73 lb 33.2 kg	77SB25223.308	Brilliant White	668
Optional Components:				
Quince® 25 x 22-Inch Single Bowl Kitchen Sink Grid	1 lb 0.8 kg	8414000.075	Stainless Steel	157
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Quince® 25 x 22-Inch Cast Iron 4-Hole Drop In Single Bowl Kitchen Sink

- Single bowl sink
- Convenient drop-in installation
- Lustrous brilliant white finish
- 4-hole drop-in sink
- •27" (686 mm) minimum cabinet base required
- Cast iron single bowl sink
- 4 hole
- •9" deep bowl
- Limited Lifetime Warranty

Nominal Dimensions:

25 in x 21-15/16 in x 8-7/8 in (635 mm x 557 mm x 225 mm)

Bowl Size:

21-7/16 in (wide) 15-3/4 in (front to back)



Description	Net Wt	SKU	Color	List Price
Quince® 25 x 22-Inch Cast Iron 4-Hole Drop-In Single-Bowl Kitchen Sink	73 lb 33.2 kg	77SB25224.308	Brilliant White	668
Optional Components:				
Quince® 25 x 22-Inch Single Bowl Kitchen Sink Grid	1 lb 0.8 kg	8414000.075	Stainless Steel	157
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Quince® 33 x 22-Inch Cast Iron 3-Hole Drop In or Undercounter Double Bowl Kitchen Sink

- Cast Iron Double Bowl Sink
- Convenient drop-in or undercounter installation
- Lustrous Brilliant White finish
- 3-hole drop-in or undercounter
- Offset drain
- •36" (914 mm) minimum cabinet base required
- •9" deep bowls
- Limited Lifetime Warranty

Nominal Dimensions:

22-1/4 in x 32-15/16 in x 9 in (565 mm x 836 mm x 228 mm)

Bowl Size:

13-1/2 in (wide) 16-1/8 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Quince® 33 x 22-Inch Cast Iron 3-Hole Drop-In or Undercounter Double-Bowl Kitchen Sink	108 lb 49.2 kg	77DB33223.308	Brilliant White	897
Optional Components:				
Quince® 33 x 22-Inch Double Bowl Kitchen Sink Grid – Set of 2	2 lb 1.2 kg	8416000.075	Stainless Steel	210
Waste Fitting	0 lb 0.3 ka	9028000.075	Stainless Steel	33

Quince®



Quince® 33 x 22-Inch Cast Iron 4-Hole Drop In or Undercounter Double Bowl Kitchen Sink

- Cast iron double bowl sink
- Convenient drop-in or undercounter installation
- Lustrous brilliant white finish
- 4-hole drop-in or undercounter sink
- Offset drain
- 36" (914 mm) minimum cabinet base required
- •9" deep bowls
- Limited Lifetime Warranty

Nominal Dimensions:

32-15/16 in x 22-1/4 in x 9 in (836 mm x 565 mm x 228 mm)

Bowl Size:

13-1/2 in (wide) 16-1/8 in (front to back)



Net Wt	SKU	Color	List Price
108 lb 49.2 kg	77DB33224.308	Brilliant White	897
2 lb 1.2 kg	8416000.075	Stainless Steel	210
0 lb 0.3 kg	9028000.075	Stainless Steel	33
	108 lb 49.2 kg 2 lb 1.2 kg 0 lb	108 lb 77DB33224.308 49.2 kg 77DB33224.308 2 lb 8416000.075 1.2 kg 0 1b 9028000.075	108 lb 77DB33224.308 Brilliant White 49.2 kg 2 lb 8416000.075 Stainless Steel 1.2 kg 0 lb 9028000.075 Stainless Steel

americanstandard.com List Price Guide 2023-4



Pekoe® 33 x 22-Inch Stainless Steel Single Bowl Farmhouse Apron Front Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl apron sink
- 10 mm radius corners
- •9" (229 mm) deep bowl
- Undermount or flush mount installation
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Bottom grid included
- Waste fitting included
- Limited Lifetime Warranty

Nominal Dimensions:

22 in x 33 in x 9 in (558 mm x 838 mm x 228 mm)

30-1/4 in (wide) 16-1/2 in (front to back) 9 in (deep)



Net Wt	SKU	Color	List Price
35 lb 16.2 kg	18SB.9332200A.075	Stainless Steel	981
2 lb 1.0 kg	7434000.075	Stainless Steel	199
0 lb 0.3 kg	9028000.075	Stainless Steel	33
	35 lb 16.2 kg 2 lb 1.0 kg 0 lb	35 lb 18SB.9332200A.075 16.2 kg 2 lb 7434000.075 1.0 kg 0 lb 9028000.075	35 lb 18SB.9332200A.075 Stainless Steel 2 lb 7434000.075 Stainless Steel 1.0 kg 0 lb 9028000.075 Stainless Steel



Pekoe® 30 x 22-Inch Stainless Steel Single Bowl Farmhouse Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl apron sink
- 10 mm radius corners
- •9" (229 mm) deep bowl
- Undermount or flush mount installation
- $\bullet\, SoundSecure^{\scriptscriptstyle{\mathsf{TM}}}\, sound\, pads$
- StoneLock[™] undercoating
- Bottom grid included
- Waste fitting included
- Limited Lifetime Warranty

Nominal Dimensions:

22 in x 30 in x 9 in (558 mm x 762 mm x 228 mm)

27-1/4 in (wide) 16-1/2 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 30 x 22-Inch Stainless Steel Single-Bowl Farmhouse Kitchen Sink	33 lb 15.2 kg	18SB.9302200A.075	Stainless Steel	948
Separate Components:				
Pekoe® 30-Inch Single Bowl Kitchen Sink Grid	4 lb 2.0 kg	>7302361-401.0750A	Stainless Steel	141
Waste Fitting	0 lb 0.3 ka	9028000.075	Stainless Steel	33



Pekoe® 35 x 18-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl
- 10 mm radius corners
- Extra deep 10" (254 mm) bowl
- Undermount sink
- SoundSecure[™] sound pads
 StoneLock[™] undercoating
- Bottom grid included
- Waste fitting included
- Sink clips Included

Nominal Dimensions:

18 in x 35 in x 10 in (457 mm x 889 mm x 254 mm)

Bowl Size:

33 in (wide) 16 in (front to back) 10 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 35 x 18-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	27 lb 12.5 kg	18SB.10351800.075	Stainless Steel	901
Separate Components:				
Pekoe® 35-Inch Single Bowl Kitchen Sink Grid	5 lb 2.6 kg	>7302286-401.0750A	Stainless Steel	90
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	0.3 kg -	9028000.075	Stainless Steel	33



Pekoe® 23 x 18-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl
- 10 mm radius corners
- Extra deep 10" (254 mm) bowl
- Undermount sink
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Bottom grid included
- Waste fitting included
- Sink clips Included

Nominal Dimensions:

18 in x 23 in x 10 in (457 mm x 584 mm x 254 mm)

21 in (wide) 16 in (front to back) 10 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 23 x 18-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	20 lb 9.2 kg	18SB.10231800.075	Stainless Steel	798
Separate Components:				
Pekoe® 23-Inch Single Bowl Kitchen Sink Grid	2 lb 1.2 kg	>7302282-401.0750A	Stainless Steel	69
Undermount Sink Clips	0 lb	>791676-100.0070A	No Finish	13
Waste Fitting	- 0.3 kg -	9028000.075	Stainless Steel	33



Pekoe® 17 x 17-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl
- 10 mm radius corners
- •8" (203 mm) deep bowl
- Undermount sink
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Bottom grid included
 Waste fitting included
- Sink clips Included

Nominal Dimensions:

17 in x 17 in x 8 in (431 mm x 431 mm x 203 mm)

15 in (wide) 15 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 17 x 17-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	14 lb 6.4 kg	18SB.8171700.075	Stainless Steel	666
Separate Components:				
Pekoe® 17-Inch Single Bowl Kitchen Sink Grid	1 lb 0.8 kg	>7302288-401.0750A	Stainless Steel	58
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	- 0.3 kg -	9028000.075	Stainless Steel	33



Pekoe® 35 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated double bowl
- 10 mm radius corners 9" (229 mm) deep bowls
- Undermount sink
- SoundSecure+[™] sound pads
 StoneLock[™] undercoating
- Two bottom grids included
- Two waste fittings included
- Sink clips included
- Includes (2) 9028000.075 Drains
- Installation hardware, cutout template and instructions included

Nominal Dimensions:

18 in x 35 in x 9 in (457 mm x 889 mm x 228 mm)

33 in (wide) 16 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 35 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink	30 lb 13.9 kg	18DB.9351800.075	Stainless Steel	926
Separate Components:				
Pekoe® 35-Inch Double Bowl Kitchen Sink Grid	4 lb 1.8 kg	>7302285-401.0750A	No Finish	117
Undermount Sink Clips	0 lb	>791676-100.0070A	No Finish	13
Waste Fitting	- 0.3 kg -	9028000.075	Stainless Steel	33



Pekoe® 35 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated offset double bowls
- 10 mm radius corners
- •9" (229 mm) deep bowls
- Undermount sink
- SoundSecure+[™] sound pads StoneLock[™] undercoating
- Two bottom grids included
- Two waste fittings included • Includes (2) 9028000.075 Drains
- Installation hardware, cutout template and instructions included

Nominal Dimensions:

18 in x 35 in x 9 in (457 mm x 889 mm x 228 mm)

Bowl Size:

21 in (wide) 16 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 35 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink	31 lb 14.2 kg	18CR.9351800.075	Stainless Steel	926
Separate Components:				
Pekoe® 35-Inch Combination Bowl Kitchen Sink Grid	4 lb 1.9 kg	>7302298-401.0750A	No Finish	117
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	– 0.3 kg –	9028000.075	Stainless Steel	33



Pekoe® 29 x 18-Inch Stainless Steel Undermount Double Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated double bowl
- 10 mm radius corners 9" (229 mm) deep bowls
- Undermount sink
- SoundSecure+™ sound pads StoneLock™ undercoating
- Two bottom grids included
- Two waste fittings included
- Sink clips included
- Includes (2) 9028000.075 Drains
- Installation hardware, cutout template and instructions included

Nominal Dimensions:

18 in x 29 in x 9 in (457 mm x 736 mm x 228 mm)

Bowl Size:

13 in (wide) 16 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Pekoe® 29 x 18-Inch Stainless Steel Undermount Double Bowl Kitchen Sink	27 lb 12.3 kg	18DB.9291800.075	Stainless Steel	867
Separate Components:				
Pekoe® 29-Inch Double Bowl Kitchen Sink Grid	3 lb 1.6 kg	>7302287-401.0750A	Stainless Steel	96
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	- 0.3 kg -	9028000.075	Stainless Steel	33



Pekoe® 29 x 18-Inch Stainless Steel Undermount Double Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Fabricated double bowl
- 10 mm radius corners
- Offset drains
- 6" (152 mm) deep bowls

- •6" (152 mm) deep powis

 Undermount sink

 SoundSecure+™ sound pads

 StoneLock™ undercoating

 Two bottom grids included

 Includes: 7302287-401.0750A Bottom Grid Set (2) 9028000.075 Waste Fittings 791676-100.0070A Undermount

 Sink Cline Cutout template Installation Instructions Sink Clips - Cutout template - Installation Instructions

Nominal Dimensions:

18 in x 29 in x 6 in (457 mm x 736 mm x 152 mm)

Bowl Size:

27 in (wide) 16 in (front to back) 6 in (deep)



2 (
Net Wt	SKU	Color	List Price	
22 lb 10.4 kg	18DB6291800.075	Stainless Steel	836	
3 lb 1.6 kg	>7302287-401.0750A	Stainless Steel	96	
0 lb	>791676-100.0070A	No Finish	13	
- 0.3 kg -	9028000.075	Stainless Steel	33	
	22 lb 10.4 kg 3 lb 1.6 kg	22 lb 18DB6291800.075 10.4 kg 18DB6291800.075 3 lb >7302287-401.0750A 1.6 kg 0 lb >791676-100.0070A 0.3 kg	22 lb 10.4 kg 18DB6291800.075 Stainless Steel 3 lb >7302287-401.0750A Stainless Steel 1.6 kg 0 lb >791676-100.0070A No Finish 0.3 kg	

Edgewater®



Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl sink
- •9" (229 mm) deep bowl
- Dual mount sink (top or under)
- Zero radius corners
- SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Bottom grid included
- Waste fitting included •36" (914 mm) cabinet required

Nominal Dimensions:

22 in x 33 in x 9 in (558 mm x 838 mm x 228 mm)

Bowl Size:

30-1/4 in (wide) 16-1/2 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Single-Bowl Kitchen Sink	28 lb 12.7 kg	18SB.9332211.075	Stainless Steel	705
Separate Components:				
16 x 29-Inch Stainless Steel Kitchen Sink Grid	2 lb 1.0 kg	7434000.075	Stainless Steel	199
Undermount Sink Clips	0 lb 0.3 kg	>791676-100.0070A	No Finish	13
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Single Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl
- •6" (152 mm) deep bowl
- Offset drain
- Dual mount sink (top or under)
- Zero radius corners SoundSecure+™ sound pads
- StoneLock[™] undercoating
- Bottom grid included
- •36" (914 mm) cabinet required

Nominal Dimensions:

22 in x 33 in x 6 in (558 mm x 838 mm x 152 mm)

Bowl Size:

30-1/4 in (wide) 16-9/16 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Single-Bowl ADA Kitchen Sink	24 lb 11.2 kg	18SB6332211.075	Stainless Steel	692
Separate Components:				
16 x 29-Inch Stainless Steel Kitchen Sink Grid	2 lb 1.0 kg	7434000.075	Stainless Steel	199
Undermount Sink Clips	0 lb 0.3 kg	>791676-100.0070A	No Finish	13
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

 \triangleright Parts Program (Non-Premier)

Edgewater®



Edgewater® 25 x 22-Inch Stainless Steel 1-Hole Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl sink
- •9" (229 mm) deep bowl
- Dual mount sink (top or under)
- Zero radius corners
- SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Bottom grid included
- Waste fitting included
- •27" (686 mm) cabinet required

Nominal Dimensions:

22 in x 25 in x 9 in (558 mm x 635 mm x 228 mm)

22-1/4 in (wide) 16-1/2 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgewater® 25 x 22-Inch Stainless Steel 1-Hole Undermount Single-Bowl Kitchen Sink	23 lb 10.5 kg	18SB.9252211.075	Stainless Steel	666
Separate Components:				
Edgewater® 25-Inch Single Bowl Kitchen Sink Grid	2 lb 1.0 kg	>7302289-401.0750A	Stainless Steel	73
Undermount Sink Clips	0 lb 0.3 kg	>791676-100.0070A	No Finish	13
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Edgewater® 25 x 22-Inch Stainless Steel 1-Hole Dual Mount Single Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Fabricated single bowl
- •6" (152 mm) deep bowl
- Offset drain
- Dual mount sink (top or under)
- Zero radius corners
 SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Waste fitting included
- •29" (737 mm) cabinet required

Nominal Dimensions:

22 in x 25 in x 6 in (558 mm x 635 mm x 152 mm)

Bowl Size:

22-1/4 in (wide) 16-9/16 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgewater® 25 x 22-Inch Stainless Steel 1-Hole Dual Mount Single-Bowl ADA Kitchen Sink	20 lb 9.1 kg	18SB6252211.075	Stainless Steel	720
Separate Components:				
Edgewater® 25-Inch Single Bowl Kitchen Sink Grid	2 lb 1.0 kg	>7302289-401.0750A	Stainless Steel	73
Undermount Sink Clips	0 lb 0.3 kg	>791676-100.0070A	No Finish	13
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

Edgewater®



Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Double-Bowl Kitchen Sink

- 18 gauge stainless steel
- Fabricated double bowl
- •9" (229 mm) deep bowls
- Dual mount sink (top or under)
- Zero radius corners
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Two bottom grids included • Two waste fittings included
- 36" (914 mm) cabinet required

Nominal Dimensions:

22 in x 33 in x 9 in (558 mm x 838 mm x 228 mm)

Bowl Size:

14-5/8 in (wide) 16-5/8 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Double-Bowl Kitchen Sink	33 lb 15.0 kg	18DB.9332211.075	Stainless Steel	728
Separate Components:				
Edgewater® 25-Inch Double Bowl Kitchen Sink Grid	3 lb 1.7 kg	>7302290-401.0750A	Stainless Steel	155
Undermount Sink Clips	0 lb 0.3 kg	>791676-100.0070A	No Finish	13
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Double Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Fabricated double bowl
- •6" (152 mm) deep bowls
- Offset drain
- Dual mount sink (top or under)
- Zero radius corners
- SoundSecure™ sound pads
- StoneLock™ undercoating
- Two bottom grids included
- •36" (914 mm) cabinet required

Nominal Dimensions:

22 in x 32-11/16 in x 6 in (558 mm x 830 mm x 152 mm)

Bowl Size:

30-1/4 in (wide) 16-9/16 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgewater® 33 x 22-Inch Stainless Steel 1-Hole Dual Mount Double-Bowl ADA Kitchen Sink	29 lb 13.3 kg	18DB6332211.075	Stainless Steel	765
Separate Components:				
Edgewater® 25-Inch Double Bowl Kitchen Sink Grid	3 lb 1.7 kg	>7302290-401.0750A	Stainless Steel	155
Undermount Sink Clips	0 lb 0.3 kg	>791676-100.0070A	No Finish	13
Top Mount Sink Clips	0 lb 0.2 kg	⊳791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

 \triangleright Parts Program (Non-Premier)



Portsmouth® 30 x 18-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- •9" (229 mm) deep bowl
- Undermount sink
- SoundSecure+[™] sound pads
- StoneLock™ undercoating
- Waste fitting included
- Sink clips included
- Includes 9028000.075 drain
- •36" (914 mm) cabinet required

Nominal Dimensions:

18 in x 30 in x 9 in (457 mm x 762 mm x 228 mm)

Bowl Size:

27-3/4 in (wide) 16-1/4 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 30 x 18-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	13 lb 6.3 kg	18SB.9301800S.075	Stainless Steel	666
Separate Components:				
Undermount Sink Clips	0 lb 0.3 kg -	⊳791676-100.0070A	No Finish	13
Waste Fitting		9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 30 x 18-In.	2 lb 1.1 kg	8459.301800.075	Stainless Steel	161



Portsmouth® 30 x 18-Inch Stainless Steel Undermount Single Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- 6" (152 mm) deep bowl Offset drain
- Undermount sink
- SoundSecure+[™] sound pads
- StoneLock™ undercoating
- Waste fitting included
- Sink clips included
- •33" (838 mm) cabinet required

Nominal Dimensions:

18 in x 29-3/4 in x 6 in (457 mm x 755 mm x 152 mm)

Bowl Size:

27-3/4 in (wide) 16-1/8 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 30 x 18-Inch Stainless Steel Undermount Single-Bowl ADA Kitchen Sink	12 lb 5.8 kg	18SB6301800S.075	Stainless Steel	621
Separate Components:				
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	— 0.3 kg —	9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 30 x 18-In.	2 lb 1.1 kg	8459.301800.075	Stainless Steel	161



Portsmouth® 23 x 18-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- •9" (229 mm) deep bowl
- Undermount sink can be reveal or flush
- SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Waste fitting included
- Sink clips included
- Includes 9028000.075 drain
- •30" (762 mm) cabinet required

Nominal Dimensions:

17-3/4 in x 23-3/8 in x 9-1/16 in (450 mm x 593 mm x 230 mm)

21-7/16 in (wide) 15-3/4 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 23 x 18-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	10 lb 4.9 kg	18SB.9231800S.075	Stainless Steel	533
Separate Components:				
Undermount Sink Clips	0 lb 0.3 kg	⊳791676-100.0070A	No Finish	13
Waste Fitting		9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 23 x 18-In.	1 lb 0.9 kg	8452.231700.075	Stainless Steel	140



Portsmouth® 23 x 18-Inch Stainless Steel Undermount Single Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- •6" (152 mm) deep bowl
- Undermount sink
- SoundSecure+[™] sound pads
 StoneLock[™] undercoating
- Waste fitting included
- Sink clips included
- •26" (660 mm) cabinet required
- Cutout template and instructions included

Nominal Dimensions:

17-3/4 in x 23-3/8 in x 6 in (450 mm x 593 mm x 152 mm)

Bowl Size:

21-7/16 in (wide) 15-13/16 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 23 x 18-Inch Stainless Steel Undermount Single-Bowl ADA Kitchen Sink	9 lb 4.1 kg	18SB6231800S.075	Stainless Steel	495
Separate Components:				
Undermount Sink Clips	0 lb 0.3 kg	⊳791676-100.0070A	No Finish	13
Waste Fitting		9028000.075	Stainless Steel	33



Portsmouth® 23 x 21-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
 - Stamped single bowl
 - 9" (229 mm) deep bowl
 - Undermount sink
 - SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Waste fitting included
- Sink clips included
- Includes 9028000.075 drain
- •30" (762 mm) cabinet required

Nominal Dimensions:

21 in x 23 in x 8 in (533 mm x 584 mm x 203 mm)

18-7/8 in (wide) 21-1/4 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 23 x 21-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	11 lb 5.1 kg	18SB.9232100S.075	Stainless Steel	560
Separate Components:				
Undermount Sink Clips	0 lb	>791676-100.0070A	No Finish	13
Waste Fitting	—— 0.3 kg	9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 23 x 21-In.	2 lb 1.0 kg	8449.232100D.075	Stainless Steel	126



Portsmouth® 18 x 16-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steelStamped single bowl9" (229 mm) deep bowl
- Undermount sink
 SoundSecure+™ sound pads
 StoneLock™ undercoating
- Waste fitting included
- Sink clips included
- Includes 9028000.075 drain
- •21" (533 mm) cabinet required

Nominal Dimensions:

15-15/16 in x 17-13/16 in x 9 in (404 mm x 452 mm x 228 mm)

Bowl Size:

15-13/16 in (wide) 13-15/16 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 18 x 16-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	8 lb 3.8 kg	18SB.9181600S.075	Stainless Steel	507
Separate Components:				
Undermount Sink Clips	0 lb 0.3 kg	>791676-100.0070A	No Finish	13
Waste Fitting		9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 16 x 18-In.	1 lb 0.6 kg	8448.181600.075	Stainless Steel	126



Portsmouth® 18 x 16-Inch Stainless Steel Undermount Single Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- 6" (152 mm) deep bowl
- Undermount sink
- SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Waste fitting included
- Sink clips included
- •21" (533 mm) cabinet required
- Cutout template and instructions included

Nominal Dimensions:

15-15/16 in x 17-13/16 in x 6 in (404 mm x 452 mm x 152 mm)

15-7/8 in (wide) 13-15/16 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 18 x 16-Inch Stainless Steel Undermount Single-Bowl ADA Kitchen Sink	7 lb 3.3 kg	18SB6181600S.075	Stainless Steel	471
Separate Components:				
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	—— 0.3 kg —	9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 16 x 18-In.	1 lb 0.6 kg	8448.181600.075	Stainless Steel	126



Portsmouth® 16 x 16-Inch Stainless Steel Undermount Round Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- 7" (178 mm) deep bowl
- Undermount sink
- SoundSecure+™ sound pads StoneLock™ undercoating
- Waste fitting included
- Sink clips included
- Includes drain and strainer
- Limited Lifetime warranty on sink 1 year Limited warranty on all accessories

Nominal Dimensions:

16-3/8 in x 16-3/8 in x 7 in (415 mm x 415 mm x 177 mm)

Bowl Size:

14-1/4 in (wide) 14-1/4 in (front to back) 7 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 16 x 16-Inch Stainless Steel Undermount Round Single-Bowl Kitchen Sink	6 lb 3.0 kg	18SB.7001600S.075	Stainless Steel	400
Separate Components:				
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	— 0.3 kg <i>-</i>	9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth® 16-Inch Round Bar Sink Grid	1 lb 0.5 kg	8442.001600.075	Stainless Steel	112



Portsmouth® 32 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped double bowl
- •9" (229 mm) deep bowls
- Undermount sink
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Two waste fittings included
- Sink clips included
- Includes (2) 9028000.075 drains
- •36" (914 mm) cabinet required

Nominal Dimensions:

18-1/2 in x 32-1/4 in x 9 in (469 mm x 819 mm x 228 mm)

Rowl Size

14-5/8 in (wide) 16-5/8 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 32 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink	14 lb 6.6 kg	18DB.9311800S.075	Stainless Steel	733
Separate Components:				
Undermount Sink Clips	0 lb 0.3 kg	⊳791676-100.0070A	No Finish	13
Waste Fitting		9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 32 x 18-In.	1 lb 0.6 kg	8447.311800.075	Stainless Steel	107



Portsmouth® 32 x 18-Inch Stainless Steel Undermount Double Bowl ADA Kitchen Sink

- 18 gauge stainless steel
- Stamped double bowl
- •6" (152 mm) deep bowls
- Offset drain
- Undermount sink
- SoundSecure[™] sound pads
- $\bullet\, StoneLock^{\scriptscriptstyle{\text{TM}}}\, undercoating$
- Two waste fittings included
- Sink clips included
- •36" (914 mm) cabinet required

Nominal Dimensions:

18-1/2 in x 32-5/16 in x 6 in (469 mm x 820 mm x 152 mm)

Bowl Size:

14-3/4 in (wide) 16-5/8 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 32 x 18-Inch Stainless Steel	13 lb	18DB6311800S.075	Stainless Steel	647
Undermount Double-Bowl ADA Kitchen Sink	6.3 kg			
Separate Components:				
Undermount Sink Clips	0 lb	>791676-100.0070A	No Finish	13
Waste Fitting	— 0.3 kg —	9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Bottom Sink Grid 32 x 18-In.	1 lb 0.6 kg	8447.311800.075	Stainless Steel	107



Portsmouth® 32 x 21-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped offset double bowl9" (229 mm) deep bowl (left)
- 7-1/2" (191 mm) deep bowl (right)
- Undermount sink
- SoundSecure[™] sound pads StoneLock[™] undercoating
- Two waste fittings included
- Sink clips included
- •36" (914 mm) cabinet required

Nominal Dimensions:

20-1/2 in x 31-1/2 in x 9 in (520 mm x 800 mm x 228 mm)

Bowl Size:

15-1/2 in (wide) 18-5/8 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 32 x 21-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink	15 lb 6.9 kg	18CR.9322100S.075	Stainless Steel	733
Separate Components:				
Undermount Sink Clips	0 lb 0.3 kg -	>791676-100.0070A	No Finish	13
Waste Fitting		9028000.075	Stainless Steel	33
Optional Components:				
Portsmouth Left Side Sink Grid 32-Inch	1 lb 0.8 kg	8446.312000L.075	Stainless Steel	107
Portsmouth Right Side Sink Grid 32-Inch	1 lb 0.6 kg	8446.312000S.075	Stainless Steel	93



Reliant® 30 x 18-Inch Stainless Steel Undermount Single Bowl Kitchen Sink

- 18 gauge stainless steel
- Stamped single bowl
- •9" (229 mm) deep bowl
- Undermount sink
- SoundSecure+[™] sound pads
- StoneLock™ undercoating Waste fitting included
- Sink clips included
- Includes 9028000.075 drain
- 36" (914 mm) cabinet required

Nominal Dimensions:

18 in x 30 in x 9 in (457 mm x 762 mm x 228 mm)

Bowl Size:

30 in (wide) 15-15/16 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Reliant® 30 x 18-Inch Stainless Steel Undermount Single-Bowl Kitchen Sink	13 lb 6.1 kg	18SB.9301800T.075	Stainless Steel	400
Separate Components:				
Undermount Sink Clips	0 lb	>791676-100.0070A	No Finish	13
aste Fitting	0.3 kg -	9028000.075	Stainless Steel	33



- 18 gauge stainless steel
- Stamped double bowl
- 9" (229 mm) deep bowls
- Undermount sink
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Two waste fittings included
- Sink clips included
- Includes (2) 9028000.075 drains
- •36" (914 mm) cabinet required

Nominal Dimensions:

18 in x 32 in x 9 in (457 mm x 812 mm x 228 mm)

28-7/8 in (wide) 16 in (front to back) 9 in (deep)



Description	Net Wt	SKU	Color	List Price
Reliant® 32 x 18-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink	14 lb 6.6 kg	18DB.9321800T.075	Stainless Steel	434
Separate Components:				
Undermount Sink Clips	0 lb	>791676-100.0070A	No Finish	13
Waste Fitting	0.3 kg	9028000.075	Stainless Steel	33

Reliant®



Reliant® 31 x 20-Inch Stainless Steel Undermount Double Bowl Kitchen Sink

- 18 gauge stainless steelStamped offset double bowl9" (229 mm) deep bowls
- Undermount sink
- SoundSecure[™] sound pads

- StoneLock™ undercoating
 Sink clips included
 Includes (2) 9028000.075 drains
 Germann (914 mm) cabinet required

Nominal Dimensions:

20 in x 31 in x 9 in (508 mm x 787 mm x 228 mm)

15-5/16 in (wide) 18 in (front to back) 7-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Reliant® 31 x 20-Inch Stainless Steel Undermount Double-Bowl Kitchen Sink	15 lb 6.9 kg	18CR.9312000T.075	Stainless Steel	434
Separate Components:				
Undermount Sink Clips	0 lb	⊳791676-100.0070A	No Finish	13
Waste Fitting	0.3 kg -	9028000.075	Stainless Steel	33
Optional Components:				
Stainless Steel Kitchen Sink Grid - Pack of 2	2 lb 0.9 kg	7433000.075	Stainless Steel	215



Colony® 25 x 22-Inch Stainless Steel Single Bowl Kitchen Sink With Colony® PRO Single Control Faucet System

- 20 gauge stainless steel
- Stamped single bowl
- •8" (203 mm) deep bowl
- Top mount 3-hole sink
- SoundSecure+[™] sound pads
- StoneLock™ undercoating
- Waste fitting & sink clips included
- •27" (686mm) cabinet required

Nominal Dimensions:

22-1/16 in x 25 in x 8 in (560 mm x 635 mm x 203 mm)

Bowl Size:

15-3/4 in (wide) 21-1/4 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 25 x 22-Inch Stainless Steel Single-Bowl Kitchen Sink With Colony® PRO Single Control Faucet System	13 lb 6.0 kg	20SB.8252283C.075	Stainless Steel	441
Separate Components:				
Colony® 25 x 22-Inch Stainless Steel 3-Hole Topmount Single-Bowl Kitchen Sink	10 lb 4.7 kg	20SB.8252283S.075	Stainless Steel	327
Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min	3 lb 1.5 kg	7074000.075	Stainless Steel	186
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Colony® 25 x 22-Inch Stainless Steel Single Bowl ADA Kitchen Sink With Colony® PRO Single Control Faucet System

- 22 gauge stainless steel
- Stamped single bowl
- •6" (152 mm) deep bowl
- Top mount 3-hole sink
- SoundSecure+[™] sound pads
 StoneLock[™] undercoating
- StoneLock undercoating
 Waste fitting & sink clips included
- 27" (686 mm) cabinet required

Nominal Dimensions:

22 in x 25 in x 6 in (558 mm x 635 mm x 152 mm)

Bowl Size:

15-3/4 in (wide) 21-1/4 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 25 x 22-Inch Stainless Steel Single- Bowl ADA Kitchen Sink With Colony® PRO Single Control Faucet System	11 lb 5.2 kg	22SB.6252283C.075	Stainless Steel	394
Separate Components:				
Colony® 25 x 22-Inch Stainless Steel 3-Hole Top Mount Single-Bowl ADA Kitchen Sink	8 lb 3.8 kg	22SB.6252283S.075	Stainless Steel	268
Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min	3 lb 1.5 kg	7074000.075	Stainless Steel	186
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

Colony®



Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double Bowl Kitchen Sink With Colony® PRO Single Control Faucet System

- 20 gauge stainless steel
- Stamped double bowl
- 8" (203 mm) deep bowls Top mount 3-hole sink
- SoundSecure[™] sound pads
- StoneLock™ undercoating
 Two waste fittings & sink clips included
- •36" (914 mm) cabinet required

Nominal Dimensions:

21-15/16 in x 32-15/16 in x 8 in (557 mm x 836 mm x 203 mm)

16 in (wide) 14 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 33 x 22-Inch Stainless Steel 3-Hole Topmount Double-Bowl Kitchen Sink With Colony® PRO Single Control Faucet System	18 lb 8.5 kg	20DB.8332283C.075	Stainless Steel	486
Separate Components:				
Colony® 33 x 22-Inch Stainless Steel 3-Hole Topmount Double-Bowl Kitchen Sink	15 lb 7.1 kg	20DB.8332283S.075	Stainless Steel	347
Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min	3 lb 1.5 kg	7074000.075	Stainless Steel	186
Top Mount Sink Clips	0 lb 0.2 kg	⊳791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double Bowl ADA Kitchen Sink With Colony® PRO Single Control Faucet System

- 20 gauge stainless steel
- Stamped double bowl
- •6" (152 mm) deep bowls
- Top mount 3-hole sink SoundSecure™ sound pads StoneLock™ undercoating

- Two waste fittings and sink clips included
- •36" (914 mm) cabinet required

Nominal Dimensions:

21-15/16 in x 32-15/16 in x 6 in (557 mm x 836 mm x 152 mm)

16 in (wide) 14 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double-Bowl ADA Kitchen Sink With Colony® PRO Single Control Faucet System	14 lb 6.4 kg	22DB.6332283C.075	Stainless Steel	446
Separate Components:				
Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double-Bowl ADA Kitchen Sink	11 lb 5.1 kg	22DB.6332283S.075	Stainless Steel	305
Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min	3 lb 1.5 kg	7074000.075	Stainless Steel	186
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

Colony®



Colony® 25 x 22-Inch Stainless Steel 3-Hole Top Mount Single Bowl Kitchen Sink

- 20 gauge stainless steel
- Stamped single bowl
- •8" (203 mm) deep bowl
- Top mount sink
- SoundSecure+[™] sound pads
- StoneLock[™] undercoating
- Waste fitting & sink clips included
- •27" (686 mm) cabinet required

Nominal Dimensions:

22-1/16 in x 25 in x 8 in (560 mm x 635 mm x 203 mm)

21-3/8 in (wide) 15-11/16 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 25 x 22-Inch Stainless Steel 3-Hole Topmount Single-Bowl Kitchen Sink	10 lb 4.7 kg	20SB.8252283S.075	Stainless Steel	327
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Colony® 25 x 22-Inch Stainless Steel 4-Hole Top Mount Single Bowl Kitchen Sink

- 20-gauge stainless steel
- Stamped single bowl
- •8" (203 mm) deep bowl
- Top mount sink
 SoundSecure+[™] sound pads
- StoneLock™ undercoating Waste fitting & sink clips included 27" (686 mm) cabinet required

Nominal Dimensions:

25 in x 22 in x 8 in (635 mm x 558 mm x 203 mm)

21-3/4 in (wide) 15-3/4 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 25 x 22-Inch Stainless Steel 4-Hole	10 lb	20SB.8252284S.075	Stainless Steel	327
Topmount Single-Bowl Kitchen Sink ,	4.7 kg			

Colony®



Colony® 25 x 22-Inch Stainless Steel 3-Hole Top Mount Single Bowl ADA Kitchen Sink

- 22 gauge stainless steel
- Stamped single bowl
- •6" (152 mm) deep bowl
- Top mount sink
 SoundSecure+™ sound pads
- StoneLock™ undercoating Waste fitting & sink clips included
- •27" (686 mm) cabinet required

Nominal Dimensions:

22-1/16 in x 25 in x 6 in (560 mm x 635 mm x 152 mm)

Bowl Size:

21-1/4 in (wide) 15-1/8 in (front to back) 6 in (deep)



Net Wt	SKU	Color	List Price
8 lb 3.8 kg	22SB.6252283S.075	Stainless Steel	268
0 lb 0.2 kg	>791637-100.0070A	No Finish	13
0 lb 0.3 kg	9028000.075	Stainless Steel	33
	8 lb 3.8 kg 0 lb 0.2 kg 0 lb	8 lb 22SB.6252283S.075 3.8 kg 0 1b 2791637-100.0070A 0.2 kg 0 1b 9028000.075	8 lb 22SB.6252283S.075 Stainless Steel 0 lb >791637-100.0070A No Finish 0.2 kg 0 lb 9028000.075 Stainless Steel



Colony® 25 x 22-Inch Stainless Steel 4-Hole Top Mount Single Bowl ADA Kitchen Sink

- 20-gauge stainless steel

- Stamped single bowl
 6" (152 mm) deep bowl
 Top mount sink
 SoundSecure+™ sound pads
 Waste fitting & sink clips included
- •27" (686 mm) cabinet required

Nominal Dimensions:

22 in x 25 in x 6 in (558 mm x 635 mm x 152 mm)

Bowl Size:

21-1/4 in (wide) 15-1/8 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 25 x 22-Inch Stainless Steel 4-Hole Top Mount Single-Bowl ADA Kitchen Sink	8 lb 3.8 ka	22SB.6252284S.075	Stainless Steel	268

Colony®



Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double Bowl Kitchen Sink

- 20 gauge stainless steel
- Stamped double bowl
- •8" (203 mm) deep bowls
- Top mount sink
- SoundSecure[™] sound pads
- StoneLock™ undercoating Two waste fittings included
- Sink clips included Includes (2) 9028000.075 drains
- •36" (914 mm) cabinet required

Nominal Dimensions:

21-15/16 in x 32-15/16 in x 8 in (557 mm x 836 mm x 203 mm)

Bowl Size:

14 in (wide) 15-15/16 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 33 x 22-Inch Stainless Steel 3-Hole Topmount Double-Bowl Kitchen Sink	15 lb 7.1 kg	20DB.8332283S.075	Stainless Steel	347
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Colony® 33 x 22-Inch Stainless Steel 4-Hole Top Mount Double Bowl Kitchen Sink

- 20-gauge stainless steel
- Stamped double bow
- •8" (203 mm) deep bowls
- Top mount sink
- SoundSecure[™] sound pads
- StoneLock[™] undercoating
- Two waste fittings included
- Sink clips included
- Includes (2) 9028000.075 drains
- •36" (914 mm) cabinet required

Nominal Dimensions:

32-15/16 in x 21-15/16 in x 8 in (836 mm x 557 mm x 203 mm)

14 in (wide) 15-15/16 in (front to back) 8 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 33 x 22-Inch Stainless Steel 4-Hole Topmount Double-Bowl Kitchen Sink	15 lb 7.1 kg	20DB.8332284S.075	Stainless Steel	347
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33





Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double Bowl ADA Kitchen Sink

- 20 gauge stainless steel
- Stamped double bowl
- •6" (152 mm) deep bowls
- Top mount sink
- SoundSecure[™] sound pads
- StoneLock™ undercoating Two waste fittings included
- Sink clips included
 Includes (2) 9028000.075 drains
- •36" (914 mm) cabinet required

Nominal Dimensions:

21-15/16 in x 32-15/16 in x 6 in (557 mm x 836 mm x 152 mm)

Bowl Size:

14 in (wide) 16 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 33 x 22-Inch Stainless Steel 3-Hole Top Mount Double-Bowl ADA Kitchen Sink	11 lb 5.1 kg	22DB.6332283S.075	Stainless Steel	305
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Colony® 33 x 22-Inch Stainless Steel 4-Hole Top Mount Double Bowl ADA Kitchen Sink

- 20 gauge stainless steel
- Stamped double bowl
- •6" (152 mm) deep bowls
- Top mount sink
- SoundSecure™ sound pads StoneLock™ undercoating
- Two waste fittings included
- Sink clips included
- Includes (2) 9028000.075 drains
- •36" (914 mm) cabinet required

Nominal Dimensions:

32-15/16 in x 21-15/16 in x 6 in (836 mm x 557 mm x 152 mm)

14 in (wide) 16 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 33 x 22-Inch Stainless Steel 4-Hole Top Mount Double-Bowl ADA Kitchen Sink	11 lb 5.1 kg	22DB.6332284S.075	Stainless Steel	314
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	⊳791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33

Colony®



Colony® 15 x 15-Inch Stainless Steel 1-Hole Top Mount Single Bowl ADA Kitchen Sink

- 22 gauge stainless steel
- Stamped single bowl
- •6" (152 mm) deep bowl

- Top mount sink
 SoundSecure+™ sound pads
 StoneLock™ undercoating
 Waste fitting & sink clips included
 18" (457 mm) cabinet required

Nominal Dimensions:

15 in x 15 in x 6 in (381 mm x 381 mm x 152 mm)

Bowl Size:

12-3/8 in (wide) 10-1/8 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Colony® 15 x 15-Inch Stainless Steel 1-Hole Top Mount Single-Bowl ADA Kitchen Sink	7 lb 3.4 kg	22SB.6151511S.075	Stainless Steel	200
Separate Components:				
Top Mount Sink Clips	0 lb 0.2 kg	>791637-100.0070A	No Finish	13
Waste Fitting	0 lb 0.3 kg	9028000.075	Stainless Steel	33



Hillsdale® 33 x 22-Inch Stainless Steel Drop-In or Undermount Single-Bowl Kitchen Sink

- Single bowl sink
 Coordinating pull-down faucet, sold separately
 Installation instructions and cutout template
 Top mount installation hardware

- 20 gauge Stainless Steel
- 18-10 Chrome Nickel content
- Dual mount installation
- •36" (914 mm) cabinet required
- · Limited lifetime warranty

Nominal Dimensions:

22 in x 33 in (558 mm x 838 mm)

29-9/16 in (wide) 18-9/16 in (front to back) 9 in (deep)

n		01/11		
Description	Net Wt	SKU	Color	List Price
Hillsdale® 33 x 22-Inch Stainless Steel Drop-In or	14 lb	20SB.332211B.075	Stainless Steel	506
Undermount Single-Bowl Kitchen Sink	6.5 kg			
Separate Components:				
Top Mount Sink Clips	0 lb	>791637-100.0070A	No Finish	13
	0.2 kg			
Optional Components:				
Waste Fitting	0 lb	9028000.075	Stainless Steel	33
	0.3 kg			

Beale® Selectronic® - Hands-Free Technology

Our hands-free, Selectronic technology is now featured on the Beale kitchen faucet. This touchless model offers the unique option of switching to manual operation by simply sliding a movable door to cover the sensor.



Beale Touchless Single-Handle Pull-Down Dual Spray Kitchen Faucet

Hygienic

Helps reduce the risk of cross-contamination while handle and spout remain untouched.

Convenient

Easily access water when hands are full or dirty.

Long lasting

Equipped with 4 AA long-life batteries. AC adaptor available separately.



A movable door changes the faucet from touchless to manual operation in one quick movement. This allows the user to choose when they want to use the touchless option and when they don't.

Beale - MeasureFill® Technology

The Beale MeasureFill Touch kitchen faucet delivers an adjustable set volume of water, on demand, due to its unique MeasureFill technology. Simply set the measuring dial to the desired volume of water (ounces or cups) and activate the water flow via a simple touch on the dial window.



Beale MeasureFill Pull-Down Kitchen Faucet

Ease of use

Makes cooking and baking easier and more convenient.

Less clutter

Helps to reduce clutter in the kitchen by eliminating the need for additional tools.

Touch or manual faucet activation

Activation of regular water flow through a simple touch on the faucet dial or manually via the faucet lever.



MeasureFill Detail

SelectFlo® Multi-Function Spray Technology

With geometric styling and impressive functionality, Edgewater® pull-down kitchen faucets feature an intuitive multi-function sprayer that allows the user to efficiently manage common kitchen tasks. The five-function SelectFlo® spray head includes a stream, spray, jet, mist and pause function. Optional scrub brushes are available to attach directly to the spray head with a simple twist for added cleaning convenience.

Increased functionality

- Four spray functions and pause
- Toggle down into spray mode
- Rotate dial to select spray
- Water will always turn on in STREAM mode

Luxury look and feel

Optional brush attachment

- Connects directly to spray head
- Assists with tough cleaning tasks



Edgewater® SelectFlo Pull-Down Kitchen Faucet



Edgewater Semi-Professional Kitchen Faucet

Select a Spray













americanstandard.com List Price Guide 2023-4

Traditional, contemporary or transitional, there's an American Standard faucet to complement every kitchen. Combining superior functionality and design, each is equipped with ceramic disc valves for drip-free performance and is available in beautiful scratch- and tarnish-resistant finishes.














Kitchen and Bar Faucets Overview

	Dai Tadooto			
Pull-Down Kitchen	Faucets		Pull-Out Kitcher	n Faucets
Touchless Kitchen	Faucets		Beale® Measure	Fill™
Single-Handle Kitch	hen Faucets		2-Handle Kitche	n Faucets
Single-Handle Bar I	Faucets		2-Handle Bar Fa	ucets
Semi-Pro	Pot Filler	Laundry	Accessories	

americanstandard.com List Price Guide 2023-4



Beale® Single-Handle Pull-Down Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/min



- Standard manual operation
- 2-function spray

Description

- Spout height: 17-9/16" (446 mm)
- Spout clearances: 10-1/2" (267 mm)
- Washerless (35 mm) ceramic disc valve cartridge
- 1.5 gpm/5.7 L/min maximum flow
- Metal body, handle and mounting hardware
- Brass swivel spout



4931300.002 4931300.075

SKU#

Polished Chrome Stainless Steel

Color/Finish

496 590

List Price





Colony® PRO Single-Handle Pull-Down Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/

- Ceramic disc valve cartridge (28 mm)
- 1.5 gpm/5.7 L/min maximum flow
- Metal deck plate and metal lever handle
- Pull-down spray with adjustable spray pattern: pause, spray, aerator
 • Integrated 35" braided stainless steel supply lines

- Metal swivel spoutSpout height: 16-9/20" (417 mm)



7077300.002	Polished Chrome	341
7077300.075	Stainless Steel	410
7077300.243	Matte Black	472



Delancey® Single-Handle Pull-Down Dual Spray Function Kitchen Faucet 1.5 gpm/5.7 L/min

- Washerless ceramic disc valve cartridge • 1.5 gpm/5.7 L/min maximum flow
- Brass body and swivel spout
- Metal lever handle
- 28-¾" (730 mm) long braided flexible supply hoses with 3/8" (10 mm) compression connectors
 • Spout height: 16-11/16" (424 mm)
- Spout clearance: 9-5/16" (237 mm)
- Features Re-Trax® spray head retraction system




4279300.002	Polished Chrome	527
4279300.013	Polished Nickel	633
4279300.075	Stainless Steel	633
4279300.278	Legacy Bronze	682





Edgewater® Single-Handle Pull-Down Multi Spray Kitchen Faucet 1.8 gpm/6.8 L/min



- Ceramic disc valve cartridge assures smooth, precise valve control and a lifetime of drip-free, maintenance-free performance
- Metal body and handle
- 1.5 gpm/5.7 L/min maximum flow
- Features Re-Trax® retraction system
- · Brass swivel spout
- Spout height: 17-7/16" (443 mm)
- Spout clearance: 9" (228 mm)



4932300.002 4932300.075

Polished Chrome Stainless Steel

533








Hillsdale™ Single-Handle Pull-Down Dual Spray Kitchen Faucet

- · Ceramic disc valve cartridge (35 mm)
- 1.8 gpm/6.8 L/min maximum flow
- Metal swivel spout

Description

- Metal lever handle
- Includes optional deck plate
- Pull-down spray with adjustable spray pattern
- Integrated braided stainless steel supply lines





Renate™ Single-Handle Pull-Down Single Spray Kitchen Faucet 1.5 gpm/5.7 Lpm

- Washerless ceramic disc valve cartridge
 1.5 gpm/5.7 L/min maximum flow
- · Brass body and swivel spout
- Metal lever handle
- 28-¾" (730 mm) long braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Spout height: 16-11/16" (424 mm)
- Spout clearance: 9-5/16" (237 mm)
- Features Re-Trax® spray head retraction system





Saybrook® Single-Handle Pull-Down Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/min With Filter

- Quick and easy filter replacement from countertop
- · Reduces chlorine, lead and particles while improving taste & odor
- Instant cold filtered water with a press of a button
- · Separate cold waterway means immediate filtered H20 that never mixes with unfiltered water
- · Can be installed at countertop level or inside
- 300 gallon filter life
- Filter indicators take out the guesswork and identify the following: Low Filter, Very Low Filter, Replace Filter, Replace Batteries
- · Dual spray function for ease of cleaning
- Re-Trax feature ensures smooth retraction of spray head after use
- Limited Lifetime Guarantee

4902330.002 Polished Chrome 672 4902330.075 Stainless Steel 719



Studio® S Pull-Down Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/min

- High 18" (457 mm) design makes it easy to fill large pots and lends a professional look
- Wipe-clean, one-piece lever handle eliminates tiny crevices where build-up hides
- Dual-function 1.5GPM spray head with pause easily toggles from a powerful spray to a smooth stream with one hand
- Re-Trax® feature ensures smooth retraction of spray head after use
- Swivel spout rotates 360° for optimal reach and range of motion in and around the sink
- Rubber spray nozzles wipe clean easily with your fingertip
- Drip-free performance with high quality ceramic disc valve
- Durable metal construction
- Pre-installed braided nylon supply lines
- · Limited lifetime warranty







Kitchen Faucets

Pull-Out Faucets



Colony® PRO Single-Handle Pull-Out Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/min


- Ceramic disc valve cartridge (40 mm)
- 1.5 gpm/5.7 L/min maximum flow
- Brass swivel spout


Description

- Metal deck plate and metal lever handle
- Pull-out spray with adjustable spray pattern
 Spout height: 7-¾" (197 mm)
- Spout reach: 8-5/8" (220 mm)
 Spout clearance: 5-1/2" (139 mm)
- Integrated braided stainless steel supply lines



SKU #	Color/Finish	List Pric
7074100.002	Polished Chrome	279
7074100.075	Stainless Steel	335





Profile is designed to accommodate many kitchen configurations
 Wipe-clean, one-piece lever handle eliminates tiny crevices where build up bidge.

- crevices where build-up hides
- Swivel spout for added functionality and convenience rotates 120°
- Rubber spray nozzles wipe clean easily with your fingertip
- Drip-free performance with high quality ceramic
- Durable brass and metal construction
- Pre-installed braided nylon supply lines
- · Limited lifetime warranty



4803100.002	Polished Chrome	360
4803100.075	Stainless Steel	445
4803100.243	Matte Black	461







Beale® Touchless Single-Handle Pull-Down Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/




4931380.002
4931380.075





MAP O



- · Place faucet into manual mode by closing the sliding door
- 2-function spray
- Features Re-Trax® spray head retraction system
 Comes with 4 AA long-life batteries. AC adaptor available separately
- Washerless (35 mm) ceramic disc valve cartridge
- 1.5 gpm/5.7 L/min maximum flow
- Metal body, handle and mounting hardware
- Brass swivel spout
- Spout height: 17-9/16" (446 mm)
- Spout clearance: 10-1/2" (267 mm)



7077380.002	Polished
7077380.075	Stainless
7077220 2/2	Matta Bla

512



 Selectronic® Hands-Free Technology featuring a front facing wave on/off IR sensor

Colony® PRO Touchless Single-Handle

Pull-Down Dual Spray Kitchen Faucet 1.5

- Ceramic disc valve cartridge (28 mm)
- 1.5 gpm/5.7 L/min maximum flow
- Includes deck plate
- Pull-down spray with adjustable spray pattern: Pause, spray, aerator
 • Integrated 35" braided stainless steel supply lines
- Metal swivel spout and lever handle
 Spout height: 16-9/20" (417 mm)
- Powered by 4 AA batteries which are included



075	Stainless Steel	615
243	Matte Black	708


Chrome







Beale MeasureFill™ 2-Handle Pull-Down Dual Spray Kitchen Faucet 1.5 gpm/5.7 L/ min With MeasureFill™ Dial



- Spout height: 17 5/8" (448 mm); Spout clearance: 9 - 5/8" (244 mm)
- Use faucet manually via faucet lever
 Features Re-Trax® spray head retraction system
 2-function spray with pause button
- Comes with 4 AA long-life batteries. AC adaptor available separately
- Washerless (35 mm) ceramic disc valve cartridge
- 1.5 gpm/5.7 L/min maximum flow
- Metal body, handle and mounting hardware
- Brass swivel spout



4931360.002 4931360.075 Polished Chrome Stainless Steel

744 930



americanstandard.com List Price Guide 2023-4

Kitchen Faucet	S		Si	ngle-Handle Fa	aucets
	Description		SKU #	Color/Finish	List Price
	Colony® PRO Single-Handle Kitchen Faucet	ÂDÂ	7074000.002	Polished Chrome	155
	1.5 gpm/5.7 L/min Ceramic disc valve cartridge (35 mm) 1.5 gpm/5.7 L/min maximum flow Brass swivel spout Metal deck plate and metal lever handle Spout height: 5-7/8" (150 mm) Spout reach: 8-1/2" (216 mm) Spout clearance: 4-7/8" (125 mm) Integrated braided stainless steel supply lines	•	7074000.075	Stainless Steel	186
	Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min	ÁDA	7074010.002	Polished Chrome	155
	Ceramic disc valve cartridge (35 mm) 1.5 gpm/5.7 L/min maximum flow Brass swivel spout Metal lever handle Spout height: 5-7/8" (150 mm) Spout reach: 8-½" (216 mm) Spout clearance: 4-7/8" (125 mm) Integrated braided stainless steel supply lines				
	Colony® PRO Single-Handle Kitchen Faucet 1.5 gpm/5.7 L/min With Side Spray • Ceramic disc valve cartridge (35 mm) • 1.5 gpm/5.7 L/min maximum flow • Brass swivel spout • Metal deck plate and metal lever handle • With side spray through deck plate • Spout height: 5-7/8" (150 mm) • Spout reach: 8-1/8" (16 mm) • Spout clearance: 4-7/8" (125 mm) • Integrated braided stainless steel supply lines	(A) (B)	7074030.002	Polished Chrome	186
	Colony® PRO Single-Handle Kitchen Faucet	ΔΠΔ	7074040.002	Polished Chrome	186
	1.5 gpm/5.7 L/min With Side Spray	Œ	7074040.075	Stainless Steel	223
	Ceramic disc valve cartridge (35 mm) 1.5 gpm/5.7 L/min maximum flow Brass swivel spout Metal deck plate and metal lever handle With side spray	•			



- With side spray
 Spout height: 5-7/8" (150 mm)
 Spout reach: 8-½" (216 mm)
 Spout clearance: 4-7/8" (125 mm)
 Integrated braided stainless steel supply lines

Colony® PRO 2-Handle Kitchen Faucet 1.5 gpm/5.7 L/min



7074500.002

SKU#

Color/Finish Polished Chrome **List Price** 149



Ceramic disc valve cartridges

- 1.5 gpm/5.7 L/min maximum flow
- Brass swivel spout
- Metal deck plate and metal lever handles
- Low arc spout

Description

- Spout height: 6" (153 mm)
- Spout reach: 8-½" (216 mm)
- Spout clearance: 5" (128 mm)



7074550.002

Polished Chrome

179



Colony® PRO 2-Handle Kitchen Faucet 1.5 gpm/5.7 L/min Without Side Spray


- · Ceramic disc valve cartridges
- 1.5 gpm/5.7 L/min maximum flow Brass swivel spout
- Metal deck plate and metal lever handles
- High arc spout

- LESS side spray Spout height: 12-½" (318 mm) Spout reach: 7-5/8" (195 mm)
- Spout clearance: 7-1/4" (183 mm)





Colony® PRO 2-Handle Kitchen Faucet 1.5 gpm/5.7 L/min With Side Spray



- 1.5 gpm/5.7 L/min maximum flow
- Brass swivel spout
- Metal deck plate and metal lever handles
- Low arc spout
- With side spray
- Spout height: 6" (153 mm)
- Spout reach: 8-1/2" (216 mm)
- Spout clearance: 5" (128 mm)



7074501.002

Polished Chrome

179



Colony® PRO 2-Handle Kitchen Faucet 1.5 gpm/5.7 L/min With Side Spray



- · Ceramic disc valve cartridges
- 1.5 gpm/5.7 L/min maximum flow
- Brass swivel spout
- Metal deck plate and metal lever handles
- High arc spout
- With side spray Spout height: 12-½" (318 mm) Spout reach: 7-5/8" (195 mm)
- Spout clearance: 7-1/4" (183 mm)




7074551.002

Polished Chrome

211



Delancey® 2-Handle Widespread Kitchen Faucet 1.5 gpm/5.7 L/min With Side Spray



- 1.5 gpm/5.7 L/min maximum flow
- Brass body and swivel spout
- Metal lever handles
- 28-3/4" (730 mm) long braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Color-matched side spray
- Spout height: 13-15/16" (353 mm)
- Spout clearance: 8-7/16" (214 mm)



4279701.002	Polished Chrome	404
4279701.013	Polished Nickel	483
4279701.075	Stainless Steel	483
4279701.278	Legacy Bronze	527





americanstandard.com

Single-Handle Bar Faucets




Delancey® Single-Handle Pull-Down Bar Faucet 1.5 gpm/5.7 L/min

- Washerless ceramic disc valve cartridge
- 1.5 gpm/5.7 L/min maximum flow
- Brass body and swivel spout
- Metal lever handle

Description

- 28-3/4" (730 mm) long braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Pull-down spray
- Spout height: 15-1/8" (383 mm)
- Spout clearance: 10-3/8" (263 mm)
- Features Re-Trax® spray head retraction system







Edgewater® Single-Handle Pull-Down Single Spray Bar Faucet 1.5 gpm/5.7 L/min

- · Single function pull-down spray head
- · Ceramic disc valve cartridge assures smooth, precise valve control and a lifetime of drip-free, maintenance-free performance
- Metal body and handle
- 1.5 gpm/5.7 L/min maximum flow
 Features Re-Trax® retraction system
- Brass swivel spout
- Spout height: 14-7/16" (336 mm)
- Spout clearance: 7-5/16" (201 mm)




4932410.002

Polished Chrome

464







- Wipe-clean, one-piece lever handle eliminates tiny crevices where build-up hides
- Re-Trax® feature ensures smooth retraction of spray head after use
- Swivel spout rotates 360° for optimal reach and range of motion in and around the sink
- · Rubber spray nozzles wipe clean easily with your fingertip
- Drip-free performance with high quality ceramic disc valve
- Durable brass and metal construction
- Pre-installed braided nylon supply lines
- · Limited lifetime warranty



4803410.002	Polished Chrome	394
4803410.075	Stainless Steel	507
4803410.243	Matte Black	540









7074140.002

SKU#

Color/Finish Polished Chrome **List Price** 125



- Ceramic disc valve cartridges • 1.5 gpm/5.7 L/min maximum flow
- Brass swivel spout
- Metal deck plate and metal lever handles
- Aerator end

Description

- Low arc spout
- Spout height: 6-7/8" (174 mm)
- Spout reach: 6-1/4" (159 mm)
- Spout clearance: 4-5/8" (117 mm)



ADA	7074400.002	Polished Chrome	125
Ä	7074400.075	Stainless Steel	149



Colony® PRO 2-Handle Bar Faucet 1.5 gpm/5.7 L/min

- Ceramic disc valve cartridges
- 1.5 gpm/5.7 L/min maximum flow
- Brass swivel spout
- Metal deck plate and metal lever handles
- High arc spout
- Spout height: 10-7/8" (275 mm)
- Spout reach: 5-3/4" (146 mm)
- Spout clearance: 7-3/8" (186 mm)



4279400.002	Polished Chrome	311
4279400.013	Polished Nickel	373
4279400.075	Stainless Steel	373
4279400.278	Legacy Bronze	404





Delancey® 2-Handle Bar Faucet 1.5 gpm/5.7

- Washerless ceramic disc valve cartridge
- 1.5 gpm/5.7 L/min maximum flow
 Brass body and swivel spout

- Metal lever handles
 28-¾" (730 mm) long braided flexible supply hoses with 3/8" (10 mm) compression connectors
 • Spout height: 12-5/8" (321 mm)
- Spout clearance: 6-1/16" (153 mm)








Edgewater® Single-Handle Semi-Pro Multi Spray Kitchen Faucet 1.8 gpm/6.8 L/min

 Ceramic disc valve cartridge assures smooth, precise valve control and a lifetime of drip-free,



4932350.002	Poli
4932350.075	Stai
4932350.075	Stail

SKU#



Color/Finish



List Price

682

maintenance-free performance

• Metal body and handle

various kitchen tasks

- 1.5 gpm/5.7 L/min maximum flow
- Features Re-Trax® retraction system
- Swivel spout

Description

- Spout height: 19" (482 mm)
- Spout clearance: 8-11/16" (220 mm)



Grayson™ Semi-Professional Single-Handle Kitchen Faucet • Flexible stainless steel coil spring for full reach and



7612350.075
7612350.243

Stainless Steel 475 Matte Black 570

- Dual-function spray head offers stream and forceful spray for rinsing
- forceful spray for rinsing
 Easy-clean, one-piece lever handle eliminates tiny
- crevices where build-up hides
 Swivel spout rotates 360° for optimal reach and
- range of motion in and around the sink

 Drip-free performance with high quality ceramic
- Drip-free performance with high quality ceramic disc valve
- 1.8 gpm/6.8 L/min maximum flow
- Pre-installed braided nylon supply lines
- Includes color-matched soap dispenser
- Includes optional deckplate
- Limited lifetime warranty

wipe-clean care



Studio® S Semi-Pro Pull-Down Dual Spray Kitchen Faucet With Spring Spout



 Flexible stainless 	steel coil	spring fo	or full	reach	and
wipe-clean care					

- Dual-function spray head offers stream and forceful spray for rinsing
- Easy-clean, one-piece lever handle eliminates tiny crevices where build-up hides
- Swivel spout rotates 360° for optimal reach and range of motion in and around the sink
- Rubber spray nozzles wipe clean easily with your fingertip
- Drip-free performance with high quality ceramic disc valve
- Durable brass and metal construction
- Pre-installed braided nylon supply lines
- Limited lifetime warranty



4803350.002	Polished Chrome	577
4803350.075	Stainless Steel	691
4803350.243	Matte Black	732





Studio® S Wall-Mount Pot Filler Kitchen **Faucet**

- Extends 22" (559 mm) to easily reach pots and pans on front or back burners
- Drip-free performance with high quality ceramic disc valve
- Designed for cold water attachment
- Durable brass and metal construction
- 4.0 gallons per minute (15.1 L/min) flow rate at 60 psi
 • Limited lifetime warranty

Description

SKU#	Color/Finish	List Price
4803900.002	Polished Chrome	650
4803900.075	Stainless Steel	799
4803900.243	Matte Black	899



Laundry Faucets



Colony® PRO 2-Handle Laundry Faucet 1.5 gpm/5.7 L/min

- Ceramic disc valve cartridges
- 1.5 gpm/5.7 L/min maximum flow
- Brass swivel spout
- Metal deck plate and metal lever handles
- Hose end
- Low arc spout
- Unrestricted flow
- Spout height: 6-7/8" (174 mm)
- Spout reach: 6-1/4" (159 mm)
- Spout clearance: 4-5/8" (117 mm)


2-Handle Laundry Faucet

7074240.002

125

Polished Chrome


Accessories





• Can be used with all Selectronic Base Model Faucets and Flush Valves

Accessories





- For use with American Standard Saybrook Filtered Kitchen Faucet

 Lasts 6 months for a family of 4 with typical usage
 Filters 300 gallons of water with a single filter

- INDEPENDENTLY CERTIFIED TO REDUCE: 99.7% of lead from tap water*, 96.9% of chlorine from tap water**, 92.6% of particulate contamination (Class 1) from tap water**

Safer and Accessible Living

Remodeling a bathroom so you or someone in your family can remain at home? Or is a parent moving in? Or has a new baby arrived? American Standard offers a wide-ranging collection of products designed to provide style, safety and comfort over a lifetime. We've got more than a few patented ideas you won't see elsewhere. Check out our exclusive safer and accessible products.



16-1/2"

Chair Height Toilets

16-1/2" (419 mm) rim height allows for easier and more comfortable use.



Storage

Accessible and functional storage, keeps items out of the way and area free from hazards.



Safe and Easy Faucets

ADA-approved lever faucets allow easy operation without the need to grip.



Independent, Safer and Comfortable Bathing

American Standard, an industry leader and original manufacturer of acrylic Walk-in baths, makes it easy to enter and exit the bath giving the user the freedom to enjoy a luxurious bathing experience in privacy, safety and comfort.

With thoughtful standard features, a variety of sizes and options and high quality craftsmanship, all of our Walk-in baths are expertly designed to provide accessible and comfortable bathing experiences.

Exclusive Innovations

Patented Quick Drain®

- Fast water removal system
- Ties directly into the standard drain system
- No additional plumbing required

Watertight Door System Technology

- Ergonomic, easy to use handle
- · Lifetime warranty on seal



Fast draining less waiting



Lifetime of trouble-free use



Quality and innovation built into every bath

- Patented Door System Technology with a lifetime warranty on the door's watertight seal
- 2 17" (432 mm) chair height seat
- 3 Freestanding metal support frame self leveling feet
- 4 Built-in grab bar

- 5 Tub extender for easy retrofit into standard tub space
- 6 Plumbing and fixture access panels
- 7 Textured tub floor
- 8 Low threshold



Walk-in bath hydrotherapy options



Soaker Bath Provides a warm relaxing soak



Whirlpool Massage System

Invigorating water jets target key areas



Air Spa System Soothing cascade of warm air bubbles



Combination System

Combines all of the features of the Soaker Tub, the Whirlpool Massage and the Air Spa System for the ultimate therapeutic bathing experience

americanstandard.com List Price Guide 2023-4



- Premium cast acrylic construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 15-years on the tub shell, 10-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Color-matched waste and overflow
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Premium faucet with handheld shower in polished chrome included

Nominal Dimensions:

59-3/4 in x 32 in x 37-1/2 in (1517 mm x 812 mm x 952 mm) Hand Drain With Fauce

00 0/1 111 X 02 111 X 07 1/2 111 (1011 111111 X 012 111111 X 002 1	,	rianu Drain With rauce		
Description	Net Wt	SKU	Color	List Price
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.219.SLL	Linen	10,865
Soaker System - Left-Hand Drain With Faucet	138 lb	3260.219.SLW	White	10,865
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	138 lb 62.7 kg 162 lb 73.5 kg 154 lb 69.9 kg 178 lb 80.8 kg	3260.219.SRL	Linen	10,865
Soaker System - Right-Hand Drain With Faucet		3260.219.SRW	White	10,865
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	162 lb	3260.219.WLL	Linen	12,944
Whirlpool System - Left-Hand Drain With Faucet		3260.219.WLW	White	12,944
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	73.5 kg	3260.219.WRL	Linen	12,944
Whirlpool System - Right-Hand Drain With Faucet		3260.219.WRW	White	12,944
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.219.ALL	Linen	13,498
Air Spa System - Left-Hand Drain With Faucet		3260.219.ALW	White	13,498
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	69.9 kg	3260.219.ARL	Linen	13,498
Air Spa System - Right-Hand Drain With Faucet		3260.219.ARW	White	13,498
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.219.CLL	Linen	14,497
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet		3260.219.CLW	White	14,497
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	80.8 kg	3260.219.CRL	Linen	14,497
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	-	3260.219.CRW	White	14,497

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium cast acrylic construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 15-years on the tub shell, 10-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
 Textured tub floor

- Color-matched waste and overflow
 Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*

Nominal Dimensions:

59-3/4 in x 32 in x 37-1/2 in (1517 mm x 812 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.215.SLL	Linen	10,346
Soaker System - Left-Hand Drain	224 lb	3260.215.SLW	White	10,346
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	101.7 kg	3260.215.SRL	Linen	10,346
Soaker System - Right-Hand Drain	224 lb	3260.215.SRW	White	10,346
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.215.WLL	Linen	12,426
Whirlpool System - Left-Hand Drain		3260.215.WLW	White	12,426
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.215.WRL	Linen	12,426
Whirlpool System - Right-Hand Drain		3260.215.WRW	White	12,426
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.215.ALL	Linen	12,980
Air Spa System - Left-Hand Drain	240 lb	3260.215.ALW	White	12,980
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	109.0 kg	3260.215.ARL	Linen	12,980
Air Spa System - Right-Hand Drain		3260.215.ARW	White	12,980
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With		3260.215.CLL	Linen	13,978
Combination Air Spa and Whirlpool Systems - Left- Hand Drain	_0	3260.215.CLW	White	13,978
Acrylic Luxury Series 32 x 60 -Inch Walk-in Tub With	- 119.9 Kg -	3260.215.CRL	Linen	13,978
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3260.215.CRW	White	13,978

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium cast acrylic construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 15-years on the tub shell, 10-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Color-matched waste and overflow
- Freestanding metal support frame
- In-line water heater*
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- · Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space
- Premium faucet with multi-function handheld shower in Polished Chrome included

Nominal Dimensions:

50-1/2 in x 30 in x 37-1/2 in (1282 mm x 762 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.119.SLL	Linen	9,755
Soaker System - Left-Hand Drain With Faucet	186 lb 84.4 kg 210 lb 95.3 kg 202 lb 91.7 kg 226 lb 102.6 kg	3051.119.SLW	White	9,755
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	84.4 kg	3051.119.SRL	Linen	9,755
Soaker System - Right-Hand Drain With Faucet	210 lb	3051.119.SRW	White	9,755
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.119.WLL	Linen	11,974
Whirlpool System - Left-Hand Drain With Faucet		3051.119.WLW	White	11,974
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.119.WRL	Linen	11,974
Whirlpool System - Right-Hand Drain With Faucet		3051.119.WRW	White	11,974
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.119.ALL	Linen	12,527
Air Spa System - Left-Hand Drain With Faucet	202 lb	3051.119.ALW	White	12,527
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	91.7 kg	3051.119.ARL	Linen	12,527
Air Spa System - Right-Hand Drain With Faucet	_	3051.119.ARW	White	12,527
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.119.CLL	Linen	13,526
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet		3051.119.CLW	White	13,526
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	102.6 Kg	3051.119.CRL	Linen	13,526
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	_	3051.119.CRW	White	13,526

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium cast acrylic construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 15-years on the tub shell, 10-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Color-matched waste and overflow
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space

Nominal Dimensions:

50-1/2 in x 30 in x 37-1/2 in (1282 mm x 762 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.115.SLL	Linen	9,237
Soaker System - Left-Hand Drain	198 lb	3051.115.SLW	White	9,237
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	89.9 kg	3051.115.SRL	Linen	9,237
Soaker System - Right-Hand Drain	222 lb 100.8 ka	3051.115.SRW	White	9,237
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.115.WLL	Linen	11,455
Whirlpool System - Left-Hand Drain		3051.115.WLW	White	11,455
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.115.WRL	Linen	11,455
Whirlpool System - Right-Hand Drain		3051.115.WRW	White	11,455
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.115.ALL	Linen	12,010
Air Spa System - Left-Hand Drain	214 lb	3051.115.ALW	White	12,010
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	97.2 kg	3051.115.ARL	Linen	12,010
Air Spa System - Right-Hand Drain		3051.115.ARW	White	12,010
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With		3051.115.CLL	Linen	13,008
Combination Air Spa and Whirlpool Systems - Left- Hand Drain	238 lb	3051.115.CLW	White	13,008
Acrylic Luxury Series 30 x 51 -Inch Walk-in Tub With	108.1 kg	3051.115.CRL	Linen	13,008
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3051.115.CRW	White	13,008

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium cast acrylic construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 15-years on the tub shell, 10-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Color-matched waste and overflow
- Freestanding metal support frame
- In-line water heater*
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- · Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space
- Premium faucet with multi-function handheld shower in Polished Chrome included

Nominal Dimensions:

48 in x 28 in x 37-1/2 in (1219 mm x 711 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With		2848.119.SLL	Linen	9,140
Soaker System - Left-Hand Drain With Faucet	138 lb 62.7 kg 162 lb 73.5 kg 154 lb 69.9 kg	2848.119.SLW	White	9,140
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With	62.7 kg	2848.119.SRL	Linen	9,140
Soaker System - Right-Hand Drain With Faucet	_	2848.119.SRW	White	9,140
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With		2848.119.WLL	Linen	11,220
Whirlpool System - Left-Hand Drain With Faucet	162 lb	2848.119.WLW	White	11,220
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With	73.5 kg	2848.119.WRL	Linen	11,220
Whirlpool System - Right-Hand Drain With Faucet	_	2848.119.WRW	White	11,220
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With Air		2848.119.ALL	Linen	11,774
Spa System - Left-Hand Drain With Faucet	154 lb	2848.119.ALW	White	11,774
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With Air	69.9 kg	2848.119.ARL	Linen	11,774
Spa System - Right-Hand Drain With Faucet	_	2848.119.ARW	White	11,774
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With		2848.119.CLL	Linen	12,773
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet		2848.119.CLW	White	12,773
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With	ви.в кд	2848.119.CRL	Linen	12,773
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	_	2848.119.CRW	White	12,773

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium cast acrylic construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 15-years on the tub shell, 10-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Color-matched waste and overflow
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space

Nominal Dimensions:

48 in x 28 in x 37-1/2 in (1219 mm x 711 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With		2848.115.SLL	Linen	8,622
Soaker System - Left-Hand Drain	172 lb	2848.115.SLW	White	8,622
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With	78.1 kg	2848.115.SRL	Linen	8,622
Soaker System - Right-Hand Drain	78.1 kg 196 lb 89.0 kg 188 lb 85.4 kg	2848.115.SRW	White	8,622
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With		2848.115.WLL	Linen	10,701
Whirlpool System - Left-Hand Drain		2848.115.WLW	White	10,701
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With Whirlpool System - Right-Hand Drain		2848.115.WRL	Linen	10,701
		2848.115.WRW	White	10,701
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With Air		2848.115.ALL	Linen	11,256
Spa System - Left-Hand Drain	188 lb	2848.115.ALW	White	11,256
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With Air	85.4 kg	2848.115.ARL	Linen	11,256
Spa System - Right-Hand Drain		2848.115.ARW	White	11,256
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With		2848.115.CLL	Linen	12,254
Combination Air Spa and Whirlpool Systems - Left- Hand Drain	212 lb	2848.115.CLW	White	12,254
Acrylic Luxury Series 28 x 48-Inch Walk-in Tub With	96.2 kg	2848.115.CRL	Linen	12,254
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		2848.115.CRW	White	12,254

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

List Price Guide 2023-4 americanstandard.com

Walk-In-Baths

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- · Color-matched waste and overflow
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Premium faucet with multi-function handheld shower in polished chrome included

Nominal Dimensions:

59-1/2 in x 29-3/4 in x 37-1/2 in (1511 mm x 755 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.109.SLL	Linen	9,288
Soaker System - Left-Hand Drain With Faucet	141 lb	3060.109.SLW	White	9,288
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	64.0 kg	3060.109.SRL	Linen	9,288
Soaker System - Right-Hand Drain With Faucet		3060.109.SRW	White	9,288
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.109.WLL	Linen	10,814
Whirlpool System - Left-Hand Drain With Faucet	165 lb	3060.109.WLW	White	10,814
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	74.9 kg	3060.109.WRL	Linen	10,814
Whirlpool System - Right-Hand Drain With Faucet		3060.109.WRW	White	10,814
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.109.ALL	Linen	11,366
Air Spa System - Left-Hand Drain With Faucet	125 lb	3060.109.ALW	White	11,366
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	56.7 kg	3060.109.ARL	Linen	11,366
Air Spa System - Right-Hand Drain With Faucet		3060.109.ARW	White	11,366
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.109.CLL	Linen	12,366
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	149 lb	3060.109.CLW	White	12,366
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	67.6 kg	3060.109.CRL	Linen	12,366
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3060.109.CRW	White	12,366

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Watertight door system
 Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
 Color-matched waste and overflow
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*

Nominal Dimensions:

59-1/2 in x 29-3/4 in x 37-1/2 in (1511 mm x 755 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.105.SLL	Linen	8,769
Soaker System - Left-Hand Drain	132 lb	3060.105.SLW	White	8,769
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	59.9 kg	3060.105.SRL	Linen	8,769
Soaker System - Right-Hand Drain		3060.105.SRW	White	8,769
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.105.WLL	Linen	10,295
Whirlpool System - Left-Hand Drain	169 lb	3060.105.WLW	White	10,295
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	76.7 kg	3060.105.WRL	Linen	10,295
Whirlpool System - Right-Hand Drain		3060.105.WRW	White	10,295
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With		3060.105.ALL	Linen	10,849
Air Spa System - Left-Hand Drain	158 lb	3060.105.ALW	White	10,849
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub With	71.7 kg	3060.105.ARL	Linen	10,849
Air Spa System - Right-Hand Drain		3060.105.ARW	White	10,849
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub		3060.105.CLL	Linen	11,847
With Combination Air Spa and Whirlpool Systems - Left-Hand Drain	189 lb	3060.105.CLW	White	11,847
Gelcoat Premium Series 30 x 60 -Inch Walk-in Tub	85.8 kg	3060.105.CRL	Linen	11,847
With Combination Air Spa and Whirlpool Systems - Hand Drain With Faucet		3060.105.CRW	White	11,847

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

List Price Guide 2023-4 americanstandard.com

Walk-In-Baths

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- · Color-matched waste and overflow
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- · Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space
- Premium faucet with multi-function handheld shower in Polished Chrome included

Nominal Dimensions:

51-1/2 in x 29-3/4 in x 42 in (1308 mm x 755 mm x 1066 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.109.SLL	Linen	8,039
Soaker System - Left-Hand Drain With Faucet	141 lb	3052.109.SLW	White	8,039
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	64.0 kg	3052.109.SRL	Linen	8,039
Soaker System - Right-Hand Drain With Faucet	h	3052.109.SRW	White	8,039
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	165 lb 74.9 ka	3052.109.WLL	Linen	9,713
Whirlpool System - Left-Hand Drain With Faucet	165 lb	3052.109.WLW	White	9,713
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	74.9 kg	3052.109.WRL	Linen	9,713
Whirlpool System - Right-Hand Drain With Faucet	_	3052.109.WRW	White	9,713
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.109.ALL	Linen	10,396
Air Spa System - Left-Hand Drain With Faucet	125 lb	3052.109.ALW	White	10,396
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	56.7 kg	3052.109.ARL	Linen	10,396
Air Spa System - Right-Hand Drain With Faucet		3052.109.ARW	White	10,396
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.109.CLL	Linen	11,395
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet		3052.109.CLW	White	11,395
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.109.CRL	Linen	11,395
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3052.109.CRW	White	11,395

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Color-matched waste and overflow
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets* • 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space

Nominal Dimensions:

51-1/2 in x 29-3/4 in x 42 in (1308 mm x 755 mm x 1066 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.105.SLL	Linen	7,522
Soaker System - Left-Hand Drain	138 lb	3052.105.SLW	White	7,522
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	62.7 kg	3052.105.SRL	Linen	7,522
Soaker System - Right-Hand Drain	_	3052.105.SRW	White	7,522
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.105.WLL	Linen	9,195
Whirlpool System - Left-Hand Drain Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With Whirlpool System - Right-Hand Drain	162 lb 73.5 kg	3052.105.WLW	White	9,195
		3052.105.WRL	Linen	9,195
		3052.105.WRW	White	9,195
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	154 lb	3052.105.ALL	Linen	9,878
Air Spa System - Left-Hand Drain		3052.105.ALW	White	9,878
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	69.9 kg	3052.105.ARL	Linen	9,878
Air Spa System - Right-Hand Drain		3052.105.ARW	White	9,878
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052.105.CLL	Linen	10,877
Combination Air Spa and Whirlpool Systems - Left- Hand Drain	178 lb	3052.105.CLW	White	10,877
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	80.8 kg —	3052.105.CRL	Linen	10,877
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	_	3052.105.CRW	White	10,877

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- · Color-matched waste and overflow
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space
- Premium faucet with multi-function handheld shower in Polished Chrome included

Nominal Dimensions:

48 in x 28-1/2 in x 37-1/2 in (1219 mm x 723 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Soaker System - Left-Hand Drain With Faucet		2848.109.SLL	Linen	7,684
	141 lb	2848.109.SLW	White	7,684
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Soaker System - Right-Hand Drain With Faucet	64.0 kg	2848.109.SRL	Linen	7,684
	_	2848.109.SRW	White	7,684
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Whirlpool System - Left-Hand Drain With Faucet		2848.109.WLL	Linen	9,071
	165 lb	2848.109.WLW	White	9,071
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Whirlpool System - Right-Hand Drain With Faucet	74.9 kg	2848.109.WRL	Linen	9,071
	_	2848.109.WRW	White	9,071
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Air Spa System - Left-Hand Drain With Faucet		2848.109.ALL	Linen	9,626
	125 lb	2848.109.ALW	White	9,626
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Air Spa System - Right-Hand Drain With Faucet	56.7 kg	2848.109.ARL	Linen	9,626
		2848.109.ARW	White	9,626
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet		2848.109.CLL	Linen	10,761
	149 lb	2848.109.CLW	White	10,761
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	67.6 kg	2848.109.CRL	Linen	10,761
	_	2848.109.CRW	White	10,761

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- · Color-matched waste and overflow
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
 Neck pillow
- Chromatherapy multi-colored light system[†]
- 13 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Extension kit to fit 60" (1524 mm) space

Nominal Dimensions:

48 in x 28-1/2 in x 37-1/2 in (1219 mm x 723 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Soaker System - Left-Hand Drain	125 lb 56.7 kg	2848.105.SLL	Linen	7,165
		2848.105.SLW	White	7,165
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Soaker System - Right-Hand Drain		2848.105.SRL	Linen	7,165
		2848.105.SRW	White	7,165
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Whirlpool System - Left-Hand Drain	149 lb 67.6 kg	2848.105.WLL	Linen	8,553
		2848.105.WLW	White	8,553
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Whirlpool System - Right-Hand Drain		2848.105.WRL	Linen	8,553
		2848.105.WRW	White	8,553
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Air Spa System - Left-Hand Drain	141 lb 64.0 kg	2848.105.ALL	Linen	9,107
		2848.105.ALW	White	9,107
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Air Spa System - Right-Hand Drain		2848.105.ARL	Linen	9,107
		2848.105.ARW	White	9,107
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Combination Air Spa and Whirlpool Systems - Left-Hand Drain	165 lb 74.9 kg	2848.105.CLL	Linen	10,243
		2848.105.CLW	White	10,243
Gelcoat Premium Series 28 x 48-Inch Walk-in Tub With Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		2848.105.CRL	Linen	10,243
		2848.105.CRW	White	10,243

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Freestanding metal support frame
- Color-matched cable driven drain assembly
- In-line water heater*
- 8 Water jets*
- •21 Air jets†
- Legs-only massage setting*
- Premium faucet with handheld shower in polished chrome included

Nominal Dimensions:

59-1/2 in x 29-3/4 in x 37-1/2 in (1511 mm x 755 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Soaker System - Left-Hand Drain With Faucet	150 lb 68.1 kg	3060.509.SLL	Linen	6,978
		3060.509.SLW	White	6,978
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Soaker System - Right-Hand Drain With Faucet		3060.509.SRL	Linen	6,978
		3060.509.SRW	White	6,978
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Whirlpool System - Left-Hand Drain With Faucet	174 lb 79.0 kg	3060.509.WLL	Linen	7,667
		3060.509.WLW	White	7,667
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Whirlpool System - Right-Hand Drain With Faucet		3060.509.WRL	Linen	7,667
		3060.509.WRW	White	7,667
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Air Spa System - Left-Hand Drain With Faucet	166 lb 75.4 kg	3060.509.ALL	Linen	8,144
		3060.509.ALW	White	8,144
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Air Spa System - Right-Hand Drain With Faucet		3060.509.ARL	Linen	8,144
		3060.509.ARW	White	8,144
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet		3060.509.CLL	Linen	8,777
	190 lb 86.3 kg	3060.509.CLW	White	8,777
Gelcoat Value Series 30 x 60 -Inch Walk-in Tub With Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3060.509.CRL	Linen	8,777
		3060.509.CRW	White	8,777

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Freestanding metal support frame
- Extension kit to fit 60" (1524 mm) space Color-matched cable driven drain assembly
- In-line water heater*
- 8 Water jets*
- •21 Air jets†
- Legs-only massage setting*
- Premium faucet with handheld shower in polished chrome included

Nominal Dimensions:

51-1/2 in x 29-3/4 in x 42 in (1308 mm x 755 mm x 1066 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With		3052.509.SLL	Linen	6,461
Soaker System - Left-Hand Drain With Faucet	152 lb	3052.509.SLW	White	6,461
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With	69.0 kg	3052.509.SRL	Linen	6,461
Soaker System - Right-Hand Drain With Faucet		3052.509.SRW	White	6,461
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With		3052.509.WLL	Linen	7,277
Whirlpool System - Left-Hand Drain With Faucet	176 lb	3052.509.WLW	White	7,277
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With	79.9 kg	3052.509.WRL	Linen	7,277
Whirlpool System - Right-Hand Drain With Faucet		3052.509.WRW	White	7,277
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With Air		3052.509.ALL	Linen	7,866
Spa System - Left-Hand Drain With Faucet	168 lb	3052.509.ALW	White	7,866
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With Air	76.3 kg	3052.509.ARL	Linen	7,866
Spa System - Right-Hand Drain With Faucet		3052.509.ARW	White	7,866
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With		3052.509.CLL	Linen	8,502
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	192 lb	3052.509.CLW	White	8,502
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With	87.2 kg	3052.509.CRL	Linen	8,502
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3052.509.CRW	White	8,502

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Patented watertight door system
- Built-in 17" (432 mm) chair height seat
- Built-in color-matched grab bar
- Textured tub floor
- Freestanding metal support frame
 Extension kit to fit 60" (1524 mm) space
 Color-matched cable driven drain assembly
- In-line water heater*
- 8 Water jets*
- 21 Air jets†
- Legs-only massage setting*
- Premium faucet with handheld shower in polished chrome included

Nominal Dimensions:

48 in x 28-1/2 in x 37-1/2 in (1219 mm x 723 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With		2848.509.SLL	Linen	6,156
Soaker System - Left-Hand Drain With Faucet	125 lb	2848.509.SLW	White	6,156
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With	56.7 kg	2848.509.SRL	Linen	6,156
Soaker System - Right-Hand Drain With Faucet		2848.509.SRW	White	6,156
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With		2848.509.WLL	Linen	6,904
Whirlpool System - Left-Hand Drain With Faucet	149 lb	2848.509.WLW	White	6,904
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With	67.6 kg	2848.509.WRL	Linen	6,904
Whirlpool System - Right-Hand Drain With Faucet		2848.509.WRW	White	6,904
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With Air		2848.509.ALL	Linen	7,425
Spa System - Left-Hand Drain With Faucet	141 lb	2848.509.ALW	White	7,425
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With Air	64.0 kg	2848.509.ARL	Linen	7,425
Spa System - Right-Hand Drain With Faucet		2848.509.ARW	White	7,425
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With		2848.509.CLL	Linen	8,022
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	165 lb	2848.509.CLW	White	8,022
Gelcoat Value Series 28 x 48-Inch Walk-in Tub With	74.9 kg	2848.509.CRL	Linen	8,022
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	_	2848.509.CRW	White	8,022

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems

List Price

Bathing Walk-In-Baths



Gelcoat Walk-In-Baths With Outward Opening Door

Providing a safer and comfortable way for adults to bathe.

The watertight door swings outward to provide more room when entering and exiting the bath.

Allows for immediate access to the bather in the event of a medical emergency.



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Outward opening door
- Water tight door system
- Built-in chair height seat
- Built-in polished chrome grab bar
- Textured tub floor
- Freestanding metal support frame
 In-line water heater*
- Extension kit to fit 60" (1524 mm) space
- Neck pillow
- Chromatherapy multi-colored light system[†]
 12 Water jets*
- 26 Air jets‡

Description

- Ozone sanitation*
- Legs-only massage setting*
- Premium faucet with multi-function handheld shower in Polished Chrome included

Nominal Dimensions:

52 in x 32 in x 40 in (1320 mm x 812 mm x 1016 mm)

ith	3252OD.109.SLL-PC	Linen	9,066
138 lb	3252OD.109.SLW-PC	White	9,066
62.7 kg ith	3252OD.109.SRL-PC	Linen	9,066
	3252OD.109.SRW-PC	White	9,066
ith	3252OD.109.WLL-PC	Linen	10,988
162 lb	3252OD.109.WLW-PC	White	10,988
73.5 kg	3252OD.109.WRL-PC	Linen	10,988
	3252OD.109.WRW-PC	White	10,988
ith	3252OD.109.ALL-PC	Linen	11,603
154 lb	3252OD.109.ALW-PC	White	11,603
69.9 kg	3252OD.109.ARL-PC	Linen	11,603
_	3252OD.109.ARW-PC	White	11,603
ith	3252OD.109.CLL-PC	Linen	11,867
178 lb	3252OD.109.CLW-PC	White	11,867
	3252OD.109.CRL-PC	Linen	11,867
_	3252OD.109.CRW-PC	White	11,867
	62.7 kg ith 162 lb 73.5 kg ith 154 lb 69.9 kg ith	138 lb 62.7 kg 3252OD.109.SLW-PC 3252OD.109.SRL-PC 3252OD.109.SRW-PC 3252OD.109.SRW-PC 3252OD.109.WLL-PC 3252OD.109.WRL-PC 3252OD.109.WRW-PC 3252OD.109.WRW-PC 3252OD.109.ALL-PC 3252OD.109.ALW-PC 3252OD.109.ALW-PC 3252OD.109.ARW-PC 3252OD.109.ARW-PC 3252OD.109.ARW-PC 3252OD.109.CLL-PC 3252OD.109.CLL-PC 3252OD.109.CLL-PC 3252OD.109.CLL-PC 3252OD.109.CLL-PC 3252OD.109.CRL-PC 3252O	138 lb 62.7 kg 3252OD.109.SLW-PC White 3252OD.109.SRW-PC Linen 3252OD.109.SRW-PC White 3252OD.109.SRW-PC White 3252OD.109.WLL-PC Linen 3252OD.109.WLP-PC White 3252OD.109.WRW-PC White 3252OD.109.WRW-PC White 3252OD.109.ALL-PC Linen 3252OD.109.ALL-PC Linen 3252OD.109.ARL-PC White 3252OD.109.ARL-PC Linen 3252OD.109.ARW-PC White 3252OD.109.ARW-PC White 3252OD.109.CLL-PC Linen 3252OD.109.CLL-PC Linen 3252OD.109.CLL-PC Linen S252OD.109.CLL-PC Linen S252OD.109.CRL-PC Linen S252OD.109.CRL-PC Linen Linen Linen S252OD.109.CRL-PC Linen Linen

Net Wt

SKU

Color

NOTE: American Standard Walkin Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs.

For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

- *Only available on Whirlpool and **Combination Systems**
- †Only available on **Combination Systems**
- ‡Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Outward opening door
 Water tight door system

- Built-in chair height seat
 Built-in polished chrome grab bar
- Textured tub floor
- Freestanding metal support frame
- In-line water heater*
- Extension kit to fit 60" (1524 mm) space
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 12 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- · Legs-only massage setting*

Nominal Dimensions:

52 in x 32 in x 40 in (1320 mm x 812 mm x 1016 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With		3252OD.105.SLL-PC	Linen	8,525
Soaker System - Left-Hand Drain	150 lb	3252OD.105.SLW-PC	White	8,525
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With	68.1 kg	3252OD.105.SRL-PC	Linen	8,525
Soaker System - Right-Hand Drain		3252OD.105.SRW-PC	White	8,525
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With		3252OD.105.WLL-PC	Linen	10,446
Whirlpool System - Left-Hand Drain	174 lb	3252OD.105.WLW-PC	White	10,446
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With Whirlpool System - Right-Hand Drain	79.0 kg	3252OD.105.WRL-PC	Linen	10,446
		3252OD.105.WRW-PC	White	10,446
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With		3252OD.105.ALL-PC	Linen	11,059
Air Spa System - Left-Hand Drain	166 lb	3252OD.105.ALW-PC	White	11,059
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With	75.4 kg	3252OD.105.ARL-PC	Linen	11,059
Air Spa System - Right-Hand Drain		3252OD.105.ARW-PC	White	11,059
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With		3252OD.105.CLL-PC	Linen	11,325
Combination Air Spa and Whirlpool Systems - Left- Hand Drain	223 lb	3252OD.105.CLW-PC	White	11,325
Gelcoat Premium Series 32 x 52 -Inch Walk-in Tub With	101.2 kg	3252OD.105.CRL-PC	Linen	11,325
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3252OD.105.CRW-PC	White	11,325

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Outward opening door
- Watertight door system
- Built-in chair height seat
 Built-in Polished Chrome grab bar
- Textured tub floor
 Freestanding metal support frame
- In-line water heater*
- Extension kit to fit 60" (1524 mm) space
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 12 Water jets*
- 26 Air jets‡
- Ozone sanitation*
- Legs-only massage setting*
- Premium faucet with multi-function handheld shower in Polished Chrome included

Nominal Dimensions:

52 in x 30 in x 40 in (1320 mm x 762 mm x 1016 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.109.SLL-PC	Linen	8,397
Soaker System - Left-Hand Drain With Faucet	138 lb	3052OD.109.SLW-PC	White	8,397
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	62.7 kg	3052OD.109.SRL-PC	Linen	8,397
Soaker System - Right-Hand Drain With Faucet	_	3052OD.109.SRW-PC	White	8,397
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.109.WLL-PC	Linen	10,317
Whirlpool System - Left-Hand Drain With Faucet	162 lb	3052OD.109.WLW-PC	White	10,317
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With Whirlpool System - Right-Hand Drain With Faucet	73.5 kg	3052OD.109.WRL-PC	Linen	10,317
	_	3052OD.109.WRW-PC	White	10,317
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.109.ALL-PC	Linen	10,933
Air Spa System - Left-Hand Drain With Faucet	154 lb	3052OD.109.ALW-PC	White	10,933
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	69.9 kg	3052OD.109.ARL-PC	Linen	10,933
Air Spa System - Right-Hand Drain With Faucet	_	3052OD.109.ARW-PC	White	10,933
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.109.CLL-PC	Linen	11,198
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	178 lb	3052OD.109.CLW-PC	White	11,198
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	80.8 kg —	3052OD.109.CRL-PC	Linen	11,198
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3052OD.109.CRW-PC	White	11,198

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Outward opening door
- Watertight door system
- Built-in chair height seatBuilt-in Polished Chrome grab bar
- Textured tub floor
 Freestanding metal support frame
- In-line water heater* • Extension kit to fit 60" (1524 mm) space
- Neck pillow
- Chromatherapy multi-colored light system[†]
- 12 Water jets* • 26 Air jets‡
- Ozone sanitation*
- · Legs-only massage setting*

Nominal Dimensions:

52 in x 30 in x 40 in (1320 mm x 762 mm x 1016 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.105.SLL-PC	Linen	7,856
Soaker System - Left-Hand Drain	138 lb	3052OD.105.SLW-PC	White	7,856
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	62.7 kg	3052OD.105.SRL-PC	Linen	7,856
Soaker System - Right-Hand Drain		3052OD.105.SRW-PC	White	7,856
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.105.WLL-PC	Linen	9,776
Whirlpool System - Left-Hand Drain	162 lb	3052OD.105.WLW-PC	White	9,776
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With Whirlpool System - Right-Hand Drain	73.5 kg	3052OD.105.WRL-PC	Linen	9,776
		3052OD.105.WRW-PC	White	9,776
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.105.ALL-PC	Linen	10,391
Air Spa System - Left-Hand Drain	154 lb	3052OD.105.ALW-PC	White	10,391
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	69.9 kg	3052OD.105.ARL-PC	Linen	10,391
Air Spa System - Right-Hand Drain		3052OD.105.ARW-PC	White	10,391
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With		3052OD.105.CLL-PC	Linen	10,655
Combination Air Spa and Whirlpool Systems - Left- Hand Drain	178 lb	3052OD.105.CLW-PC	White	10,655
Gelcoat Premium Series 30 x 52 -Inch Walk-in Tub With	80.8 kg	3052OD.105.CRL-PC	Linen	10,655
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3052OD.105.CRW-PC	White	10,655

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Outward opening door
- Water tight door system

- Water tight door system
 Built-in chair height seat
 Built-in polished chrome grab bar
 Textured tub floor
 Extension kit to fit 60" (1524 mm) space
 Freestanding metal support frame
 Polished chrome jets
- In-line water heater included*
- 6 Water jets*
- •21 Air jets†
- · Legs-only massage
- Premium faucet with handheld shower in chrome included

Nominal Dimensions:

52 in x 32 in x 40 in (1320 mm x 812 mm x 1016 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With		3252OD.709.SLL-PC	Linen	8,215
Soaker System - Left-Hand Drain With Faucet	150 lb	3252OD.709.SLW-PC	White	8,215
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With	68.1 kg	3252OD.709.SRL-PC	Linen	8,215
Soaker System - Right-Hand Drain With Faucet		3252OD.709.SRW-PC	White	8,215
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With		3252OD.709.WLL-PC	Linen	9,595
Whirlpool System - Left-Hand Drain With Faucet	174 lb	3252OD.709.WLW-PC	White	9,595
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With Whirlpool System - Right-Hand Drain With Faucet	79.0 kg	3252OD.709.WRL-PC	Linen	9,595
		3252OD.709.WRW-PC	White	9,595
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With Air		3252OD.709.ALL-PC	Linen	10,210
Spa System - Left-Hand Drain With Faucet	166 lb	3252OD.709.ALW-PC	White	10,210
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With Air	75.4 kg	3252OD.709.ARL-PC	Linen	10,210
Spa System - Right-Hand Drain With Faucet		3252OD.709.ARW-PC	White	10,210
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With		3252OD.709.CLL-PC	Linen	10,881
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	190 lb	3252OD.709.CLW-PC	White	10,881
Gelcoat Value Series 32 x 52 -Inch Walk-in Tub With	86.3 kg	3252OD.709.CRL-PC	Linen	10,881
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3252OD.709.CRW-PC	White	10,881

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems



- Premium gelcoat construction
- Patented Quick Drain® fast water removal system
- Warranty: lifetime on the door seal, 10-years on the tub shell, 5-years on components
- Outward opening door
- Water tight door system
- Built-in chair height seat
- Built-in polished chrome grab bar
- Textured tub floor
- Freestanding metal support frame
 Extension kit to fit 60" (1524 mm) space
 Polished chrome jets
- In-line water heater included*
- 6 Water jets*
- •21 Air jets†
- · Legs-only massage
- Premium faucet with handheld shower in chrome included

Nominal Dimensions:

52 in x 30 in x 40 in (1320 mm x 762 mm x 1016 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With		3052OD.709.SLL-PC	Linen	7,516
Soaker System - Left-Hand Drain With Faucet	138 lb	3052OD.709.SLW-PC	White	7,516
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With	62.7 kg	3052OD.709.SRL-PC	Linen	7,516
Soaker System - Right-Hand Drain With Faucet		3052OD.709.SRW-PC	White	7,516
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With		3052OD.709.WLL-PC	Linen	8,896
Whirlpool System - Left-Hand Drain With Faucet	162 lb	3052OD.709.WLW-PC	White	8,896
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With	73.5 kg	3052OD.709.WRL-PC	Linen	8,896
Whirlpool System - Right-Hand Drain With Faucet		3052OD.709.WRW-PC	White	8,896
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With Air		3052OD.709.ALL-PC	Linen	9,511
Spa System - Left-Hand Drain With Faucet	154 lb	3052OD.709.ALW-PC	White	9,511
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With Air	69.9 kg	3052OD.709.ARL-PC	Linen	9,511
Spa System - Right-Hand Drain With Faucet		3052OD.709.ARW-PC	White	9,511
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With		3052OD.709.CLL-PC	Linen	10,181
Combination Air Spa and Whirlpool Systems - Left- Hand Drain With Faucet	178 lb	3052OD.709.CLW-PC	White	10,181
Gelcoat Value Series 30 x 52 -Inch Walk-in Tub With	80.8 kg -	3052OD.709.CRL-PC	Linen	10,181
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet		3052OD.709.CRW-PC	White	10,181

NOTE: American Standard Walk-in Baths cannot be combined with any other American Standard product orders and are not eligible for any rebates or other discount programs. For more information or to place orders please call: 1-866-423-0800 or fax: 888-872-3044

^{*}Only available on Whirlpool and Combination Systems †Only available on Combination Systems

[‡]Only available on Air Spa and Combination Systems

Bathing

Walk-In-Baths Accessories

Description		SKU#	Color/Finish	List Price
	Fill Tub Filler With Shower erter 3/4-Inch (19 mm) Valves	9FHS-CH19	Polished Chrome	906
1000W In-line	Whirlpool Heater	755931-201	N/A	350
AS Walk-In Tul	bs Neck Rest	9NR	Grey	65
Neck Rest Wit 3252OD	h Grip for all Models Except	9NRGRIP	Grey	69
	Slide Bar System – Includes im) Grab Bar and Hand	9HSB	Polished Chrome	161
24-Inch (610 m Chrome Grab	nm) Wall-Mounted Decorative Bar	9GB-24	Polished Chrome	111
Acrylic Back P	Panel for 2848	9BP-28L	Linen	385
• Must be factory	installed	9BP-28W	White	385
Acrylic Back P	anel for 3051	9BP-30L	Linen	385
• Must be factory	installed	9BP-30W	White	385
Acrylic Back P	anel for 3260	9BP-32L	Linen	385
• Must be factory	installed	9BP-32W	White	385
Acrylic End Pa	inel for 2848 on Faucet Side	9EP-28.FL	Linen	385
• Must be factory	installed	9EP-28.FW	White	385
Acrylic End Pa	nel for 2848 on Seat Side	9EP-28.SL	Linen	385
• Must be factory	installed	9EP-28.SW	White	385
Acrylic End Pa	inel for 3051 on Faucet Side	9EP-30.FL	Linen	385
• Must be factory	installed	9EP-30.FW	White	385
Acrylic End Pa	nel for 3051 on Seat Side	9EP-30.SL	Linen	385
• Must be factory	installed	9EP-30.SW	White	385
Acrylic End Pa	inel for 3260 on Faucet Side	9EP-32.FL	Linen	385
• Must be factory	installed	9EP-32.FW	White	385
Acrylic End Pa	nel for 3260 on Seat Side	9EP-32.SL	Linen	385
• Must be factory	installed	9EP-32.SW	White	385
		-		

americanstandard.com List Price Guide 2023-4

Bathing Seated Shower



The American Standard seated shower fits in the space of a standard bathtub and features a built-in, chair-height seat perfect for anyone having difficulty standing in the shower.

Fully open on one side, the seat allows easy transfer in and out of the shower. In addition to the easy access 3" (76 mm) threshold, an innovative built-in wrap-around grab bar allows for safety and security anywhere in the shower.

The seated shower features durable and luxurious cast acrylic construction and is easy to install thanks to its freestanding metal frame with five adjustable leveling feet.



Acrylic 30 x 60-Inch Walk-In Shower - Left-Hand Drain

- One piece highly durable and luxurious cast acrylic construction
- Factory installed on metal support frame
- Wide, full-sized, built-in contoured seat
- Allows for easy transfer into and out of the shower
- Wrap around grab bar system
- Integral tile flange
- Textured shower floor

Nominal Dimensions:

59-1/2 in x 30 in x 38-1/2 in (1511 mm x 762 mm x 977 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic 30 x 60-Inch Walk-In Shower – Left-Hand Drain	160 lb 72.6 kg	3060SH.LW	White	3,241



Acrylic 30 x 60-Inch Walk-in Shower - Right-Hand Drain

- One piece highly durable and luxurious cast acrylic construction
- Factory installed on metal support frame
 Wide, full-sized, built-in contoured seat
- Allows for easy transfer into and out of the shower
- Wrap around grab bar system
- Integral tile flange
- Textured shower floor

Nominal Dimensions:

59-1/2 in x 30 in x 38-1/2 in (1511 mm x 762 mm x 977 mm)

Description	Net Wt	SKU	Color	List Price
Acrylic 30 x 60-Inch Walk-in Shower – Right-Hand Drain	160 lb 72.6 kg	3060SH.RW	White	3,241

Safety Tubs

Independent, Safer and Comfortable Bathing

Fully equipped, the Safety Tubs® SSA Entry Series offers all the latest in safety and comfort features bundled together at one low cost and backed by a lifetime warranty on the door seal, a 10-year warranty on the tub shell and a 5-year warranty on all other components.

Available in full size 60" x 30" and two smaller sizes that include our tub extender kit allowing you to retrofit into various alcove sizes.

SSA Entry Series® Safety Tubs



Exclusive Innovations



Watertight Door System Technology

- Ergonomic, easy to use handle
- Lifetime warranty on seal

Features and Benefits

Soaker Bath

Provides a warm relaxing soak

Jet Massage System

- 6 Massage jets
- Advanced back and leg therapy

Air Massage System

- 21 seat and floor Air Massage jets
- Soothing cascade of warm air bubbles

Dual System

• Combines the Jet Massage and Air Massage Systems

americanstandard.com List Price Guide 2023-4

Bathing Safety Tubs



- Premium faucet and handheld showering wand
 Watertight Door System Technology ensures a water tight seal with a lifetime warranty
 Built-in 17" (432 mm) chair height seat
 Freestanding metal support frame self leveling feet
 Built-in safety grab bar
 Tub extender kit is included with all tubs less than 60" (1524 mm) in length use to retrofit into standard tub spaces
 Plumbing and fixture access panels
 Textured tub floor
 Low threshold

Nominal Dimensions:

59-1/2 in x 29-3/4 in x 37-1/2 in (1511 mm x 755 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With		SSA6030LS-BC	Biscuit	5,672
Soaker System - Left-Hand Drain With Faucet	140 lb	SSA6030LS-WH	White	5,672
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With	63.6 kg	SSA6030RS-BC	Biscuit	5,672
Soaker System - Right-Hand Drain With Faucet		SSA6030RS-WH	White	5,672
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With	156 lb	SSA6030LJ-BC	Biscuit	6,309
Whirlpool System – Left-Hand Drain With Faucet	70.8 kg	SSA6030LJ-WH	White	6,309
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With Whirlpool System – Right-Hand Drain With Faucet	166 lb	SSA6030RJ-BC	Biscuit	6,309
	75.4 kg	SSA6030RJ-WH	White	6,309
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With Air		SSA6030LA-BC	Biscuit	6,584
Spa System - Left-Hand Drain With Faucet	154 lb	SSA6030LA-WH	White	6,584
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With Air	69.9 kg	SSA6030RA-BC	Biscuit	6,584
Spa System - Right-Hand Drain With Faucet	_	SSA6030RA-WH	White	6,584
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With		SSA6030LD-BC	Biscuit	7,316
Combination Air Spa and Whirlpool Systems – Left- Hand Drain With Faucet	180 lb	SSA6030LD-WH	White	7,316
Gelcoat Entry Series 60 x 30-Inch Walk-In Tub With	81.7 kg	SSA6030RD-BC	Biscuit	7,316
Combination Air Spa and Whirlpool Systems – Right- Hand Drain With Faucet	_	SSA6030RD-WH	White	7,316

Bathing Safety Tubs



- Premium faucet and handheld showering wand
 Watertight Door System Technology ensures a water tight seal with a lifetime warranty
 Built-in 17" (432 mm) chair height seat
 Freestanding metal support frame self leveling feet
 Built-in safety grab bar
 Tub extender kit is included with all tubs less than 60" (1524 mm) in length use to retrofit into standard tub spaces
 Plumbing and fixture access panels
 Textured tub floor
 Low threshold

Nominal Dimensions:

51-1/2 in x 29-3/4 in x 42 in (1308 mm x 755 mm x 1066 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With		SSA5230LS-BC	Biscuit	5,722
Soaker System - Left-Hand Drain With Faucet	138 lb	SSA5230LS-WH	White	5,722
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With	62.7 kg	SSA5230RS-BC	Biscuit	5,722
Soaker System - Right-Hand Drain With Faucet		SSA5230RS-WH	White	5,722
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With		SSA5230LJ-BC	Biscuit	6,360
Whirlpool System - Left-Hand Drain With Faucet	162 lb	SSA5230LJ-WH	White	6,360
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With	73.5 kg	SSA5230RJ-BC	Biscuit	6,360
Whirlpool System - Right-Hand Drain With Faucet		SSA5230RJ-WH	White	6,360
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With Air		SSA5230LA-BC	Biscuit	6,544
Spa System - Left-Hand Drain With Faucet	154 lb	SSA5230LA-WH	White	6,544
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With Air	69.9 kg	SSA5230RA-BC	Biscuit	6,544
Spa System - Right-Hand Drain With Faucet	_	SSA5230RA-WH	White	6,544
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With		SSA5230LD-BC	Biscuit	7,274
Combination Air Spa and Whirlpool Systems – Left- Hand Drain With Faucet	178 lb	SSA5230LD-WH	White	7,274
Gelcoat Entry Series 52 x 30-Inch Walk-In Tub With	80.8 kg -	SSA5230RD-BC	Biscuit	7,274
Combination Air Spa and Whirlpool Systems – Right- Hand Drain With Faucet	_	SSA5230RD-WH	White	7,274

Bathing Safety Tubs



- Premium faucet and handheld showering wand
 Watertight Door System Technology ensures a water tight seal with a lifetime warranty
 Built-in 17" (432 mm) chair height seat
 Freestanding metal support frame self leveling feet
 Built-in safety grab bar
 Tub extender kit is included with all tubs less than 60" (1524 mm) in length use to retrofit into standard tub spaces
 Plumbing and fixture access panels
 Textured tub floor
 Low threshold

Nominal Dimensions:

48 in x 28-1/2 in x 37-1/2 in (1219 mm x 723 mm x 952 mm)

Description	Net Wt	SKU	Color	List Price
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With		SSA4828LS-BC	Biscuit	4,849
Soaker System - Left-Hand Drain With Faucet	152 lb	SSA4828LS-WH	White	4,849
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With	69.0 kg	SSA4828RS-BC	Biscuit	4,849
Soaker System - Right-Hand Drain With Faucet		SSA4828RS-WH	White	4,849
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With		SSA4828LJ-BC	Biscuit	5,486
Whirlpool System – Left-Hand Drain With Faucet	165 lb	SSA4828LJ-WH	White	5,486
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With Whirlpool System - Right-Hand Drain With Faucet	74.9 kg	SSA4828RJ-BC	Biscuit	5,486
		SSA4828RJ-WH	White	5,486
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With Air		SSA4828LA-BC	Biscuit	5,852
Spa System - Left-Hand Drain With Faucet	154 lb	SSA4828LA-WH	White	5,852
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With Air	69.9 kg	SSA4828RA-BC	Biscuit	5,852
Spa System - Right-Hand Drain With Faucet		SSA4828RA-WH	White	5,852
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With		SSA4828LD-BC	Biscuit	6,401
Combination Air Spa and Whirlpool Systems – Left- Hand Drain With Faucet	152 lb	SSA4828LD-WH	White	6,401
Gelcoat Entry Series 48 x 28-Inch Walk-In Tub With	69.0 kg	SSA4828RD-BC	Biscuit	6,401
Combination Air Spa and Whirlpool Systems - Right- Hand Drain With Faucet	_	SSA4828RD-WH	White	6,401

Indulge in Luxury and Style

Indulge in the luxury of one of American Standard's freestanding bathtubs with styles ranging from traditional, casual, to modern. American Standard freestanding bathtubs provide a roomy bathing space but are compact enough to comfortably fit in the average-sized bathroom. Designed to create an elegant and luxurious bathroom focal point, American Standard freestanding bathtubs are the perfect option for your new home or bathroom remodel.

Freestanding bathtubs from American Standard are available with and without a bathtub filler faucet, built to last, with high-gloss, acrylic reinforced with fiberglass construction for a scratch-resistant shine and lasting durability.

Studio® S Freestanding Bathtub



americanstandard.com List Price Guide 2023-4

Freestanding Bathtubs Overview

Studio [®] S	Sedona® Loft®
Town Square® S	Cadet® With Tub Filler
Townsend [®]	Cadet [®]
Townsend®	Cadet®
Townsend® Coastal™ Serin™	Cadet®



Cadet® 66 x 32-Inch Freestanding Bathtub With Drain Chrome Finish

- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Drain off center
- Polished Chrome drain and overflow cover included
- Limited lifetime warranty

Nominal Dimensions:

66 in x 32 in x 23 in (1676 mm x 812 mm x 584 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 66 x 32-Inch Freestanding Bathtub With Drain Chrome Finish	101 lb 46.3 kg	2764014.011	Arctic	2,309
Separate Components:				
Access Panel	0 lb 0.3 kg	>754766-200.0110A	Arctic	156



Cadet® 66 x 32-Inch Freestanding Bathtub With Drain Brushed Nickel Finish

- High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Drain off center
- Brushed Nickel drain and overflow cover included
- Limited lifetime warranty

Nominal Dimensions:

66 in x 32 in x 23 in (1676 mm x 812 mm x 584 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 66 x 32-Inch Freestanding Bathtub With Drain Brushed Nickel Finish	101 lb 46.3 kg	2764014M204.011	Arctic	2,349
Separate Components:				
Access Panel	0 lb 0.3 kg	⊳754766-200.0110A	Arctic	156



Cadet® 66 x 32-Inch Freestanding Bathtub With Polished Chrome Finish Filler and Drain Kit

- · High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Drain off center
- Polished Chrome drain and overflow cover included
- Polished Chrome bathtub filler and handheld shower included
- · Limited lifetime warranty

Nominal Dimensions:

66 in x 32 in x 30-5/8 in (1676 mm x 812 mm x 777 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 66 x 32-Inch Freestanding Bathtub With Polished Chrome Finish Filler and Drain Kit	119 lb 54.3 kg	2764014M202.011	Arctic	2,910
Separate Components:				
Access Panel	0 lb 0.3 kg	⊳754766-200.0110A	Arctic	156



Cadet® 66 x 32-Inch Freestanding Bathtub With Brushed Nickel Finish Filler and Drain Kit

- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Drain off center
- Brushed Nickel drain and overflow cover included
- Brushed Nickel bathtub filler and handheld shower included
- Limited lifetime warranty

Nominal Dimensions:

66 in x 32 in x 23 in (1676 mm x 812 mm x 584 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 66 x 32-Inch Freestanding Bathtub With Brushed Nickel Finish Filler and Drain Kit	119 lb 54.3 kg	2764014M203.011	Arctic	3,137
Separate Components:				
Access Panel	0 lb 0.3 kg	⊳754766-200.0110A	Arctic	156



Coastal™ Serin™ 68 x 31-Inch Freestanding Bathtub Center Drain With Integrated Overflow


- High-quality seamless acrylic one-piece construction with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Center drain with integrated overflow
- Removable polished chrome overflow cover and toe-tap drain included
- Steel structural support frame with adjustable leveling feet for easy installation
- · Limited lifetime warranty

Nominal Dimensions:

68-3/4 in x 31-1/4 in x 23-5/8 in (1746 mm x 793 mm x 600 mm)




Description	Net Wt	SKU	Color	List Price
Coastal™ Serin™ 68 x 31-Inch Freestanding Bathtub Center Drain With Integrated Overflow	104 lb 47.2 kg	2765034.020	White	3,490
Required Components:				
* Freestanding Bathtub Overflow Cover and Drain	1 lb	1680100.243	Matte Black	256
Kit	0.5 kg —	1680100.002	Polished Chrome	128
	_	1680100.013	Polished Nickel	141
	_	1680100.278	Legacy Bronze	149
		1680100.295	Brushed Nickel	143



^{*} Non-Premier Product





- High-quality seamless acrylic one-piece construction with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Center drain with integrated overflow
- Removable Polished Chrome overflow cover and toe-tap drain included
- Steel structural support frame with adjustable leveling feet for easy installation
- Limited lifetime warranty

Nominal Dimensions:

62-3/4 in x 29-7/8 in x 22-7/8 in (1593 mm x 758 mm x 581 mm)

Description	Net Wt	SKU	Color	List Price
Sedona® Loft® 63 x 30-Inch Rectangle Freestanding Bathtub Center Drain With Integrated Overflow	111 lb 50.4 kg	2766034.020	White	3,379
Required Components:				

nequired components.				
* Freestanding Bathtub Overflow Cover and Drain	1 lb	1680100.243	Matte Black	256
Kit	0.5 kg -	1680100.002	Polished Chrome	128
		1680100.013	Polished Nickel	141
		1680100.278	Legacy Bronze	149
		1680100.295	Brushed Nickel	143



Studio® S 68 x 34-Inch Freestanding Bathtub Center Drain With Integrated Overflow

- High-quality seamless acrylic one-piece construction with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Center drain with integrated overflow


- Steel structural support frame with adjustable leveling feet for easy installation
- Limited lifetime warranty

Nominal Dimensions:

68 in x 34 in x 24-1/2 in (1727 mm x 863 mm x 622 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S 68 x 34-Inch Freestanding Bathtub Center Drain With Integrated Overflow	145 lb 65.9 kg	2549004.020	White	3,635
Required Components:				
Studio® S Freestanding Bathtub Drain Kit	1 lb	1582200.002	Polished Chrome	140
	0.6 kg	1582200.295	Brushed Nickel	210
	_	1582200.243	Matte Black	265
		1582200.243	Matte Black	



^{*} Non-Premier Product



Town Square® S 68 x 36-Inch Freestanding Bathtub Center Drain With Integrated Overflow

- Straight back wall allows for optional "flush-to-the-wall" installation, leaving no space to trap dust or debris
- High-quality seamless acrylic one-piece construction with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Center drain with integrated overflow
 Wide deck can accommodate a bathtub faucet or store toiletries
- Steel structural support frame with adjustable leveling feet for easy installation
- Removable access panel on back of tub
- Limited lifetime warranty

Nominal Dimensions:

68 in x 36 in x 24-7/16 in (1727 mm x 914 mm x 620 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S 68 x 36-Inch Freestanding Bathtub Center Drain With Integrated Overflow	150 lb 68.1 kg	2546004.020	White	3,742
Separate Components:				
Access Panel	2 lb 1.0 kg	⊳755495-201.0200A	White	150
Required Components:				
Town Square® S Freestanding Bathtub Overflow	1 lb 0.8 kg	1614305.002	Polished Chrome	185
Cover and Drain Kit		1614305.013	Polished Nickel	260
	_	1614305.278	Legacy Bronze	278
	-	1614305.295	Brushed Nickel	260



Townsend® 68 x 36-Inch Freestanding Bathtub Center Drain With Integrated Overflow

- Straight back wall allows for optional "flush-to-the-wall" installation, leaving no space to trap dust or debris
- High-quality seamless acrylic one-piece construction with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Center drain with integrated overflow
- Wide deck can accommodate a bathtub faucet or store toiletries
- Steel structural support frame with adjustable leveling feet for easy installation
- Removable access panel on back of bathtub
- Limited lifetime warranty

Nominal Dimensions:

68 in x 35-5/8 in x 24-1/4 in (1727 mm x 904 mm x 615 mm)



Description	Net Wt	SKU	Color	List Price
Townsend® 68 x 36-Inch Freestanding Bathtub Center Drain With Integrated Overflow	143 lb 64.9 kg	2691004.020	White	3,553
Required Components:				
Townsend® Freestanding Bathtub Overflow Cover and Drain Kit	1 lb	1582000.243	Matte Black	256
	0.8 kg —	1582000.002	Polished Chrome	143
	_	1582000.013	Polished Nickel	202
	_	1582000.278	Legacy Bronze	202
	_	1582000.295	Brushed Nickel	216

> Parts Program (Non-Premier)

^{*} Non-Premier Product

Bathtubs

Drains and Accessories

	Description	SKU #	Color/Finish	List Price
	Bathtub Drain	1583470.002	Polished Chrome	198
0	 Universal design works with American Standard 	1583470.011	Arctic	338
ì	baths and spa tubsBrass construction withstands prolonged contact	1583470.020	White	338
7	with water Rotary knob makes it easy to operate stopper Powder-coated stopper and overflow cap for durability Available in multiple finishes to match décor One-year limited warranty	1583470.295	Brushed Nickel	338
	Deep Soak® Bathtub Drain	1640305.002	Polished Chrome	174
170	• Overflow feature provides more than 2" (56 mm) of	1640305.011	Arctic	234
	additional water depth for deeper soaking • Pop-up drain requires gentle push to open and	1640305.020	White	195
- 1	close • Sleek escutcheon adds a finishing touch to	1640305.021	Bone	193
	overflow opening	1640305.222	Linen	234
	Made of quality materials for durability Easy to install Available in beautiful finishes to coordinate with décor One-year limited warranty Deep Soak® Max Bathtub Drain	1640305.295	Brushed Nickel	312
	Deep Soak® Max Bathtub Drain	1599205.002	Polished Chrome	195
THE	• Unique top-mount overflow allows 3" (76 mm)	1599205.011	Arctic	234
	deeper water level than standard bath drain Tap-actuated pop-up drain stopper	1599205.020	White	195
	 Solid brass construction for durability Available in multiple finishes to match décor Works with Evolution® Series tubs One-year limited warranty 	1599205.295	Brushed Nickel	312
	Freestanding Bathtub Overflow Cover and	1680100.002	Polished Chrome	128
	Drain Kit	1680100.013	Polished Nickel	141
0	 Pop-up drain requires gentle push to open and close 	1680100.243	Matte Black	256
uni	 Sleek escutcheon adds a finishing touch to 	1680100.278	Legacy Bronze	149
	overflow opening • Standard overflow cover and drain • Fits American Standard freestanding bathtub models 2765.034, 2766.034 and 2767.034 • Available in finishes to complement bathroom décor • One-year limited warranty	1680100.295	Brushed Nickel	143
	Studio [®] S Freestanding Bathtub Drain Kit	1582200.002	Polished Chrome	140
	 Pop-up drain requires gentle push to open and 	1582200.243	Matte Black	265
	close • Made of quality materials for durability • Easy to install • Designed for use with American Standard Studio® S freestanding bathtub model 2549.004 • Available in beautiful finishes to coordinate with	1582200.295	Brushed Nickel	210

- Available in beautiful finishes to coordinate with décor
- One-year limited warranty

americanstandard.com List Price Guide 2023-4

Drains and Accessories

	Description		SKU#	Color/Finish	List Price
	Townsend® Freestanding Bathtub Overflow		1582000.002	Polished Chrome	143
	Cover and Drain Kit		1582000.013	Polished Nickel	202
Т	 Pop-up drain requires gentle push to open and 				
	close		1582000.243	Matte Black	256
	 Sleek escutcheon adds a finishing touch to overflow opening 		1582000.278	Legacy Bronze	202
200	 Made of quality materials for durability Easy to install 		1582000.295	Brushed Nickel	216
_ 00	Designed for use with American Standard Townsend® freestanding bathtub model 2691.004 Available in beautiful finishes to coordinate with décor One-year limited warranty				
	Town Square® S Freestanding Bathtub	<u></u>	1614305.002	Polished Chrome	185
	Overflow Cover and Drain Kit	ÁDÀ	1614305.013	Polished Nickel	260
T	 Pop-up drain requires gentle push to open and 		1614305.278	Legacy Bronze	278
	close • Sleek escutcheon adds a finishing touch to		1614305.295	Brushed Nickel	260
	overflow opening		1014303.233	Diasilea Nickei	200
	 Made of quality materials for durability Easy to install 				
	 Designed for use with American Standard Town Square® S freestanding bathtub model 2546.004 Available in beautiful finishes to coordinate with décor 				
	One-year limited warranty Safe-T Heater		9075120	No Finish	393
			3073120	NOT IIIISII	030
	 Quick connect Safe-T Heater connection system - whirlpool only 				
America Company	 Helps maintain a consistent water temperature Easy to install 				
	 Designed for use with American Standard whirlpool 				
	bathtubs1500 watt and includes overheat protection				
	One-year limited warranty				
	Universal Tile Bead Adhesive (Bulk)		9330014		52
	 Acts as a water retention flange 				
	 Drop-in tub accessory for 3 wall alcove applications 				
	 Includes 30' (9.1 m) roll of adhesive ONLY 				
	 Easy to install Does not include tile bead, must be purchased seperately 				
	One-year limited warranty				

Universal Tile Bead Kit

- Acts as a water retention flange
 Drop-in tub accessory for 3 wall alcove applications
 Includes 15' (4.6 m) roll of tile bead
 Includes 15' (4.6 m) roll of adhesive
 Easy to install
 One-year limited warranty

List Price Guide 2023-4 americanstandard.com

751755-100

White

79

Bathtubs

Bathtubs Overview



Bathtubs

Whirlpools, air baths and combo massage systems from American Standard® offer massage therapy options to satisfy any need, whether it's renewing aching muscles or soothing away the tensions of a hectic day. Available in a range of styles, sizes and shapes, it's easy to find the perfect model to complement any bathroom design.





■ EverClean® Whirlpool SystemFully adjustable, high-efficiency jets produce a strong stream, leaving the bather feeling refreshed and energized. Select models also feature jets in the lumbar region to provide a soothing shiatsu massage.

■ EverClean Air Bath System

Thousands of warm air bubbles produced from air jets that sit perfectly flush with the inside perimeter of the tub create a calm and gentle or brisk and invigorating experience.

■ Standard Whirlpools

Standard whirlpools feature single speed motors with durable, air-activated on/off switches. All models also feature silent air controls that allow precise control of jet force levels. To ensure reliability, all pumps offer dry-run seal protection that keep them safe if accidentally run without water.

■ EverClean Whirlpools

EverClean whirlpools offer all the benefits of our Standard Whirlpools, plus the EverClean System, a unique feature you'll only find at American Standard. American Standard whirlpools with Everclean® incorporate a patented silver-ion additive right into the circulation piping to protect the pipes from mold, mildew, algae and fungus that could cause deterioration or staining of the pipes.





EverClean® System

American Standard whirlpools with Everclean® incorporate a patented silver-ion additive right into the circulation piping to protect the pipes from mold, mildew, algae and fungus that could cause deterioration or staining of the pipes.

The EverClean System, exclusively from American Standard, is the easiest way to help keep your whirlpool and air bath circulation system clean.

- The silver-ion additive is molded directly into the circulation piping
- The silver-ion additive protects the pipes from algae, fungus, mold and mildew
- The silver-ion additive works around the clock no matter how often you use your whirlpool or air bath
- Competitive cleaning systems using ozone that operate only while the motor is running will not help when water gets into the jets or piping during bathing or showering






Whirlpools and Air Baths


American Standard whirlpools can be customized to fit your preferences. Choose a whirlpool with flat-mounted **Clean Jets**™ or the relaxing, soothing bubbles of an **Air Bath.** Two great ways to indulge.

Whirlpools

- Clean Jets are multi-directional, adding greater flexibility and comfort to each individual bather, and the smooth, easy-to-clean surfaces ensure they look great for the life of the product
- From a gentle, relaxing swirl to a more vigorous deep-tissue massage, you can select the intensity that is right for you
- Strategically positioned for every body type








Ordinary whirlpool jets


Air Baths

- Designed to excite the skin and soothe the mind, Evolution[®] Air Baths will envelop you in a cascade of warm, comforting bubbles
- Full body massage from air jets placed strategically around the bath wall
- Variable speeds to adjust the experience from gentle to invigorating and anywhere in between



Deep Soak® Max Bath Drain

- Deep Soak tubs are specially designed to work with our Deep Soak max bath drain
- Provides 3" (76 mm) of additional water depth for a more luxurious soaking experience
- Low step-over height so it is easy to get in and out





Cadet® 60 x 42-Inch Drop-In Bathtub

- Transitional style soaking tub
- Molded-in armrests with elbow supports and back lumbar support
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Pre-leveled tub bottom for easier installation
- 2-year warranty

Nominal Dimensions:

60 in x 42 in x 19-3/4 in (1524 mm x 1066 mm x 501 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 60 x 42-Inch Drop-In Bathtub	72 lb 32.7 kg	2772002.020	White	1,179
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Cadet® 72 x 42-Inch Drop-In Bathtub

- Transitional style soaking tub
 Molded-in armrests with elbow supports and back lumbar support
 High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Pre-leveled tub bottom for easier installation
- · 2-year warranty

Nominal Dimensions:

72 in x 42 in x 19-3/4 in (1828 mm x 1066 mm x 501 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 72 x 42-Inch Drop-In Bathtub	83 lb 37.7 kg	2774002.020	White	1,261
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
		1640305.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub

- Transitional style soaking tub
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
 Integral apron with removable access panel
- Dual molded-in armrests
- Must order Deep Soak® Max Drain
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub	75 lb	2425V-RHO002.011	Arctic	1,161
	34.0 kg —	2425V-RHO002.020	White	1,161
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.011	Arctic	234
	_	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub

- Transitional style soaking tub
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron with removable access panel
 Dual molded-in armrests
 Must order Deep Soak® Max Drain

- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub	75 lb	2425V-LHO002.011	Arctic	1,161
	34.0 kg [—]	2425V-LHO002.020	White	1,161
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.011	Arctic	234
	_	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312



Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub

- Transitional style soaking tub
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
 Must order Deep Soak® Max Drain
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price	
Evolution® 60 x 32-Inch Deep Soak® Drop-In	73 lb	2422V002.011	Arctic	1,137	
Bathtub	33.1 kg [—]	2422V002.020	White	1,137	
Required Components:					
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195	
	2.7 kg —	1599205.011	Arctic	234	
		1599205.020	White	195	
	_	1599205.295	Brushed Nickel	312	
Optional Components:					
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79	
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52	



Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub

- Transitional style soaking tub
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
 Must order Deep Soak® Max Drain
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 21-1/2 in (1524 mm x 914 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 36-Inch Deep Soak® Drop-In	76 lb	2771V002.011	Arctic	1,187
Bathtub	34.5 kg [—]	2771V002.020	White	1,187
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.011	Arctic	234
	_	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Evolution® 72 x 36-Inch Deep Soak® Drop-In Bathtub

- Transitional style soaking tub
- · High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- · Limited lifetime warranty

Nominal Dimensions:

72 in x 36 in x 21-1/2 in (1828 mm x 914 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 72 x 36-Inch Deep Soak® Drop-In	58 lb		Arctic	1,348
Bathtub	26.3 kg —	7236V002.020	White	1,348
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg	1599205.011	Arctic	234
		1599205.020 White	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Studio® 60 x 30-Inch Integral Apron Bathtub With Right-Hand Outlet


- Minimalist design with contoured lumbar support
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 19 in (1524 mm x 762 mm x 482 mm)









Studio® 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet

- Minimalist design with contoured lumbar support
- · High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
 Integral apron for recess application

- Pre-leveled tub bottom for easier installation ADA compliant
- Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 19 in (1524 mm x 762 mm x 482 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 30-Inch Integral Apron Bathtub With	50 lb	2973202.011	Arctic	1,029
Left-Hand Outlet	22.7 kg —	2973202.020	White	1,029
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.011	Arctic	338
	_	1583470.020	White	338
	15	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.011	Arctic	234
		1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Studio® 60 x 32-Inch Integral Apron Bathtub With Right-Hand Outlet

- Minimalist design with contoured lumbar support
- High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange

- Integral o-sided the water retention hange
 Integral apron for recess application
 Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty
- Design coordinates with Studio® bath wall set (sold separately)

Nominal Dimensions:

60 in x 32 in x 19 in (1524 mm x 812 mm x 482 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32-Inch Integral Apron Bathtub With	80 lb	2946102.011	Arctic	1,034
Right-Hand Outlet	36.3 kg —	2946102.020	White	1,034
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.011	Arctic	338
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.011	Arctic	234
		1640305.020	White	195
		1640305.295	Brushed Nickel	312
Optional Components:				
Studio® 60 x 32 x 60-Inch Bath Wall Set	24 lb 11.3 kg	2946BW.011	Arctic	995





Studio® 60 x 32-Inch Integral Apron Bathtub With Left-Hand Outlet

- Minimalist design with contoured lumbar support
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
 Integral apron for recess application

- Integral apron for recess application
 Pre-leveled tub bottom for easier installation
 ADA compliant
 Limited lifetime warranty
 Design coordinates with Studio® bath wall set (sold separately)

Nominal Dimensions:

60 in x 32 in x 19 in (1524 mm x 812 mm x 482 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32-Inch Integral Apron Bathtub With	80 lb	2946202.011	Arctic	1,034
Left-Hand Outlet	36.3 kg —	2946202.020	White	1,034
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg 1583470.011	1583470.011	Arctic	338
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	36.3 kg 2946202.020 White 6 lb 1583470.002 Polished Chrome 1583470.011 Arctic 1583470.020 White 1583470.295 Brushed Nickel	234		
		1640305.020	White	195
		1640305.295	Brushed Nickel	312
Optional Components:				
Studio® 60 x 32 x 60-Inch Bath Wall Set	24 lb 11.3 kg	2946BW.011	Arctic	995



Studio® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough with Right-Hand Outlet

- Minimalist design with contoured lumbar support

- Above floor rough installation
 High-quality acrylic with fiberglass reinforcement
 Easy to clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 18 in (1524 mm x 762 mm x 457 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 30-Inch Integral Apron Bathtub	56 lb	2573102.020	White	1,255
Above Floor Rough with Right-Hand Outlet	25.4 kg [—]	2573102.011	Arctic	1,255
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.011	Polished Chrome Arctic White	338
	_	1583470.020		338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.011	Arctic	234
	_	1640305.020	White	195
		1640305.295	Brushed Nickel	312





Studio® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough With Left-Hand Outlet

- Minimalist design with contoured lumbar support
- Above floor rough installation
 High-quality acrylic with fiberglass reinforcement
- Easy to clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
 Integral apron for recess application

 Dre loveled this bettern (

- Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 18 in (1524 mm x 762 mm x 457 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 30-Inch Integral Apron Bathtub	56 lb		White	1,255
Above Floor Rough With Left-Hand Outlet	25.4 kg	2573202.011	Arctic	1,255
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.011 Arctic 1583470.020 White	Arctic	338
	_		White	338
		1583470.295	Brushed Nickel	338
Deep Soak [®] Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.011	Arctic	234
	_	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Studio® 60 x 32-Inch Integral Apron Bathtub Above Floor Rough With Right-Hand Outlet

- Minimalist design with contoured lumbar support
- Above floor rough installation
- High-quality acrylic with fiberglass reinforcement
- · Easy to clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty
 Design coordinates with Studio® bath wall set (sold separately)

Nominal Dimensions:

60 in x 32 in x 18 in (1524 mm x 812 mm x 457 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32-Inch Integral Apron Bathtub	60 lb	2574102.020	White	1,343
Above Floor Rough With Right-Hand Outlet	27.2 kg	2574102.011	Arctic	1,343
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.011	Arctic	338
	_	1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.011	Arctic	234
		1640305.020	White	195
		1640305.295	Brushed Nickel	312
Optional Components:				
Studio® 60 x 32 x 60-Inch Bath Wall Set	24 lb 11.3 kg	2946BW.011	Arctic	995



Studio® 60 x 32-Inch Integral Apron Bathtub Above Floor Rough With Left-Hand Outlet

- Minimalist design with contoured lumbar support
- Above floor rough installation
- High-quality acrylic with fiberglass reinforcement
 Easy to clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty
- Design coordinates with Studio® bath wall set (sold separately)

Nominal Dimensions:

60 in x 32 in x 18 in (1524 mm x 812 mm x 457 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32-Inch Integral Apron Bathtub	60 lb	2574202.020	White	1,343
Above Floor Rough With Left-Hand Outlet	27.2 kg —	2574202.011	Arctic	1,343
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg -	1583470.011	Arctic	338
		1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.011	Arctic	234
		1640305.020	White	195
	_	1640305.295	Brushed Nickel	312
Optional Components:				
Studio® 60 x 32 x 60-Inch Bath Wall Set	24 lb 11.3 kg	2946BW.011	Arctic	995



Studio® 60 x 32-Inch Bath Wall Set

- Includes two side walls and one back wall
 Six integrated extra deep 4-½" (114 mm) shelves
- High-impact polystyrene
- Mounts directly to studs no backer board needed
 Tongue and groove inter-locking for alignment and to prevent water seepage
 For use with 011 Arctic White 60" x 32" (1524 x 813 mm) bathtub models
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 58 in (1524 mm x 812 mm x 1473 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32 x 60-Inch Bath Wall Set	24 lb	2946BW.011	Arctic	995

akers

Studio® Drop-in Bathtubs

Product Description

- · High-gloss acrylic with fiberglass reinforcement
- · Minimalist design with contoured lumbar support
- · Spacious bathing well
- Soaking depth of 17-3/4" (451 mm) for a deep relaxing soak
- Pre-leveled tub bottom
- · Drop-in or under mount installation

Zero-Edge Profile

 Low-profile, 1/2" (13 mm) deck height can be mounted flush with surrounding tile



Zero-Edge Profile



Studio® 60 x 32-Inch Drop-In Bathtub With Zero Edge

- Minimalist design with contoured lumbar support
- Standard deck height for a contemporary appearance
- Zero Edge profile
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount installation
- Limited lifetime warranty

Nominal Dimensions:

59-1/2 in x 31-1/2 in x 22-1/2 in (1511 mm x 800 mm x 571 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32-Inch Drop-In Soaking Bathtub with Zero Edge	103 lb 46.8 kg	2932002-D0.020	White	1,658
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312

americanstandard.com List Price Guide 2023-4



Studio® 60 x 36-Inch Drop-In Bathtub With Zero Edge

- Minimalist design with contoured lumbar support
- Standard deck height for a contemporary appearance
- Zero Edge profile
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Pre-leveled tub bottom for easier installation
- Drop-in or undermount installation
- Limited lifetime warranty

Nominal Dimensions:

59-1/2 in x 35-1/2 in x 22-1/2 in (1511 mm x 901 mm x 571 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 36-Inch Drop-In Soaking Bathtub With Zero Edge	121 lb 54.9 kg	2934002-D0.020	White	1,746
Required Components:				
Bathtub Drain	6 lb	6 lb 1583470.002 Polished Ch 3.1 kg 1583470.020 White	Polished Chrome	198
	3.1 kg		White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.020	White	195
		1640305.295	Brushed Nickel	312



Studio® 66 x 36-Inch Drop-In Bathtub With Zero Edge

- Minimalist design with contoured lumbar support
- Standard deck height for a contemporary appearance
- Zero Edge profile
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount installation
- Limited Lifetime warranty

Nominal Dimensions:

65-1/2 in x 35-1/2 in x 22-1/2 in (1663 mm x 901 mm x 571 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 66 x 36-Inch Drop-In Bathtub With Zero Edge	131 lb 59.5 kg	2938002-D0.020	White	1,827
Required Components:				
Bathtub Drain	6 lb	6 lb 1583470.002 Polished Chr 3.1 kg 1583470.020 White	Polished Chrome	198
	3.1 kg —		White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
		1640305.295	Brushed Nickel	312

Bathtubs



Studio® 72 x 36-Inch Drop-In Bathtub With Zero Edge

- Minimalist design with contoured lumbar support
- Standard deck height for a contemporary appearance
- Zero Edge profile
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Pre-leveled tub bottom for easier installation
 Drop-in or undermount installation
- Limited lifetime warranty

Nominal Dimensions:

71-1/2 in x 35-1/2 in x 22-1/2 in (1816 mm x 901 mm x 571 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 72 x 36-Inch Drop-In Soaking Bathtub with Zero Edge	141 lb 64.0 kg	2940002-D0.020	White	1,953
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Town Square® S 60 x 30-Inch Integral Apron Bathtub With Right-Hand Outlet

- Traditional design with contoured lumbar support
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 19 in (1524 mm x 762 mm x 482 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S 60 x 30-Inch Integral Apron Bathtub With Right-Hand Outlet	80 lb 36.3 kg	2545102.020	White	1,129
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg -	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312

americanstandard.com List Price Guide 2023-4







Town Square® S 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet

- Traditional design with contoured lumbar support
- · High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
 Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 19 in (1524 mm x 762 mm x 482 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet	80 lb 36.3 kg	2545202.020	White	1,129
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Town Square® S 60 x 32-Inch Integral Apron Bathtub With Right-Hand Outlet

- Traditional design with contoured lumbar support
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron for recess application
- Pre-leveled tub bottom for easier installation
- ADA compliant
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 20 in (1524 mm x 812 mm x 508 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S 60 x 32-Inch Integral Apron Bathtub With Right-Hand Outlet	84 lb 38.1 kg	2544102.020	White	1,141
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb 1.0 kg	1640305.002	Polished Chrome	174
		1640305.020	White	195
	_	1640305.295	Brushed Nickel	312
Optional Components:				
Euro 57-Inch Height Semi-Frameless Sliding Tub	85 lb	AM00350400.006	Brushed Nickel	1,189
Door	38.6 kg —	AM00350400.213	Silver Shine	882
	_	AM00350400.224	Oil Rubbed Bronze	1,189
	82 lb	AM00350422.006	Brushed Nickel	1,331
	37.2 kg —	AM00350422.213	Silver Shine	1,082
	_	AM00350422.224	Oil Rubbed Bronze	1,331

Bathtubs Soakers



Town Square® S 60 x 32-Inch Integral Apron Bathtub With Left-Hand Outlet

- Traditional design with contoured lumbar support
 High-quality acrylic with fiberglass reinforcement
- High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
 Integral apron for recess application
 Pre-leveled tub bottom for easier installation
 ADA compliant
 Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 20 in (1524 mm x 812 mm x 508 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S 60 x 32-Inch Integral Apron Bathtub With Left-Hand Outlet	84 lb 38.1 kg	2544202.020	White	1,141
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312
Optional Components:				
Euro 57-Inch Height Semi-Frameless Sliding Tub	85 lb	AM00350400.006	Brushed Nickel	1,189
Door	38.6 kg —	AM00350400.213	Silver Shine	882
	_	AM00350400.224	Oil Rubbed Bronze	1,189
	82 lb	AM00350422.006	Brushed Nickel	1,331
	37.2 kg —	AM00350422.213	Silver Shine	1,082
	_	AM00350422.224	Oil Rubbed Bronze	1,331



Cadet® 60 x 42-Inch Drop-In Bathtub With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Form-fitted lumbar area
- Molded-in armrests with elbow supports
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- Quick connect Safe- T Heater connection system (must order Safe- T Heater separately)
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Pre-leveled tub bottom for easier installation
- 2-year warranty

Nominal Dimensions:

60 in x 42 in x 19-3/4 in (1524 mm x 1066 mm x 501 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 60 x 42-Inch Drop-In Bathtub With EverClean® Hydromassage System	105 lb 47.7 kg	2772018WC.020	White	2,312
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb 1.0 kg	1640305.002	Polished Chrome	174
		1640305.020	White	195
		1640305.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Cadet® 72 x 42-Inch Drop-In Bathtub With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Form-fitted lumbar area
- Molded-in armrests with elbow supports
- $\bullet \ \text{Eight multi-directional and flow-adjustable Clean Jets}^{\scriptscriptstyle{\text{IM}}} \ \text{including two in the lumbar area}$
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- Quick connect Safe-T Heater connection system (must order Safe- T Heater separately)
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Pre-leveled tub bottom for easier installation
- 2-year warranty

Nominal Dimensions:

72 in x 42 in x 19-3/4 in (1828 mm x 1066 mm x 501 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 72 x 42-Inch Drop-In Bathtub With EverClean® Hydromassage System	122 lb 55.4 kg	2774018WC.020	White	2,399
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb 1.0 kg	1640305.002	Polished Chrome	174
		1640305.020	White	195
	_	1640305.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52

List Price Guide 2023-4



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Right-Hand Outlet With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
 Integral apron with removable access panel
 Dual molded-in armrests

- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Right-Hand Outlet With EverClean® Hydromassage System	96 lb 43.6 kg	2425VC-RHO.020	White	2,033
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312
Optional Components:				
Safe-T Heater	1 lb 0.8 kg	9075120	No Finish	393
Euro 57-Inch Height Semi-Frameless Sliding Tub Door	85 lb	AM00350400.006	Brushed Nickel	1,189
	38.6 kg - -	AM00350400.213	Silver Shine	882
		AM00350400.224	Oil Rubbed Bronze	1,189
	82 lb 37.2 kg	AM00350422.006	Brushed Nickel	1,331
		AM00350422.213	Silver Shine	1,082
	_	AM00350422.224	Oil Rubbed Bronze	1,331
Prestige 58-1/2-Inch Height Framed Sliding Tub	58 lb	AM00750400.006	Brushed Nickel	951
Door	26.3 kg —	AM00750400.213	Silver Shine	717
		AM00750400.224	Oil Rubbed Bronze	951
Prestige 58-1/2-Inch Framed Sliding Tub Door		AM00750422.006	Brushed Nickel	998
	_	AM00750422.213	Silver Shine	717
		AM00750422.224	Oil Rubbed Bronze	998
Prestige 58-1/2-Inch Height Framed Sliding Tub	_	AM00750436.006	Brushed Nickel	998
Door	_	AM00750436.213	Silver Shine	717
	_	AM00750436.224	Oil Rubbed Bronze	998



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Left-Hand Outlet With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Integral 3-sided tile/water retention flange
- Integral a pron with removable access panel
 Dual molded-in armrests
- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Left-Hand Outlet With EverClean® Hydromassage System	96 lb 43.6 kg	2425VC-LHO.020	White	2,033
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb 2.7 kg	1599205.002	Polished Chrome	195
		1599205.020	White	195
	_	1599205.295	Brushed Nickel	312



Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- High-quality acrylic with fiberglass reinforcement
- Easy to clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub With EverClean® Hydromassage System	90 lb 40.9 kg	2422VC.020	White	2,037
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb 2.7 kg —	1599205.002	Polished Chrome	195
		1599205.020	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Bathtubs



Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 20-1/2 in (1524 mm x 914 mm x 520 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Hydromassage System	111 lb 50.4 kg	2771VC.020	White	2,129
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb 2.7 kg —	1599205.002	Polished Chrome	195
		1599205.020	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Evolution® 72 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Hydromassage System

- Transitional style hydromassage whirlpool with EverClean® plumbing system
- Ten multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- High-quality acrylic with fiberglass reinforcement
- Easy to clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
 Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- Limited lifetime warranty

Nominal Dimensions:

Description

72 in x 36 in x 20-1/2 in (1828 mm x 914 mm x 520 mm)



Evolution® 72 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Hydromassage System	135 lb 61.3 kg	7236VC.020	White	2,538
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.020	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52

SKU

Color

Net Wt

americanstandard.com List Price Guide 2023-4





Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Right-Hand Outlet With EverClean® Air Bath System

- Transitional style airbath with EverClean® plumbing system
- · Chrome air jets with automatic water purge with timer
- Variable Speed Blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron with removable access panel
- Dual molded-in armrests
 Must order Deep Soak® Max Drain
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Right-Hand Outlet With EverClea Air Bath System	88 lb an® 40.2 kg	2425168C.020	White	3,134
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg -	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Left-Hand Outlet With EverClean® Air Bath System

- Transitional style airbath with EverClean® plumbing system
- Chrome air jets with automatic water purge with timer
- Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron with removable access panel
- Dual molded-in armrests
- Must order Deep Soak® Max Drain
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21.5 in (1524 mm x 812 mm x 546 mm)



312

Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Left-Hand Outlet With EverClean® Air Bath System	88 lb 40.2 kg	2425268C.020	White	3,134
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg -	1599205.020	White	195

1599205.295

Brushed Nickel



Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub With EverClean® Air Bath System

- Transitional style air bath with EverClean® plumbing system
- · Chrome air jets with automatic water purge and timer
- · Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub With EverClean® Air Bath System	85 lb 38.6 kg	2422068C.020	White	3,036
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg	1599205.020	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Air Bath System

- Transitional style air bath with EverClean® plumbing system
- · Chrome air jets with automatic water purge and timer
- Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 21-1/2 in (1524 mm x 914 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Air Bath System	88 lb 40.0 kg	2771068C.020	White	3,145
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg — —	1599205.020	White	195
		1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52

americanstandard.com List Price Guide 2023-4 **Bathtubs Air Baths**



Evolution® 72 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Air Bath System

- Transitional style air bath with EverClean® plumbing system
- Chrome air jets with automatic water purge and timer
- Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Prop-in or undermount option
 Must order Deep Soak® Max Drain
 Limited lifetime warranty

Nominal Dimensions:

72 in x 36 in x 21-1/4 in (1828 mm x 914 mm x 539 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 72 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Air Bath System	90 lb 40.9 kg	7236068C.020	White	3,440
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb		Polished Chrome	195
	2.7 kg —	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Right-Hand Outlet With EverClean® Combination Spa System

- Transitional style hydromassage whirlpool and air bath with EverClean® plumbing system
 Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- Chrome air jets with automatic water purge and timer
- Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron with removable access panel
- Dual molded-in armrests
- Must order Deep Soak® Max Drain
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Right-Hand Outlet With EverClean® Combination Spa System	96 lb 43.6 kg	2425V518C.020	White	4,782
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg -	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312



Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Left-Hand Outlet With EverClean® Combination Spa System

- Transitional style hydromassage whirlpool and air bath with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- Chrome air jets with automatic water purge and timer
- Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Integral 3-sided tile/water retention flange
- Integral apron with removable access panel
- Dual molded-in armrests
- Must order Deep Soak® Max Drain
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Integral Apron Bathtub Left-Hand Outlet With EverClean® Combination Spa System	96 lb 43.6 kg	2425V618C.020	White	4,782
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg -	7 kg 1599205.020 White	White	195
	_	1599205.295	Brushed Nickel	312

americanstandard.com List Price Guide 2023-4





Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub With EverClean® Combination Spa System

- Transitional style hydromassage whirlpool and air bath with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- Chrome air jets with automatic water purge and timer
- Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 21-1/2 in (1524 mm x 812 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 32-Inch Deep Soak® Drop-In Bathtub With EverClean® Combination Spa System	77 lb 35.0 kg	2422V418C.020	White	4,444
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52



Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Combination Spa System

- Transitional style hydromassage whirlpool and air bath with EverClean® plumbing system
- Eight multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area
- Single speed pump/motor with side mounted on/off air switch
- Two silent air volume controls
- Chrome air jets with automatic water purge and timer
- Variable speed air blower with heater
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 21-1/2 in (1524 mm x 914 mm x 546 mm)



Description	Net Wt	SKU	Color	List Price
Evolution® 60 x 36-Inch Deep Soak® Drop-In Bathtub With EverClean® Combination Spa System	111 lb 50.4 kg	2771V418C.020	White	4,725
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg —	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52

List Price Guide 2023-4



Evolution® 72 x 36-Inch Deep Soak® Bathtub With EverClean® Combination Spa System

- Transitional style hydromassage whirlpool and air bath with EverClean® plumbing system
 Ten multi-directional and flow-adjustable Clean Jets™ including two in the lumbar area

- Single speed pump/motor with side mounted on/off air switch
 Two silent air volume controls
 High-quality acrylic with fiberglass reinforcement
 Easy to clean high-gloss surface that's UV stable and stain resistant
- Dual molded-in armrests
- Pre-leveled tub bottom for easier installation
- Drop-in or undermount option
- Must order Deep Soak® Max Drain
- Quick connect Safe-T Heater connection system (must order Safe-T Heater separately)
- · Limited lifetime warranty

Nominal Dimensions:

72 in x 36 in x 21-1/4 in (1828 mm x 914 mm x 539 mm)




Description	Net Wt	SKU	Color	List Price
Evolution® 72 x 36-Inch Deep Soak® Bathtub With EverClean® Combination Spa System	135 lb 61.3 kg	7236V418C.020	White	5,316
Required Components:				
Deep Soak® Max Bathtub Drain	6 lb	1599205.002	Polished Chrome	195
	2.7 kg	1599205.020	White	195
	_	1599205.295	Brushed Nickel	312
Optional Components:				
Universal Tile Bead Kit	2 lb 1.0 kg	751755-100	White	79
Universal Tile Bead Adhesive (Bulk)	21 lb 9.5 kg	9330014		52

Americast Engineered Steel A Remarkable Alternative to Cast Iron

Americast[®]

Americast is American Standard's unique process that bonds a high quality porcelain enamel surface with an enameling grade steel and a molded reinforcement composite backing. Americast is durable and weighs less than cast iron so it costs less to install. It is engineered to create tubs of unequaled strength, durability and weight. This composite is similar to those used in aerospace and automotive industries, and provides consistent structural integrity along with sound dampening, heat insulation and protection against impact damage. Unlike anything on the market, Americast combines the best qualities of three different techniques in a process that provides beauty, safety and reliability in today's baths.



Luxuriously Glossy

Durable enamel resists scratches, retains luster

Strong and Stable

Formed steel layer won't bend or flex

Quietly Comfortable

Thick support layer insulates and quiets noisy showers

Better Heat Retention

The material composition and construction of Americast tubs provides better heat retention than cast iron or enameled steel tubs.

Lumbar Support and Beveled Headrest

Americast tubs are contoured for increased lower back support and improved head and neck comfort.

Luxury Ledge

This feature adds 4" (102 mm) of ledge space for increased shoulder and elbow room or a perfect spot for extra storage (optional feature).

StanSure[™] Slip-Resistant Floor

- Full slip-resistant coverage increases bathroom safety
- covers 56% more of the tub floor
- · Easier to clean and stays cleaner longer
- Brighter, white textured surface that is more visually appealing

Tile Edge

This oversized flange ensures more tile/tub overlap, and decreases the chance of water reaching and damaging drywall or structural timbers. Best of all, it is designed not to interfere with normal tile application, or require any extra time to install.

Americast Meets Code

Americast Bathtubs and Whirlpools conform to industry specifications including:

- ASTM F462 Slip Resistance
- ANSI Z 124.1 Ignition Test
- All whirlpool models are UL listed as hydromassage units

Americast Enameled Steel



Cambridge® Americast® 60 x 32-Inch Integral Apron Bathtub With Right-Hand Outlet

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
 Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 32 in x 17-3/4 in (1524 mm x 812 mm x 450 mm)



Description	Net Wt	SKU	Color	List Price
Cambridge® Americast® 60 x 32-Inch Integral	118 lb	2461002.011	Arctic	1,650
Apron Bathtub With Right-Hand Outlet	53.6 kg —	2461002.020	White	1,650
Required Components:				
Bathtub Drain	6 lb 3.1 kg	1583470.002	Polished Chrome	198
		1583470.011	Arctic	338
		1583470.020 White	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.011	Arctic	234
		1640305.020	White	195
		1640305.295	Brushed Nickel	312



Cambridge® Americast® 60 x 32-Inch Integral Apron Bathtub With Left-Hand Outlet

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
 Recessed bath with integral apron
 Integral 3-sided tile/water retention flange

- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 32 in x 17-3/4 in (1524 mm x 812 mm x 450 mm)



Description	Net Wt	SKU	Color	List Price
Cambridge® Americast® 60 x 32-Inch Integral	118 lb	2460002.011	Arctic	1,650
Apron Bathtub With Left-Hand Outlet	53.6 kg —	2460002.020	White	1,650
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.011	Arctic	338
	_	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.011	Arctic	234
	_	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub With Right-Hand Outlet

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
 Recessed bath with integral apron

- Integral 3-sided tile/water retention flange
 Integral lumbar support with beveled headrest
 Pre-leveled tub bottom for easier installation
 ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 14-15/16 in (1524 mm x 762 mm x 379 mm)



		Color	List Price
n 88 lb	2391202.011	Arctic	646
40.0 kg -	2391202.020	White	646
_	2391202.021	Bone	842
_	2391202.222	Linen	930
6 lb	1583470.002	Polished Chrome	198
3.1 kg =	1583470.011	Arctic	338
_	1583470.020	White	338
_	1583470.295	Brushed Nickel	338
2 lb	1640305.002	Polished Chrome	174
1.0 kg	1640305.011	Arctic	234
_	1640305.020	White	195
	1640305.021	Bone	193
_	1640305.222	Linen	234
_	1640305.295	Brushed Nickel	312
-	6 lb 3.1 kg	40.0 kg 2391202.020 2391202.021 2391202.222 6 lb 1583470.002 1583470.011 1583470.295 2 lb 1640305.002 1640305.011 1640305.020 1640305.021 1640305.222	40.0 kg 2391202.020 White 2391202.021 Bone 2391202.222 Linen 6 lb 3.1 kg 1583470.002 Polished Chrome 1583470.020 White 1583470.295 Brushed Nickel 1583470.295 Brushed Chrome 1.0 kg 1640305.002 Polished Chrome 1640305.020 White 1640305.020 White 1640305.021 Bone 1640305.222 Linen



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Right-Hand Outlet With Integral Drain

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
 Factory installed overflow that saves time & money
 Recessed bath with integral apron
 Integral 3-sided tile/water retention flange

- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- Drain stopper and escutcheon included • 10-year warranty

Nominal Dimensions:

60 in x 30 in x 14-15/16 in (1524 mm x 762 mm x 379 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Right-Hand Outlet With Integral Drain	88 lb 40.0 kg	2391202ICH.020	White	713
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26
ICH Pressure Test Drain Kit	0 lb 0.1 kg	⊳791363-0070A	No Finish	34
Stopper and Drain Assembly	0 lb 0.3 kg	791474-0020A	Polished Chrome	97

Parts Program (Non-Premier)

Americast Enameled Steel



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet

- Americast® engineered steel with glossy porcelain finish
- Full Stansure[™] slip-resistant floor surface
 Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 14 in (1524 mm x 762 mm x 355 mm)



Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron		2390202.011	Arctic	646
Bathtub With Left-Hand Outlet	40.0 kg [—]	2390202.020	White	646
	_	2390202.021	Bone	842
	_	2390202.222	Linen	930
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg =	1583470.011	Arctic	338
		1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg — —	1640305.011	Arctic	234
		1640305.020	White	195
	_	1640305.021	Bone	193
	_	1640305.222	Linen	234
	_	1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Left-Hand Outlet With Integral Drain

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Factory installed overflow that saves time & money
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation • Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 14-15/16 in (1524 mm x 762 mm x 379 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Left-Hand Outlet With Integral Drain	89 lb 40.4 kg	2390202ICH.020	White	713
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26
ICH Pressure Test Drain Kit	0 lb 0.1 kg	⊳791363-0070A	No Finish	34
Stopper and Drain Assembly	0 lb 0.3 kg	791474-0020A	Polished Chrome	97



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough with Right-Hand Outlet

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
- Above floor rough installation
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 18-7/16 in (1524 mm x 762 mm x 468 mm)



Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough with Right-Hand Outlet	92 lb 41.8 kg	2393202.020	White	982
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg — —	1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough Right-Hand Outlet with Integral Drain

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
 Factory installed overflow that saves time & money
- Above floor rough installation
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 18-7/16 in (1524 mm x 762 mm x 468 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough Right-Hand Outlet with Integral Drain	93 lb 42.2 kg	2393202ICH.020	White	1,073
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26
ICH Pressure Test Drain Kit	0 lb 0.1 kg	⊳791363-0070A	No Finish	34
Stopper and Drain Assembly	0 lb 0.3 kg	791474-0020A	Polished Chrome	97

Americast Enameled Steel



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough with Left-Hand Outlet

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Above floor rough installation
 Recessed bath with integral apron
- Integral 3-sided tile/water retention flange • Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 18-7/16 in (1524 mm x 762 mm x 468 mm)



Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough with Left-Hand Outlet		2392202.020	White	982
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
		1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough Left-Hand Outlet with Integral Drain

- Americast® engineered steel with glossy porcelain finish
- Full Stansure[™] slip-resistant floor surface
- Factory installed overflow that saves time & money
- Above floor rough installation
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 30 in x 18-7/16 in (1524 mm x 762 mm x 468 mm)

Net Wt	SKU	Color	List Price
93 lb 42.2 kg	2392202ICH.020	White	1,073
0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26
0 lb 0.1 kg	⊳791363-0070A	No Finish	34
0 lb 0.3 kg	791474-0020A	Polished Chrome	97
	93 lb 42.2 kg 0 lb 0.0 kg 0 lb 0.1 kg 0 lb	93 lb 2392202ICH.020 42.2 kg 0 lb >791165-0020A 0.0 kg 0 lb >791363-0070A 0.1 kg 0 lb 791474-0020A	93 lb 2392202ICH.020 White 0 lb >791165-0020A Polished Chrome 0.0 kg 0 lb >791363-0070A No Finish 0.1 kg 0 lb 791474-0020A Polished Chrome



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Right-Hand Outlet with Luxury Ledge

- Americast® engineered steel with glossy porcelain finish
- Full Stansure slip-resistant floor surface
 Extra-wide ledge for toiletries
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 14-15/16 in (1524 mm x 863 mm x 379 mm)



Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Right-Hand Outlet with Luxury Ledge	94 lb 42.7 kg	2395202.020	White	760
Required Components:				
Bathtub Drain	6 lb 3.1 kg	1583470.002	Polished Chrome	198
		1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Right-Hand Outlet Luxury Ledge with Integral Drain

- Americast® engineered steel with glossy porcelain finish
- Full Stansure[™] slip-resistant floor surface
- Extra-wide ledge for toiletries
- Factory installed overflow that saves time & money
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 14-15/16 in (1524 mm x 863 mm x 379 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Right-Hand Outlet Luxury Ledge with Integral Drain	95 lb 43.1 kg	2395202ICH.020	White	851
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26
ICH Pressure Test Drain Kit	0 lb 0.1 kg	⊳791363-0070A	No Finish	34
Stopper and Drain Assembly	0 lb 0.3 kg	791474-0020A	Polished Chrome	97

Americast Enameled Steel



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Left-Hand Outlet With Luxury Ledge

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Pre-leveled tub bottom for easier installation
- Integral lumbar support with beveled headrest
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 14-15/16 in (1524 mm x 863 mm x 379 mm)



Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Left-Hand Outlet With Luxury Ledge	94 lb 42.7 kg	2394202.020	White	760
Required Components:				
Bathtub Drain	6 lb 3.1 kg	1583470.002	Polished Chrome	198
		1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
		1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Left-Hand Outlet Luxury Ledge with Integral Drain

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
- Extra-wide ledge for toiletries
- Factory installed overflow that saves time & money
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 14 in (1524 mm x 863 mm x 355 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Left-Hand Outlet Luxury Ledge with Integral Drain	95 lb 43.1 kg	2394202ICH.020	White	851
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26
ICH Pressure Test Drain Kit	0 lb 0.1 kg	⊳791363-0070A	No Finish	34
Stopper and Drain Assembly	0 lb 0.3 kg	791474-0020A	Polished Chrome	97



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Right-Hand Outlet with Luxury Ledge

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
- Above floor rough installation
- Extra-wide ledge for toiletries
- Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 18-7/16 in (1524 mm x 863 mm x 468 mm)



Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Right-Hand Outlet with Luxury Ledge	100 lb 45.4 kg	2397202.020	White	1,259
Required Components:				
Bathtub Drain	6 lb 3.1 kg	1583470.002	Polished Chrome	198
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Right-Hand Outlet Luxury Ledge with Integral Drain

- Americast® engineered steel with glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Above floor rough installation
- Extra-wide ledge for toiletries
- Recessed bath with integral apron
 Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
 Pre-leveled tub bottom for easier installation
- ADA compliant
- 10 Year Warranty

Nominal Dimensions:

60 in x 34 in x 17.5 in (1524 mm x 863 mm x 444 mm)

Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Right-Hand Outlet Luxury Ledge with Integral Drain	101 lb 45.9 kg	2397202ICH.020	White	1,397
Separate Components:				
Integral Overflow Oval Escutcheon	0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26
ICH Pressure Test Drain Kit	0 lb 0.1 kg	⊳791363-0070A	No Finish	34
Stopper and Drain Assembly	0 lb 0.3 kg	791474-0020A	Polished Chrome	97

Americast Enameled Steel



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Left-Hand Outlet with Luxury Ledge

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
 Above floor rough installation

- Extra-wide ledge for toiletries • Recessed bath with integral apron
- Integral 3-sided tile/water retention flange
- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- ADA compliant
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 18-7/16 in (1524 mm x 863 mm x 468 mm)



Description	Net Wt	SKU	Color	List Price
Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Left-Hand Outlet with Luxury Ledge		2396202.020	White	1,259
Required Components:				
Bathtub Drain	6 lb 3.1 kg	1583470.002	Polished Chrome	198
		1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak [®] Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



Princeton® Americast® 60 x 34-Inch Integral Apron Bathtub Above Floor Rough Left-Hand Outlet Luxury Ledge with Integral Drain

- Americast® engineered steel with glossy porcelain finish
 Full Stansure™ slip-resistant floor surface
 Above floor rough installation
 Extra-wide ledge for toiletries
 Recessed bath with integral apron
 Integral 3-sided tile/water retention flange

- Integral lumbar support with beveled headrest
- Pre-leveled tub bottom for easier installation
- Drain stopper and escutcheon included
- 10-year warranty

Nominal Dimensions:

60 in x 34 in x 17.5 in (1524 mm x 863 mm x 444 mm)

Net Wt	SKU	Color	List Price
101 lb 45.9 kg	2396202ICH.020	White	1,397
0 lb 0.0 kg	⊳791165-0020A	Polished Chrome	26
0 lb 0.1 kg	⊳791363-0070A	No Finish	34
0 lb 0.3 kg	791474-0020A	Polished Chrome	97
	0 lb 0.0 kg 0 lb 0.1 kg	0 101 lb 2396202ICH.020 45.9 kg 2396202ICH.020 0 lb ⊳791165-0020A 0.0 kg 0 lb ⊳791363-0070A 0.1 kg 0 lb 791474-0020A	0 101 lb 2396202ICH.020 White 0 lb



New Salem™ 60 x 30-Inch Integral Apron Bathtub With Right-Hand Outlet

- Transitional style recessed bath with integral apron
- Glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Above floor rough installation
- Integral 3-sided tile/water retention flange
- 1-year limited warranty

Nominal Dimensions:

60 in x 30 in x 14-1/16 in (1524 mm x 762 mm x 357 mm)



Description	Net Wt	SKU	Color	List Price
New Salem [™] 60 x 30-Inch Integral Apron Bathtub With Right-Hand Outlet	66 lb 30.3 kg	0255112.020	White	642
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



New Salem™ 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet

- Recessed bath with integral apron
 Glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Above floor rough installationIntegral 3-sided tile/water retention flange
- 1-year limited warranty

Nominal Dimensions:

60 in x 30 in x 14-1/16 in (1524 mm x 762 mm x 357 mm)



Description	Net Wt	SKU	Color	List Price
New Salem [™] 60 x 30-Inch Integral Apron Bathtub With Left-Hand Outlet	66 lb 30.3 kg	0255212.020	White	642
Required Components:				
Bathtub Drain	6 lb 3.1 kg —	1583470.002	Polished Chrome	198
		1583470.020	White	338
		1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312



New Solar® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough With Right-Hand Outlet

- Transitional style recessed bath with integral apron
- Glossy porcelain finish
- Full Stansure™ slip-resistant floor surface
- Above floor rough installation
- Integral 3-sided tile/water retention flange
- 1-year limited warranty

Nominal Dimensions:

60 in x 30 in x 16-5/8 in (1524 mm x 762 mm x 422 mm)



Net Wt	SKU	Color	List Price
71 lb 32.6 kg	0263112.020	White	685
6 lb 3.1 kg —	1583470.002	Polished Chrome	198
	1583470.020	White	338
	1583470.295	Brushed Nickel	338
2 lb	1640305.002	Polished Chrome	174
1.0 kg —	1640305.020	White	195
	1640305.295	Brushed Nickel	312
	71 lb 32.6 kg 6 lb 3.1 kg	71 lb 32.6 kg 0263112.020 32.6 kg	71 lb 32.6 kg



New Solar® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough With Left-Hand Outlet

- Recessed bath with integral apron

- Glossy porcelain finish
 Full Stansure" slip-resistant floor surface
 Above floor rough installation
 Integral 3-sided tile/water retention flange
- 1-year limited warranty

Nominal Dimensions:

60 in x 30 in x 16-5/8 in (1524 mm x 762 mm x 422 mm)



Description	Net Wt	SKU	Color	List Price
New Solar® 60 x 30-Inch Integral Apron Bathtub Above Floor Rough With Left-Hand Outlet	71 lb 32.6 kg	0263212.020	White	685
Required Components:				
Bathtub Drain	6 lb	1583470.002	Polished Chrome	198
	3.1 kg —	1583470.020	White	338
	_	1583470.295	Brushed Nickel	338
Deep Soak® Bathtub Drain	2 lb	1640305.002	Polished Chrome	174
	1.0 kg —	1640305.020	White	195
	_	1640305.295	Brushed Nickel	312

Shower and Tub Doors

The perfect shower or bathtub door is one that functions perfectly in your space and complements the style of your bathroom. The **American Standard Collection** of on-trend, quality-crafted doors are designed to provide outstanding performance and long-lasting beauty in today's home.



Shower and Tub Doors Overview



Frameless/Semi-Frameless Shower Doors

Sleek and sophisticated with frameless glass edges

Top-roller Sliding **Door for Shower**

- · Both panels slide
- 3/8" or 1/4"-thick clear glass
- · Easy to clean glass coating




Swing Door and Panel for Shower

- 3/8"-thick clear glass
- Easy to clean glass coating
- One swing door panel, one stationary panel




Shower Screen



Semi-Frameless Doors

Clean lines with outer frame support and frameless glass edges

- 1/4" tempered glass
- Select from up to three frame finishes
- Through-the-glass handles
- Easy to clean/open bottom track





Swing Door for Shower



Swing Door and Panel for Shower



Framed Doors

Both outer and glass edges feature frame support

Sliding Doors for Bath and Shower

- Easy to clean bottom track system
- Two towel bars
- Select from three frame finishes



Neo-Angle

- · Perfect shower solution for small bathrooms
- Reversible on install for a left or right swing
- Drip rail system keeps water in shower
- Select from three frame finishes



Swing

• Reversible on install for a left or right swing

List Price Guide 2023-4

- Multiple glass styles
- Silver frame finish




americanstandard.com

How to Measure the Perfect Shower Door

1 MEASURE

Walls must be finished before measuring to get an accurate dimension for installation. Measure in 3 places to determine if walls are plumb.



- TOP
 72" up from the base of shower
- 2 MIDDLE Halfway between base/top
- Use a level to check for plumb walls. If any of your measurements are not the same, make sure to look for a door that allows for out-of-plumb adjustability

3 воттом

Shower base/threshold

2 Choose Your CONFIGURATION

Alcove



Made to fit a single opening in an alcove with 3 walls.

Corner



Made to fit a corner configuration where the shower base is touching 2 walls.

Neo-Angle



Made to fit a corner configuration were the shower base is angled with 3 sides.

3 Choose Your DOOR TYPE

Pivot



The door swings in and out for entry and exit

Sliding



Sliding doors slide left or right along a bottom track. Some sliding doors are bypass, where both can open and pass one another. Some also feature one door that slides open and one door that is fixed.

Panel



Some people prefer a simple glass panel that covers most of the shower base or tub, with no actual door to pass through.

4 Choose Your FRAME

Framed



Features a frame around the door and opening of each panel.

Semi-Frameless



Framing is featured around the sides of the piece, but not around the actual glass panel.

Frameless



Minimal framing for a simplistic look.

5 Choose Your GLASS (Shower door glass patterns)



Clear 400 Rain 422



Hammered 436



Silver 213



Choose Your FINISH (Shower door frame finishes)

Brushed Nickel 006



ORB 224

Please see color swatches on inside front cover.

ORB - Oil Rubbed Bronze

Shower and Tub Doors



72-Inch Height Frameless Shower Door With Panel

- Frameless swing door and panel
- Easy-to-clean glass coating repels moisture and soap film
 Reversible for left or right installation
- 8" (203 mm) through-the-glass C-pull handle
- 3/8" (9 mm) thick clear safety-tempered glass
- Minimum 2-1/2" (64 mm) threshold width required
- Fits opening: 46-1/16" 47-9/16" (1170 208 mm)
- 72" (1829 mm) height
- Clear glass

Nominal Dimensions:

48 in x 72 in (1219 mm x 3/8 in x 1828 mm)






72-Inch Height Frameless Shower Door With Panel

- Frameless swing door and panel
- Easy-to-clean glass coating repels moisture and soap film
- Reversible for left or right installation
- •8" (203 mm) through-the-glass C-pull handle
- 3/8" (9 mm) thick clear safetytempered glass
- Minimum 2-1/2" (64 mm) threshold width required
- Fits opening: 58-1/16" 59-9/16" (1475 1513 mm)
- 72" Height

Nominal Dimensions:

60 in x 72 in (1524 mm x 3/8 in x 1828 mm)





76-Inch Height Frameless Shower Screen

- Frameless shower screen
- Easy-to-clean glass coating helps prevent water spots and film
- Stationary panel does not swing
- Not intended to span entire length of shower
- Leaves open space to enter 48" 60" (1219 1524 mm) shower
- Length: 24" (610 mm) for 48" (1219 mm) opening
- 3/8" (9 mm) thick clear safety-tempered glass
- Minimum 1" (25 mm) threshold width required
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

24 in x 76 in (609 mm x 13/16 in x 1930 mm)

Description	Net Wt	SKU	Color	List Price
76-Inch Height Frameless Shower Screen	86 lb	AM00824400.213	Silver Shine	656



76-Inch Height Frameless Shower Screen

- Frameless shower screen
- Easy-to-clean glass coating helps prevent water spots and film

- Stationary panel does not swing
 Not intended to span entire length of shower

 Leaves open space to enter 48" 60" (1219 1524 mm) shower

 Length: 30" (762 mm) for 60" (1524 mm) opening
- 3/8" (9 mm) thick clear safety-tempered glass
- Minimum 1" (25 mm) threshold width required
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

30 in x 76 in (762 mm x 13/16 in x 1930 mm)

Description	Net Wt	SKU	Color	List Price
76-Inch Height Frameless Shower Screen	70 lb	AM00830400.213	Silver Shine	874

americanstandard.com List Price Guide 2023-4



70-Inch Height Semi-Frameless Top-Roller Sliding Shower Door

- Top-roller shower door
- Easy-to-clean glass coating repels moisture and soap film
- Both panels slide
- Reversible installation for left or right entry
 Exterior through-the-glass towel bar and back-to-back pull knob
- ¼" (6 mm) clear safety-tempered glass
- Minimum 2-¾" (70 mm) threshold width required
- Fits opening: 44" 48" (1118 1219 mm)
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

48 in x 70 in (1219 mm x 2-11/16 in x 1778 mm)



Description	Net Wt	SKU	Color	List Price
70-Inch Height Semi-Frameless Top-Roller	105 lb	AM00821400.006	Brushed Nickel	1,716
Sliding Shower Door	47.7 kg —	AM00821400.213	Silver Shine	1,319



70-Inch Height Semi-Frameless Top-Roller Sliding Shower Door

- Top-roller shower door
- Easy-to-clean glass coating repels moisture and soap film
- Both panels slide
- Reversible installation for left or right entry
- Exterior through-the-glass towel bar and back-to-back pull knob
- 1/4" (6 mm) clear safety-tempered glass
- Minimum 2-3/4" (70 mm) threshold width required Fits opening: 56" 60" (1422 1524 mm)
- 76" (1930 mm) height
- · Clear glass

Nominal Dimensions:

60 in x 70 in (1524 mm x 2-11/16 in x 1778 mm)



Description	Net Wt	SKU	Color	List Price
70-Inch Height Semi-Frameless Top-Roller	124 lb	AM00822400.006	Brushed Nickel	1,853
Sliding Shower Door	56.3 kg —	AM00822400.213	Silver Shine	1,426



76-Inch Height Semi-Frameless Top-Roller Sliding Shower Door

- Top-roller shower door
- Easy-to-clean glass coating repels moisture and soap film
- Both panels slide
- Reversible installation for left or right entry
- Exterior through-the-glass towel bar and back-to-back pull knob
- •3/8" (9 mm) safety tempered glass
- Minimum 2-3/4" (70 mm) threshold width required
- Fits opening: 44" 48" (1118 1219 mm)
- 76" (1930 mm) height
- · Clear glass

Nominal Dimensions:

48 in x 76 in (1219 mm x 2-11/16 in x 1930 mm)



Description	Net Wt	SKU	Color	List Price
76-Inch Height Semi-Frameless Top-Roller Sliding Shower Door	152 lb	AM00810400.006	Brushed Nickel	2,465
	69.0 kg	AM00810400.213	Silver Shine	1,895



76-Inch Height Semi-Frameless Top-Roller Sliding Shower Door

- Top-roller shower door
- Easy-to-clean glass coating repels moisture and soap film
 Both panels slide

- Reversible installation for left or right entry
 Exterior through-the-glass towel bar and back-to-back pull knob
- 3/8" (9 mm) safety-tempered glass Minimum 2-¾" (70 mm) threshold width required
- Fits opening: 56" 60" (1422 1524 mm)
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

60 in x 76 in (1524 mm x 2-11/16 in x 1930 mm)





76-Inch Height Semi-Frameless Swing Door With Panel

- Semi-frameless swing door and panel
- Easy-to-clean glass coating helps prevent water spots and film
- Door swings out only
- · Clear drip system keeps the water inside shower
- 6" (152 mm) through-the-glass C-pull handle
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-1/2" (38 mm) threshold width required
- Fits opening: 44-1/16" 48" (1119 1219 mm)
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

48 in x 76 in (1219 mm x 3/8 in x 1930 mm)



Description	Net Wt	SKU	Color	List Price
76-Inch Height Semi-Frameless Swing Door With Panel	86 lb	AM00817400.006	Brushed Nickel	2,181
	39.0 kg —	AM00817400.213	Silver Shine	1,677



76-Inch Height Semi-Frameless Swing Door With Panel

- · Semi-frameless swing door and panel
- · Easy-to-clean glass coating helps prevent water spots and film
- Door swings out only
- Clear drip system keeps the water inside shower
- 6" (152 mm) through-the-glass C-pull handle
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-½" (38 mm) threshold width required
 Fits opening: 56-1/16" 60" (1424 1524 mm)
- 76" (1930 mm) height
- Clear glass

Nominal Dimensions:

60 in x 76 in (1524 mm x 3/8 in x 1930 mm)



Description	Net Wt	SKU	Color	List Price
76-Inch Height Semi-Frameless Swing Door With		AM00816400.006	Brushed Nickel	2,393
Panel	48.6 kg -	AM00816400 213	Silver Shine	1 842

americanstandard.com List Price Guide 2023-4



76-Inch Height Semi-Frameless Swing Door

- Semi-frameless swing door
 Easy-to-clean glass coating helps prevent water spots and film
 Reversible for left to right installation

- Door swings out only
 6" (152 mm) through-the-glass C-pull handle
- 1/4" (6 mm) safety-tempered glass
- Minimum 2" (51 mm) threshold width required
- Fits opening: 35-1/16" 36" (891 914 mm)
- 76" (1930 mm) height
- · Clear glass

Nominal Dimensions:

36 in x 76 in (914 mm x 15/16 in x 1930 mm)



Description	Net Wt	SKU	Color	List Price
76-Inch Height Semi-Frameless Swing Door	69 lb 31.3 kg —	AM00819400.006	Brushed Nickel	1,549
		AM00819400.213	Silver Shine	1,193



Euro 57-Inch Height Semi-Frameless Sliding Tub Door

- Semi-frameless European-designed doors
- Easy-to-clean open bottom track
- Simple out-of-square adjustment
- · Heavy duty rounded header
- Towel bars pass through glass, 22" (559 mm)
- Smooth glide rollers
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-½" (38 mm) threshold width required Fits opening: 54-½" 58-½" (1384 1486 mm)
- 57" (1448 mm) height
- Clear glass

Nominal Dimensions:

60 in x 57 in (1524 mm x 1/4 in x 1447 mm)

Description	Net Wt	SKU	Color	List Price
Euro 57-Inch Height Semi-Frameless Sliding Tub Door	85 lb 38.6 kg ——	AM00350400.006	Brushed Nickel	1,189
		AM00350400.213	Silver Shine	882
		AM00350400.224	Oil Rubbed Bronze	1,189



Euro 57-Inch Height Semi-Frameless Sliding Tub Door

- Semi-frameless European-designed doors
- · Easy-to-clean open bottom track
- Simple out-of-square adjustment
- Heavy duty rounded header
- Towel bars pass through glass, 22" (559 mm)
- Smooth glide rollers
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-1/2" (38 mm) threshold width required
- Fits opening: 54-1/2" 58-1/2" (1384 1486 mm)
- •57" (1448 mm) height
- Rain glass

Nominal Dimensions:

60 in x 57 in (1524 mm x 1/4 in x 1447 mm)

Description	Net Wt	SKU	Color	List Price
Euro 57-Inch Height Semi-Frameless Sliding Tub Door	82 lb 37.2 kg	AM00350422.006	Brushed Nickel	1,331
		AM00350422.213	Silver Shine	1,082
	_	AM00350422.224	Oil Rubbed Bronze	1.331

Images are for illustrative purposes only - exact features may vary.



Euro 70-Inch Height Semi-Frameless Sliding Shower Door

- · Semi-frameless European-designed doors
- Easy-to-clean open bottom track
- · Simple out-of-square adjustment
- Heavy duty rounded header
- Tubular bars pass through glass, 16-1/2" (419 mm)
- Smooth glide rollers
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-1/2" (38 mm) threshold width required
- Fits opening: 43" 47" (1092 1194 mm)
- 70" (1930 mm) heigh
- Clear glass

Nominal Dimensions:

48 in x 70 in (1219 mm x 1/4 in x 1778 mm)

Description	Net Wt	SKU	Color	List Price
Euro 70-Inch Height Semi-Frameless Sliding Shower Door	84 lb	AM00370400.006	Brushed Nickel	1,203
	38.1 kg —	AM00370400.213	Silver Shine	968
		AM00370400.224	Oil Rubbed Bronze	1,203



Euro 70-Inch Height Semi-Frameless Sliding Shower Door

- Semi-frameless European-designed doors
- · Easy-to-clean open bottom track
- · Simple out-of-square adjustment
- · Heavy duty rounded header
- Tubular bars pass through glass, 22" (559 mm)
- Smooth glide rollers
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-½" (38 mm) threshold width required Fits opening: 54-½" 58-½" (1384 1486 mm)
- •70" (1930 mm) height
- Clear glass

Nominal Dimensions:

60 in x 70 in (1524 mm x 1/4 in x 1778 mm)

Description	Net Wt	SKU	Color	List Price
Euro 70-Inch Height Semi-Frameless Sliding Shower Door	84 lb	AM00390400.006	Brushed Nickel	1,585
	38.1 kg —	AM00390400.213 Silver Shine	Silver Shine	1,221
		AM00390400.224	Oil Rubbed Bronze	1,585



Euro 70-Inch Height Semi-Frameless Sliding Shower Door

- Semi-frameless European-designed doors
- · Easy-to-clean open bottom track
- Simple out-of-square adjustment
- · Heavy duty rounded header
- Tubular bars pass through glass, 22" (559 mm)
- Smooth glide rollers
- 1/4" (6 mm) safety-tempered glass
- Minimum 1-1/2" (38 mm) threshold width required
- Fits opening: 54-1/2" 58-1/2" (1384 1486 mm)
- 70" (1930 mm) height
- Rain glass

Nominal Dimensions:

60 in x 70 in (1524 mm x 1/4 in x 1778 mm)

Description	Net Wt	SKU	Color	List Price
Euro 70-Inch Height Semi-Frameless Sliding Shower Door	84 lb 38.1 kg	AM00390422.006	Brushed Nickel	1,825
	80 lb 36.3 kg	AM00390422.213	Silver Shine	1,416
	84 lb	AM00390422.224	Oil Rubbed Bronze	1,825

Images are for illustrative purposes only - exact features may vary.

americanstandard.com List Price Guide 2023-4



Prestige 58-1/2-Inch Height Framed Sliding Tub Door

- Framed sliding tub door
- Heavy duty rounded header
 Easy-to-clean bottom track system
- Simple out-of-square adjustment
- Two bracketed towel bars
- 3/16" (5 mm) safety tempered glass Minimum 1-½" (38 mm) threshold width required
- Fits opening: 57" 59" (1448 1499 mm)
- 58-1/2" (1486 mm) height
- Clear glass

Nominal Dimensions:

60 in x 58-1/2 in (1524 mm x 1/4 in x 1485 mm)

Description	Net Wt	SKU	Color	List Price
Prestige 58-1/2-Inch Height Framed Sliding Tub Door	58 lb		Brushed Nickel	951
	26.3 kg AM00750400.213	Silver Shine	717	
		AM00750400.224	Oil Rubbed Bronze	951



Prestige 58-1/2-Inch Framed Sliding Tub Door

- Framed sliding tub door
- Heavy duty rounded header
- Easy-to-clean bottom track system
- Simple out-of-square adjustment
- Two bracketed towel bars
- 3/16" (5 mm) safety tempered glass
- Minimum 1-1/2" (38 mm) threshold width required
- Fits opening: 57" 59" (1448 1499 mm)
- 58-1/2" (1486 mm) height
- Rain glass

Nominal Dimensions:

60 in x 58-1/2 in (1524 mm x 1/4 in x 1485 mm)

Description	Net Wt	SKU	Color	List Price
Prestige 58-1/2-Inch Framed Sliding Tub Door	58 lb	AM00750422.006	Brushed Nickel	998
	26.3 kg —	AM00750422.213 Silver Shine	Silver Shine	717
	_	AM00750422.224	Oil Rubbed Bronze	998



Prestige 58-1/2-Inch Height Framed Sliding Tub Door

- Framed sliding tub door
- · Heavy duty rounded header
- Easy-to-clean bottom track system
- Simple out-of-square adjustment

- Two bracketed towel bars

 3/16" (5 mm) safety tempered glass

 Minimum 1-½" (38 mm) threshold width required

 Fits opening: 57" 59" (1448 1499 mm)
- 58-1/2" (1486 mm) height
- Hammered glass

Nominal Dimensions:

60 in x 58-1/2 in (1524 mm x 1/4 in x 1485 mm)

Description	Net Wt	SKU	Color	List Price
Prestige 58-1/2-Inch Height Framed Sliding Tub	58 lb	AM00750436.006	Brushed Nickel	998
Door	26.3 kg	AM00750436.213 Silver Shine	Silver Shine	717
		AM00750436.224	Oil Rubbed Bronze	998

Images are for illustrative purposes only - exact features may vary.

Shower and Tub Doors



Prestige 71-1/2-Inch Height Framed Sliding Shower Door

- Framed sliding shower door
 Heavy duty rounded header
 Easy-to-clean bottom track system
 Simple out-of-square adjustment
- Two bracketed towel bars
- •3/16" (5 mm) safety-tempered glass
- Minimum 1-½" (38 mm) threshold width required Fits Opening: 45" 47" (1143 1194 mm)
- 71-1/2" (1816 mm) height
- Clear glass

Nominal Dimensions:

60 in x 71-1/2 in (1524 mm x 1/4 in x 1816 mm)

Description	Net Wt	SKU	Color	List Price
Prestige 71-1/2-Inch Height Framed Sliding	54 lb	AM00770400.006	Brushed Nickel	1,012
Shower Door	24.5 kg [—]	AM00770400.213	Silver Shine	798
	_	AM00770400.224	Oil Rubbed Bronze	1,012



Prestige 71-1/2-Inch Height Framed Sliding Shower Door

- Framed sliding shower door
- · Heavy duty rounded header
- Easy-to-clean bottom track system
- Simple out-of-square adjustment
- Two bracketed towel bars
- 71-5" (1816 mm) safety-tempered glass Minimum 1-½" (38 mm) threshold width required Fits opening: 57" 59" (1448 1499 mm) 71-½" (1816 mm) height

- Clear glass

Nominal Dimensions:

60 in x 71-1/2 in (1524 mm x 1/4 in x 1816 mm)

Description	Net Wt	SKU	Color	List Price
Prestige 71-1/2-Inch Height Framed Sliding	66 lb	AM00790400.006	Brushed Nickel	1,074
Shower Door	30.0 kg —	AM00790400.213	Silver Shine	881
		AM00790400.224	Oil Rubbed Bronze	1,074

Shower and Tub Enclosures/Bathing Fixture – Cross Reference

Dimensions	Model	Description	Euro Semi-Frameless		Prestige Framed	
Tubs			Tub C	Doors	Tub Doors	
	2772	Cadet®			AMOOZEO	
	2461	Cambridge [®]				
	2425, 2422, 2771V	Evolution®				
	3571, 3574	Green Tea®				
	0255	New Salem®				
5'	0263 New Solar® AM00350		350 AM00750 AM00758			
	2391, 2390, 2393, 2392, 2395, 2394, 2397, 2396	Princeton®				
	2946, 2545, 2973	Studio®				
	2748	Town Square®				
	2544, 2545	Town Square S				
Solid Surface Shower B	ases		Semi-Frameless Sliding	Semi-Frameless Swing with Panel	Semi-Frameless Top Roller	Framed Sliding
18" x 36" x 2" 1219 x 914 x 51 mm)	4836SMCOL	Townsend Single Threshold	AM00345 AM00370	AM00817	AM00821	AM00775 AM00770
60" x 30" x 2" 1524 x 762 x 51 mm)	6030SMRHOL 6030SMLHOL	Townsend Single Threshold	AM00390 AM00394	AM00816	AM00822	AM00790 AM00795
60" x 32" x 2" 1524 x 813 x 51 mm)	6032SMRHOL 6032SMLHOL	Townsend Single Threshold				
60" x 36" x 2" 1524 x 914 x 51 mm)	6036SMRHOL 6036SMLHOL	Townsend Single Threshold				
Acrylic Shower Bases			Semi-Frameless Sliding	Semi-Frameless Swing with Panel	Frameless Top Rolling	Framed Sliding
18" x 36" x 2-1/2" 1219 x 914 x 64 mm)	A8004L-CO	Studio Single Threshold	AM00345		AM00821	AM00775 AM00770
18-1/8" x 34-1/4" x 6-5/8 1219 x 870 x 168 mm)	8" 4834.ST	Single Threshold	AM00370			
50" x 30" x 2-1/2" 1524 x 762 x 64 mm)	A8001L-RHO A8001L-LHO	Studio Single Threshold				
0" x 31-1/4" x 5" 1524 x 794 x 127 mm)	2946.STR 2946.STL	Studio Single Threshold	AM00390 AM00394	AM00816	AM00822	AM00790 AM00795
60" x 32" x 2-1/2" 1524 x 813 x 64 mm)	A8002L-RHO A8002L-LHO	Studio Single Threshold				
0" x 36" x 2-1/2" 524 x 914 x 64 mm)	A8003L-RHO A8003L-LHO	Studio Single Threshold				
0-1/8" x 34-1/8" x 6-5/8 527 x 867 x 168 mm)	6034.ST	Single Threshold				

Please take the height of alcove walls into consideration when choosing doors. Doors are adjustable to fit installations both with and without alcove walls.



Studio® 38 x 38-Inch Single Threshold ADA Shower Base With Center Drain

- Clean, contemporary design
 High-quality acrylic with fiberglass reinforcement
 Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Easy to step over 2-½" (64 mm) threshold height
- Integral 3-sided tile/water retention flange
- Single threshold, center drain
- Brushed stainless steel drain cover included
- Drain not included
- ADA compliant
- · Limited lifetime warranty

Nominal Dimensions:

38 in x 38 in x .9 in (965 mm x 965 mm x 22 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 38 x 38-Inch Single Threshold ADA	24 lb	A8009D-FCO.020	White	775
Shower Base With Center Drain	11.3 kg			
Separate Components:				
Stainless Steel Drain Plate	2 lb 0.9 kg	⊳755453-400.0730A	Brushed Stainless Steel	171

122



Studio® 48 x 36-Inch Single Threshold Shower Base With Center Drain

- Clean, contemporary design
- High-quality acrylic with fiberglass reinforcement
- Easy to clean high-gloss surface that's UV stable and stain resistant
- Easy to step over 2-1/2" (64 mm) threshold height
- Integral 3-sided tile/water retention flange
- Single threshold, center drain
- Brushed stainless steel drain cover included
- Drain not included
- · Limited lifetime warranty

Nominal Dimensions:

48 in x 36 in x 3-1/2 in (1219 mm x 914 mm x 88 mm)



Description	Net Wt	SKU	Color	List Price
Studio [®] 48 x 36-Inch Single Threshold Shower Base With Center Drain	39 lb 18.1 kg	A8004L-CO.020	White	770
Optional Components:				
Stainless Steel Drain Plate	2 lb 0.9 kg	>755453-400.0730A	Brushed Stainless Steel	171



Studio® 60 x 30-Inch Single Threshold Shower Base With Right-Hand Outlet

- Clean, contemporary design
- · High-quality acrylic with fiberglass reinforcement
- · Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Easy to step over 2-1/2" (64 mm) threshold height
- Integral 3-sided tile/water retention flange
- Single threshold, right-hand outlet
- Brushed stainless steel drain cover included
- Drain not included
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 3-1/2 in (1524 mm x 762 mm x 88 mm)



Description	Net Wt	SKU	Color	List Price
Studio [®] 60 x 30-Inch Single Threshold Shower Base With Right-Hand Outlet	41 lb 18.8 kg	A8001L-RHO.020	White	799
Optional Components:				
Stainless Steel Drain Plate	2 lb 0.9 kg	>755453-400.0730A	Brushed Stainless Steel	171



Studio® 60 x 30-Inch Single Threshold Shower Base With Left-Hand Outlet

- Clean, contemporary design
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Easy to step over 2-½" (64 mm) threshold height
- Integral 3-sided tile/water retention flange
- Single threshold, left-hand outlet
- Brushed stainless steel drain cover included
- Drain not included
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 30 in x 3-1/2 in (1524 mm x 762 mm x 88 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 30-Inch Single Threshold Shower Base With Left-Hand Outlet	41 lb 18.8 kg	A8001L-LHO.020	White	799
Separate Components:				
Stainless Steel Drain Plate	2 lb 0.9 kg	⊳755453-400.0730A	Brushed Stainless Steel	171

Parts Program (Non-Premier)



- Clean, contemporary design
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant Easy to step over 2-1/2" (64 mm) threshold height
- Integral 3-sided tile/water retention flange
- Single threshold, right-hand outlet
- Brushed stainless steel drain cover included
- Drain not included
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 3-1/2 in (1524 mm x 812 mm x 88 mm)



Description	Net Wt	SKU	Color	List Price
Description	NOT WE	ONO		LISTITIO
Studio [®] 60 x 32-Inch Single Threshold Shower Base With Right-Hand Outlet	49 lb 22.7 kg	A8002L-RHO.020	White	810
Optional Components:				
Stainless Steel Drain Plate	2 lb 0.9 kg	>755453-400.0730A	Brushed Stainless Steel	171



Studio® 60 x 32-Inch Single Threshold Shower Base With Left-Hand Outlet

- Clean, contemporary design
- · High-quality acrylic with fiberglass reinforcement
- · Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Easy to step over 2-1/2" (64 mm) threshold height
- Integral 3-sided tile/water retention flange
- · Single threshold, left-hand outlet
- Brushed stainless steel drain cover included
- Drain not included
- Limited lifetime warranty

Nominal Dimensions:

60 in x 32 in x 3-1/2 in (1524 mm x 812 mm x 88 mm)



Description	Net Wt	SKU	Color	List Price
Studio® 60 x 32-Inch Single Threshold Shower Base With Left-Hand Outlet	49 lb 22.7 kg	A8002L-LHO.020	White	810
Separate Components:				
Stainless Steel Drain Plate	2 lb 0.9 kg	⊳755453-400.0730A	Brushed Stainless Steel	171



Studio® 60 x 36-Inch Single Threshold Shower Base With Right-Hand Outlet

- Clean, contemporary design
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Easy to step over 2-½" (64 mm) threshold height
- Integral 3-sided tile/water retention flange
- Single threshold, right-hand outlet
- Brushed stainless steel drain cover included
- Drain not included
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 4 in (1524 mm x 914 mm x 101 mm)



Description	Net Wt	SKU	Color	List Price
Studio [®] 60 x 36-Inch Single Threshold Shower Base With Right-Hand Outlet	55 lb 25.3 kg	A8003L-RHO.020	White	887
Optional Components:				
Stainless Steel Drain Plate	2 lb 0.9 kg	⊳755453-400.0730A	Brushed Stainless Steel	171

Parts Program (Non-Premier)



Studio® 60 x 36-Inch Single Threshold Shower Base With Left-Hand Outlet

- Clean, contemporary design
- High-quality acrylic with fiberglass reinforcement
- Easy-to-clean high-gloss surface that's UV stable and stain resistant
 Easy to step over 2-½" (64 mm) threshold height
- Integral 3-sided tile/water retention flange
- Single threshold, left-hand outlet
- Brushed stainless steel drain cover included
- Drain not included
- · Limited lifetime warranty

Nominal Dimensions:

60 in x 36 in x 4 in (1524 mm x 914 mm x 101 mm)



Description	Net Wt	SKU	Color	List Price
Studio [®] 60 x 36-Inch Single Threshold Shower Base With Left-Hand Outlet	55 lb 25.3 kg	A8003L-LHO.020	White	887
Separate Components:				
Stainless Steel Drain Plate	2 lb 0.9 kg	>755453-400.0730A	Brushed Stainless Steel	171



Studio® 64 x 34-Inch Single Threshold ADA Shower Base With Center Drain

- Clean, contemporary design
- · High-quality acrylic with fiberglass reinforcement
- · Easy-to-clean high-gloss surface that's UV stable and stain resistant
- Easy to step over 2-1/2" (64 mm) threshold height
- Integral 3-sided tile/water retention flange
- · Single threshold, center drain
- Brushed stainless steel drain cover included
- Drain not included
- ADA compliant
- · Limited lifetime warranty

Nominal Dimensions:

64 in x 34 in x .9 in (1625 mm x 863 mm x 22 mm)



Description	Net Wt	SKU	Color	List Price
Studio [®] 64 x 34-Inch Single Threshold ADA Shower Base With Center Drain	36 lb 16.3 kg	A8007D-FCO.020	White	917
Separate Components:				
Stainless Steel Drain Plate	2 lb 0.9 kg	⊳755453-400.0730A	Brushed Stainless Steel	171



Studio® 60 x 32 x 72-Inch Shower Wall Set

- Includes two side walls and one back wall
- Six integrated extra deep 4-1/2" (114 mm) shelves
- High-impact polystyrene
- Mounts directly to studs no backer board needed
- Tongue and groove interlocking for alignment and to prevent water seepage
- Limited lifetime warranty
- For use with 011 Arctic White 60" x 32" (1524 x 813 mm) bathtub models

Nominal Dimensions:

60 in x 32 in x 72 in (1524 mm x 812 mm x 1828 mm)



Description	Net Wt	SKU	Color	List Price
Studio [®] 60 x 32 x 72-Inch Shower Wall Set	31 lb 14.1 kg	2946SW.011	Arctic	1,111



Townsend® 38 x 38-Inch Single Threshold ADA Shower Base With Center Drain

- · Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratched can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- Single threshold, center drain
- Removable, stainless steel trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- ADA compliant
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

38 in x 38 in x 4-5/16 in (965 mm x 965 mm x 109 mm)



Description	Net Wt	SKU	Color	List Price
Townsend® 38 x 38-Inch Single Threshold ADA Shower Base With Center Drain	84 lb 38.5 kg	3838AM-FCOL.218	Soft White	1,104
Optional Components:				
38" x 38" Stainless Steel Drain Cover	4 lb 1.9 kg	>755446-400.0730A	Brushed Stainless Steel	167



Townsend® 48 x 36-Inch Single Threshold Shower Bases With Center Drain

- · Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratched can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- Single threshold, center drain
- Removable, color-matched, solid surface square drain cover included
 - Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

38 in x 38 in x 3-7/8 in (965 mm x 965 mm x 98 mm)



Description	Net Wt	SKU	Color	List Price
Townsend [®] 48 x 36-Inch Single Threshold Shower Bases With Center Drain	96 lb 43.9 kg	4836SM-COL.218	Soft White	1,052
Optional Components:				
48" x 36" Square Solid Surface Drain Cover	0 lb 0.4 kg	>755433-401.2180A	Soft White	109



Townsend @ 60 x 30-Inch Single Threshold Shower Base With Right-Hand Outlet

- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratched can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- Single threshold, right-hand outlet
- Removable, color-matched, solid surface trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty

Docorintion

Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

60 in x 30 in x 3-5/16 in (1524 mm x 762 mm x 84 mm)



Color

Description	Net Wt	3KU	COIOI	LIST Price
Townsend® 60 x 30-Inch Single Threshold Shower Base With Right-Hand Outlet	100 lb 45.5 kg	6030SM-RHOL.218	Soft White	1,098
Optional Components:				
60" x 30" Rectangle Solid Surface Drain Cover	4 lb 2.1 kg	>755427-401.2180A	Soft White	251

Not WE

Parts Program (Non-Premier)



- · Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratches can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- Single threshold, left-hand outlet
- Removable, color-matched, solid surface trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

60 in x 30 in x 3-5/16 in (1524 mm x 762 mm x 84 mm)



Description	Net Wt	SKU	Color	List Price
Townsend [®] 60 x 30-Inch Single Threshold Shower Base With Left-Hand Outlet	100 lb 45.5 kg	6030SM-LHOL.218	Soft White	1,098
Separate Components:				
60" x 30" Rectangle Solid Surface Drain Cover	4 lb 2.1 kg	⊳755427-401.2180A	Soft White	251



- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratches can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- · Single threshold, right-hand outlet
- Removable, color-matched, solid surface trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

60 in x 32 in x 3-5/16 in (1524 mm x 812 mm x 84 mm)



Description	Net Wt	SKU	Color	List Price
Townsend® 60 x 32-Inch Single Threshold Shower Base With Right-Hand Outlet	106 lb 48.3 kg	6032SM-RHOL.218	Soft White	1,110
Optional Components:				
60" x 32" Rectangle Solid Surface Drain Cover	4 lb 2.2 kg	>755429-401.2180A	Soft White	251

Townsend® 60 x 32-Inch Single Threshold Shower Base With Left-Hand Outlet

- · Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratches can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- · Single threshold, left-hand outlet
- Removable, color-matched, solid surface trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

60 in x 32 in x 3-5/16 in (1524 mm x 812 mm x 84 mm)



Description	Net Wt	SKU	Color	List Price
Townsend [®] 60 x 32-Inch Single Threshold Shower Base With Left-Hand Outlet	106 lb 48.3 kg	6032SM-LHOL.218	Soft White	1,110
Separate Components:				
60" x 32" Rectangle Solid Surface Drain Cover	4 lb 2.2 kg	⊳755429-401.2180A	Soft White	251

Parts Program (Non-Premier)



Townsend® 60 x 36-Inch Single Threshold Shower Base With Right-Hand Outlet

- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratches can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- Single threshold, right-hand outlet
- Removable, color-matched, solid surface trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

60 in x 36 in x 3-5/16 in (1524 mm x 914 mm x 84 mm)



Description	Net Wt	SKU	Color	List Price
Townsend® 60 x 36-Inch Single Threshold Shower Base With Right-Hand Outlet	118 lb 53.6 kg	6036SM-RHOL.218	Soft White	1,233
Optional Components:				
60" x 36" Rectangle Solid Surface Drain Cover	5 lb 2.5 kg	>755431-401.2180A	Soft White	259



Townsend® 60 x 36-Inch Single Threshold Shower Base With Left-Hand Outlet

- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratches can be sanded out
 - Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- · Single threshold, left-hand outlet
- Removable, color-matched, solid surface trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- 5-year warranty
- Project volume greater than 60 pieces needs additional lead time

Nominal Dimensions:

60 in x 36 in x 3-5/16 in (1524 mm x 914 mm x 84 mm)



Description	Net Wt	SKU	Color	List Price
Townsend [®] 60 x 36-Inch Single Threshold Shower Base With Left-Hand Outlet	118 lb 53.6 kg	6036SM-LHOL.218	Soft White	1,233
Separate Components:				
60" x 36" Rectangle Solid Surface Drain Cover	5 lb 2.5 kg	⊳755431-401.2180A	Soft White	259



Townsend® 64 x 34-Inch Single Threshold ADA Shower Base With Linear Drain

- Clean, contemporary design
- Durable 100% solid, non-porous material that's fungi and bacterial resistant
- Smooth matte renewable surface where chips and scratches can be sanded out
- Easy maintenance and cleaning, stain and UV resistant
- Integral 3-sided tile/water retention flange
- · Single threshold, linear drain along entry
- Removable, stainless steel trench drain cover included
- Drain not included
- Self-extinguishing tested against ASTM E84
- ADA compliant
- 5-vear warranty

Nominal Dimensions:

64 in x 34 in x 1-3/8 in (1625 mm x 863 mm x 34 mm)



Description	Net Wt	SKU	Color	List Price
Townsend [®] 64 x 34-Inch Single Threshold ADA Shower Base With Linear Drain	124 lb 56.6 kg	6434AM-FCOL.218	Soft White	1,452
Optional Components:				
64" x 34" Stainless Steel Drain Cover	7 lb 3.4 kg	>755440-400.0730A	Brushed Stainless Steel	167

Parts Program (Non-Premier)

Bathroom Furniture

Crafted with care to complement today's most beautiful bathrooms, the **American Standard Collection** ensures lasting durability and design excellence. Whether open for a spacious look or enclosed for concealed storage, you'll find the perfect piece on the following pages.



Bathroom Furniture

Furniture Overview

Masterfully constructed from poplar solids and birch veneers. Furniture specifically designed for coordinating sinks and countertops.



Studio® S Collection



American Standard® Furniture for Townsend® Collection



All American Standard furniture is fully CARB compliant.



Edgemere® Console Table

- Transitional style metal console table
- Uses Edgemere® 0445 series pedestal tops
- Console table legs feature transitional styling with integral front and side towel bars

- Lower tempered glass shelf for storage
 Legs available in Polished Chrome or Brushed Nickel
 Dimensions with 0445 Series Pedestal Tops: 25" x 19-½" x 35-11/16" (635 x 495 x 906 mm)

Nominal Dimensions:

25 in x 19-1/2 in x 35-11/16 in (635 mm x 495 mm x 906 mm)



Description	Net Wt	SKU	Color	List Price
Edgemere® Console Table	17 lb	8719000.002	Polished Chrome	568
	7.8 kg -	8719000.295	Brushed Nickel	682
Separate Components:				
Console Mounting Kit	0 lb 0.2 kg -	>770248-100.0070A	No Finish	7
Console Feet		>770256-200.0020A	Polished Chrome	19
		>770256-200.2950A	Brushed Nickel	23
Required Components:				
Edgemere® Center Hole Only Pedestal Sink Top	40 lb	0445001.020	White	204
Edgemere® 4-Inch Centerset Pedestal Sink Top	18.5 kg	0445004.020	White	204
Edgemere® 8-Inch. Widespread Pedestal Sink Top	_	0445008.020	White	204



Retrospect® Console Table

- Classic style metal console table

- Uses Retrospect® 0282 series pedestal tops
 Console table legs feature classic styling with integral front and side towel bars
 Lower tempered glass shelf for storage
 Legs available in Polished Chrome
 Dimensions with 0282 Series Pedestal Tops: 27" x 19-¾" x 36" (686 x 502 x 914 mm)

27 in x 19-3/4 in x 36 in (685 mm x 501 mm x 914 mm)



Description	Net Wt	SKU	Color	List Price
Retrospect® Console Table	28 lb 12.7 kg	8711000.002	Polished Chrome	881
Required Components:				
Retrospect® 8-Inch Widespread Pedestal Sink Top	37 lb 17.1 kg	0282008.020	White	382



Town Square® S Console Table

- Classic style metal console table
 Requires Town Square® S 0297 series pedestal tops (ordered separately)
 Console table legs feature traditional styling with integral front and slide towel bars
 Legs available in Polished Chrome or Brushed Nickel
 Dimensions with 0297 Series Pedestal Tops: 30" x 22-½" x 35" (762 x 571 x 889 mm)

Nominal Dimensions:

30 in x 22-1/2 in x 35 in (762 mm x 571 mm x 889 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S Console Table	15 lb	8721000.002	Polished Chrome	961
	7.1 kg ⁻	8721000.295	Brushed Nickel	1,153
Separate Components:				
Leveling Feet	0 lb	>770258-200.0070A	No Finish	14
Hardware Kit For Townsend Metal Console	0.0 kg -	>770262-100.0070A	No Finish	14
Required Components:				
Town Square® S Center Hole Only Pedestal Sink Top	41 lb 18.6 kg	0297001.020	White	365
Town Square® S 4-Inch Centerset Pedestal Sink Top	-	0297004.020	White	357
Town Square® S 8-Inch Widespread Pedestal Sink Top	_	0297008.020	White	365
Decorative P-Trap	2 lb	7720018.002	Polished Chrome	133
	1.1 kg	7720018.295	Brushed Nickel	186



Town Square® S Washstand

- Traditional style washstand with glass storage shelf
 Requires 0298 based vanity sink and 3829 based towel bar (ordered separately)
 Coordinates with the Town Square® S collection
 Above Counter Vanity Sink and Furniture Combination Dimensions: 31" x 22-½" x 35" (787 x 571 x 889 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S Washstand	18 lb	9056030.020	White	763
	8.2 kg	9056030.476	Dark Cherry	763
Separate Components:				
Towel Bar Mounting Kit	0 lb 0.0 kg	>770259-100.0070A	No Finish	14
Required Components:				
Town Square® S Console Vanity Sink Top Center Hole Only	26 lb 11.8 kg	0298001.020	White	393
Town Square® S Vanity Top with 8-Inch Widespread		0298008.020	White	393
Town Square® S Washstand Towel Bar	0 lb	3829000.002	Polished Chrome	109
	0.4 kg	3829000.295	Brushed Nickel	165



Town Square® S Washstand Towel Bar

- Required for 9056030 Town Square® S Washstand
- Bar available in Polished Chrome or Brushed Nickel



Description	Net Wt	SKU	Color	List Price
Town Square® S Washstand Towel Bar	0 lb		Polished Chrome	109
	0.4 kg	3829000.295	Brushed Nickel	165
Separate Components:				
Towel Bar Mounting Kit	0 lb 0.0 kg	⊳770259-100.0070A	No Finish	14



Washstand for American Standard® Townsend® Sinks

- Design matched washstand coordinates with Townsend® suite of fixtures and fittings
 Choose one of two Townsend® sink top types for vanity (ordered separately): 0328 series pedestal top or 0330000
- Requires towel bar (ordered separately)

- Under counter sink requires quartz top too (ordered separately)
 Dimensions with 0328 Series Pedestal Tops: 30" x 19-½" x 35-7/8" (762 x 495 x 910mm)
 Dimensions with 0330 Under Counter Sink and Quartz Top: 30" x 20" x 34" (762 x 508 x 863 mm)

Nominal Dimensions:

713 mm x 462 mm x 833 mm (713 mm x 462 mm x 833 mm)



Description	Net Wt	SKU	Color	List Price
Washstand for American Standard® Townsend®	16 lb	9039030.020	White	779
Sinks	7.4 kg	9039030.475	Smoked Grey	779
Separate Components:				
Towel Bar Mounting Kit	0 lb 0.0 kg	>770252-100.0070A	No Finish	7
Required Components:				
Townsend® Center Hole Only Pedestal Sink Top	53 lb	0328001.020	White	357
Townsend® 8-Inch Widespread Pedestal Sink Top	24.1 kg	0328008.020	White	357
Townsend® Under Counter Sink	17 lb 7.7 kg	0330000.020	White	258
Towel Bar for American Standard® Townsend®	0 lb	3749000.002	Polished Chrome	111
Washstand	0.4 kg	3749000.243	Matte Black	168
	_	3749000.295	Brushed Nickel	168
Quartz Top with 8-Inch Widespread for Townsend® Under Counter Sink	37 lb 17.2 kg	7840800.820	Quartz	624



Studio® S 24-Inch Vanity

- Contemporary styled vanity with two drawers and drawer divided inserts
 Requires 1297 based vanity sink top (ordered separately)
- Vanity can be installed with optional vanity leg set or mounted directly to wall
- Double vanity installation available by using optional vanity middle
 Coordinates with the Studio® S collection of bathroom faucets and accessories
- Single Vanity Option: 24" x 20" x 34-1/16" (603 x 508 x 866 mm)
 Double Vanity with Vanity Middle Option: 58" x 20" x 34-1/16" (1424 x 508 x 866 mm)

Nominal Dimensions:

24" x 20" x 34-1/16" (603 x 508 x 866 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S 24-Inch Vanity	55 lb	8725024.020	White	1,298
	25.2 kg	8725024.477	Dark Grey	1,298
Required Components:				
Studio® S 24-Inch Vitreous China Vanity Sink Top Center Hole Only	26 lb 11.8 kg	1297001.020	White	408
Studio® S 24-Inch Vitreous China Vanity Sink Top 8-Inch Centers	_	1297008.020	White	408
Optional Components:				
Studio® S Vanity Leg Set	7 lb	8722000.002	Polished Chrome	666
	3.5 kg —	8722000.243	Matte Black	738
Studio® S Vanity Middle	31 lb 14.1 kg	8727000.020	White	625
		8727000.477	Dark Grey	625



Studio® S 33-Inch Vanity

- Contemporary styled vanity with two drawers and drawer divided inserts
- Requires 1298 based vanity sink top or 1296000 sink with 7813001 top (ordered separately)
- Vanity can be installed with optional vanity leg set or mounted directly to wall
- Double vanity installation available by using optional vanity middle
- Coordinates with the Studio® S collection of bathroom faucets and accessories
- Single Vanity Option: 33" x 20" x 34-1/16" (838 x 508 x 866 mm)
 Double Vanity with Vanity Middle Option: 76" x 20" x 34-1/16" (1930 x 508 x 866 mm)

Nominal Dimensions:

33" x 20" x 34-1/16" (838 x 508 x 866 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S 33-Inch Vanity	67 lb			
	30.4 kg [—]	8726033.477	Dark Grey	1,416
Required Components:				
Studio® S Above Counter Oval Sink	17 lb 7.9 kg	1296000.020	White	370
Studio® S 33-Inch Vitreous China Vanity Sink Top Center Hole Only	35 lb 16.2 kg	1298001.020	White	437
Studio® S 33-Inch Vitreous China Vanity Sink Top 8-Inch Centers		1298008.020	White	437
Studio® S Above Counter Sink Top with Center	11 lb	7813001.478	Ash	536
Hole Only	5.3 kg —	7813001.479	Walnut	536
Optional Components:				
Studio® S Vanity Leg Set	7 lb	8722000.002	Polished Chrome	666
	3.5 kg —	8722000.243	Matte Black	738
Studio® S Vanity Middle	31 lb	8727000.020	White	625
	14.1 kg —	8727000.477	Dark Grey	625



Studio® S Above Counter Sink Top with Center Hole Only

- Contemporary style top is designed to go on 33-inch Studio S vanity
 Requires 8726033 vanity and 1296000 sink (ordered separately)
- Vanity can be installed with optional vanity leg set or mounted directly to wall
- Double vanity installation available by using optional vanity middle
 Coordinates with the Studio® S collection of bathroom faucets and accessories
- Top is for center hole only faucet (sold separately)

Nominal Dimensions:

33 in x 20 in (838 mm x 508 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S Above Counter Sink Top with Center Hole Only	11 lb	7813001.478	Ash	536
	5.3 kg -	7813001.479	Walnut	536



Studio® S Vanity Leg Set

- Contemporary styled metal legs are for the 24-inch and 33-inch Studio S Vanities
- Requires 8725024 or 8726033 based Studio S vanity (ordered separately)
- · Vanity can be installed with optional vanity leg set or mounted directly to wall
- Double vanity installation available by using optional vanity middle
- Coordinates with the Studio® S collection of bathroom faucets and accessories
- Legs are weight bearingLegs available in Polished Chrome or Matte Black

Nominal Dimensions:

465 mm x 0 in x 334 mm (465 mm x 0 mm x 334 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S Vanity Leg Set	7 lb	8722000.002	Polished Chrome	666
	7 lb 3.5 kg —	8722000.243	Matte Black	738



Studio® S Vanity Middle

- Contemporary styled vanity middle is installed between two Studio S vanities for double sink installations
- Requires 8725024 or 8726033 based Studio S vanities (ordered separately)
- · Vanity can be installed with optional vanity leg set or mounted directly to wall
- Coordinates with the Studio® S collection of bathroom faucets and accessories

Nominal Dimensions:

255 mm x 488 mm x 500 mm (255 mm x 488 mm x 500 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S Vanity Middle	31 lb	8727000.020	White	625
	14.1 kg —	8727000.477	Dark Grey	625



Vanity for American Standard® Townsend® Sinks

- 30-inch vanity coordinates with design matched vanity Townsend® suite fixtures and fittings
 Choose one of three Townsend® sink top types for vanity (ordered separately): 0328 series pedestal top, 0329 series above counter sink, or 0330000 under counter sink

- Requires two drawer pulls (ordered separately)
 Above counter and under counter sinks require quartz tops too (ordered separately)
 Dimensions with 0328 Series Pedestal Tops: 30" x 19-½" x 35-7/8" (762 x 495 x 910mm)
 Dimensions with 0330 Under Counter Sink and Quartz Top: 30" x 20" x 34" (762 x 508 x 863 mm)



Description	Net Wt	SKU	Color	List Price
Vanity for American Standard® Townsend® Sinks	66 lb	9036030.020	White	1,192
	30.0 kg	9036030.475	Smoked Grey	1,192
Separate Components:				
Drawer Pulll Mounting Kit	0 lb 0.0 kg	>770251-100.0070A	No Finish	7
Required Components:				
Townsend® Center Hole Only Pedestal Sink Top	53 lb	0328001.020	White	357
Townsend® 8-Inch Widespread Pedestal Sink Top	24.1 kg =	0328008.020	White	357
Townsend [®] Under Counter Sink	17 lb 7.7 kg	0330000.020	White	258
Drawer Pulls Set for American Standard®	1 lb	7760000.002	Polished Chrome	111
Townsend® Vanity	0.8 kg	7760000.243	Matte Black	168
	_	7760000.295	Brushed Nickel	168
Quartz Top with 8-Inch Widespread for Townsend® Under Counter Sink	37 lb 17.2 kg	7840800.820	Quartz	624

Furniture – Vanities



Quartz Top with 8-Inch Widespread for Townsend® Under Counter Sink

- Transitional style top is designed to go on 30-inch Townsend vanity or washstand
 Requires 9036030 vanity or 9039030 washstand and 0330000 under counter sink (ordered separately)
- Faucet holes on 8-inch (203 mm) centers
- Top is for widespread faucet (sold separately)

Nominal Dimensions:

30 in x 20 in (762 mm x 508 mm)



Description	Net Wt	SKU	Color	List Price
Quartz Top with 8-Inch Widespread for Townsend® Under Counter Sink	37 lb 17.2 kg	7840800.820	Quartz	624



Towel Bar for American Standard® Townsend® Washstand

- Required for 9039030 American Standard® Washstand for Townsend® sinks
- Available in Polished Chrome or Brushed Nickel



Description	Net Wt	SKU	Color	List Price
Towel Bar for American Standard® Townsend®	0 lb	3749000.002	Polished Chrome	111
Washstand	0.4 kg —	3749000.243 Matte Black	Matte Black	168
		3749000.295	Brushed Nickel	168



Drawer Pulls Set for American Standard® Townsend® Vanity

- Set of two required for 9036030 American Standard® Townsend® Vanity
- Drawer pull set available in Polished Chrome or Brushed Nickel

Nominal Dimensions:

299 mm x 29 mm x 12.7 mm (299 mm x 29 mm x 12 mm)



Description	Net Wt	SKU	Color	List Price
	1 lb	7760000.002	Polished Chrome	111
	0.8 kg	7760000.243	Matte Black	168
		7760000.295	Brushed Nickel	168

Bathroom Sinks

Choosing the perfect bathroom sink requires attention to detail. Is it practical and appealing?

Does it fit the space? Will it be a focal point? The American Standard collection includes

a style to satisfy every situation and design aesthetic.



Bathroom Sinks

Bathroom Sinks Overview









Pedestal Sink



Boulevard® 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Classic-styled rectangular pedestal sink
- Rear overflow
- · Supplied with mounting kit
- Right height for greater comfort during use
- Design coordinates with Boulevard® toilet
- Basin has flat bottom to also allow use as an above counter sink or a drop-in sink (with U-shaped cutout)
- Fine fireclay construction

Nominal Dimensions:

24 in x 19 in x 35-1/2 in (609 mm x 482 mm x 901 mm)

Bowl Size

17 in (wide) 12-1/2 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® 4-Inch Centerset Pedestal Sink Top and Leg Combination		0641400.020	White	396
Separate Components:				
Boulevard® and Tropic® Petite Pedestal Leg	24 lb 10.9 kg	0010000.020	White	151
Boulevard® 4-Inch Centerset Pedestal Sink Top	48 lb 22.0 kg	0641004.020	White	245



Boulevard® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Classic-styled rectangular pedestal sink
- Rear overflow
- Supplied with mounting kit
- Right height for greater comfort during use
- Design coordinates with Boulevard® toilet
- Basin has flat bottom to also allow use as an above counter sink or a drop-in sink (with U-shaped cutout)
- Fine fireclay construction

Nominal Dimensions:

24 in x 19 in x 35-1/2 in (609 mm x 482 mm x 901 mm)

Bowl Size:

17 in (wide) 12-1/2 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0641800.020	White	396
Separate Components:				
Boulevard® and Tropic® Petite Pedestal Leg	24 lb 10.9 kg	0010000.020	White	151
Boulevard® 8-Inch Widespread Pedestal Sink Top	48 lb 22.0 kg	0641008.020	White	245



Boulevard® Center Hole Only Pedestal Sink Top and Leg Combination

- Classically styled rectangular pedestal sink
- Rear overflow
- · Supplied with mounting kit
- Right height for greater comfort during use
- Design coordinates with Boulevard® toilet
- Basin has flat bottom to also allow use as an above counter sink or a drop-in sink (with U-shaped cutout)
- Fine fireclay construction

Nominal Dimensions:

24 in x 19 in x 35-1/2 in (609 mm x 482 mm x 901 mm)

17 in (wide) 12-1/2 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® Center Hole Only Pedestal Sink Top and Leg Combination		0641100.020	White	396
Separate Components:				
Boulevard® and Tropic® Petite Pedestal Leg	24 lb 10.9 kg	0010000.020	White	151
Boulevard® Center Hole Only Pedestal Sink Top	48 lb 22.0 kg	0641001.020	White	245



Cadet® 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Faucet/soap/accessory ledge with generous shelf area
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Cadet® toilets
- · Made of vitreous china **Nominal Dimensions:**

24-1/2 in x 20 in x 35 in (622 mm x 508 mm x 889 mm)

20 in (wide) 12 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
Cadet® 4-Inch Centerset Pedestal Sink Top and Leg Combination		0236411.020	White	297
Separate Components:				
Cadet® 4-Inch Centerset Pedestal Sink Top	41 lb 19.0 kg	0236004.020	White	216
Cadet® Pedestal Leg	27 lb 12.3 kg	731100-400.020	White	81



Cadet® 8 in. Widespread Pedestal Sink Top and Leg Combination

- Faucet/soap/accessory ledge with generous shelf area
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Cadet® toilets
- Made of vitreous china

Nominal Dimensions:

24-1/2 in x 20 in x 35 in (622 mm x 508 mm x 889 mm)

20 in (wide) 12 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
Cadet® 8 in. Widespread Pedestal Sink Top and Leg Combination		0236811.020	White	297
Separate Components:				
Cadet® 8 in. Widespread Pedestal Sink Top	35 lb 15.9 kg	0236008.020	White	216
Cadet® Pedestal Leg	27 lb 12.3 ka	731100-400.020	White	81



Cadet® Center Hole Only Pedestal Sink Top and Leg Combination

- Faucet/soap/accessory ledge with generous shelf area
 - Rear overflow
 - Supplied with mounting kit
 - Design coordinates with Cadet® toilets
 - Made of vitreous china

Nominal Dimensions:

24-1/2 in x 20 in x 35 in (622 mm x 508 mm x 889 mm)

Bowl Size

20 in (wide) 12 in (front to back) 6 in (deep)

Net Wt	SKU	Color	List Price
	0236111.020	White	297
35 lb 15.9 kg	0236001.020	White	216
27 lb 12.3 kg	731100-400.020	White	81
	35 lb 15.9 kg 27 lb	0236111.020 35 lb 0236001.020 15.9 kg 27 lb 731100-400.020	0236111.020 White 35 lb 0236001.020 White 15.9 kg 27 lb 731100-400.020 White



Cornice™ 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Corner sink and pedestal
- Corner sink without pedestal can also be wall-hung. Supplied with wall hanger
- Rim slants toward drain for quick drainage
- Twin front concealed overflows
- · Made of vitreous china

Nominal Dimensions:

18-7/8 in x 18-7/8 in x 33-3/8 in (479 mm x 479 mm x 847 mm)

Bowl Size:

14 in (wide) 12 in (front to back) 6-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Cornice™ 4-Inch Centerset Pedestal Sink Top an Leg Combination	d	0611400.020	White	473
Separate Components:				
Cornice® Pedestal Leg	23 lb 10.7 kg	0028000.020	White	96
Cornice™ 4-Inch Centerset Pedestal Sink Top	32 lb 14.9 kg	0611004.020	White	377



Cornice™ Center Hole Only Pedestal Sink Top and Leg Combination

- Corner sink and pedestal
- Corner sink without pedestal can also be wall-hung. Supplied with wall hanger
- Rim slants toward drain for quick drainage
- Twin front concealed overflows
- Made of vitreous china

Nominal Dimensions:

18-7/8 in x 18-7/8 in x 33-3/8 in (479 mm x 479 mm x 847 mm)

Bowl Size:

14 in (wide) 12 in (front to back) 6-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Cornice™ Center Hole Only Pedestal Sink Top ar Leg Combination	ıd	0611100.020	White	473
Separate Components:				
Cornice® Pedestal Leg	23 lb 10.7 kg	0028000.020	White	96
Cornice [™] Center Hole Only Pedestal Sink Top	32 lb 14.9 kg	0611001.020	White	377



Edgemere® 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Faucet/soap/accessory ledge with generous shelf area
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Edgemere® collection
- Fine fireclay construction

Nominal Dimensions:

25 in x 19-1/2 in x 35-5/8 in (635 mm x 495 mm x 904 mm)

Bowl Size

17-1/8 in (wide) 12 in (front to back) 5-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgemere® 4-Inch Centerset Pedestal Sink Top and Leg Combination		0445400.020	White	314
Separate Components:				
Edgemere® Pedestal Leg	34 lb 15.6 kg	0039000.020	White	110
Edgemere® 4-Inch Centerset Pedestal Sink Top	40 lb 18.5 kg	0445004.020	White	204



Edgemere® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Faucet/soap/accessory ledge with generous shelf area
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Edgemere® collection
- Fine fireclay construction

Nominal Dimensions:

25 in x 19-1/2 in x 35-5/8 in (635 mm x 495 mm x 904 mm)

Bowl Size:

17-1/8 in (wide) 12 in (front to back) 5-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgemere® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0445800.020	White	314
Separate Components:				
Edgemere® Pedestal Leg	34 lb 15.6 kg	0039000.020	White	110
Edgemere® 8-Inch. Widespread Pedestal Sink Top	40 lb 18.5 kg	0445008.020	White	204



Edgemere® Center Hole Only Pedestal Sink Top and Leg Combination

- Faucet/soap/accessory ledge with generous shelf area
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Edgemere® collection
- Fine fireclay construction

Nominal Dimensions:

25 in x 19-1/2 in x 35-5/8 in (635 mm x 495 mm x 904 mm)

Bowl Size

17-1/8 in (wide) 12 in (front to back) 5-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgemere® Center Hole Only Pedestal Sink Top and Leg Combination		0445100.020	White	314
Separate Components:				
Edgemere® Pedestal Leg	34 lb 15.6 kg	0039000.020	White	110
Edgemere® Center Hole Only Pedestal Sink Top	40 lb 18.5 kg	0445001.020	White	204



24-Inch Evolution® 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24 in x 18-3/4 in x 34-1/4 in (609 mm x 476 mm x 869 mm)

Rowl Size

19-3/4 in (wide) 12 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
24-Inch Evolution® 4-Inch Centerset Pedestal Sin Top and Leg Combination	nk	0468400.020	White	218
Separate Components:				
24-Inch Evolution® 4-Inch Centerset Pedestal Sink Top	34 lb 15.4 kg	0468004.020	White	135
Evolution® Pedestal Leg	23 lb 10.5 kg	731150-400.020	White	83



24-Inch Evolution® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- · Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24 in x 18-3/4 in x 34-1/4 in (609 mm x 476 mm x 869 mm)

Bowl Size:

19-3/4 in (wide) 12 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
24-Inch Evolution® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0468800.020	White	218
Separate Components:				
24-Inch Evolution 8-Inch Widespread Pedestal Sink Top	34 lb 15.4 kg	0468008.020	White	135
Evolution® Pedestal Leg	23 lb 10.5 kg	731150-400.020	White	83



24 in. Evolution® Center Hole Only Pedestal Sink Top and Leg Combination

- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24 in x 18-3/4 in x 34-1/4 in (609 mm x 476 mm x 869 mm)

Bowl Size:

19-3/4 in (wide) 12 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
24 in. Evolution® Center Hole Only Pedestal Sink Top and Leg Combination		0468100.020	White	218
Separate Components:				
24-Inch Evolution® Center Hole Only Pedestal Sink Top	34 lb 15.4 kg	0468001.020	White	135
Evolution® Pedestal Leg	23 lb 10.5 kg	731150-400.020	White	83



22 in. Evolution® 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Faucet ledge with generous shelf area
- Rear overflow
- · Soap/accessory ledge
- Supplied with mounting kit
 Made of vitreous china

Nominal Dimensions:

22 in x 17-1/2 in x 34-1/4 in (558 mm x 444 mm x 869 mm)

18-1/4 in (wide) 11 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
22 in. Evolution® 4-Inch Centerset Pedestal Sink Top and Leg Combination		0467400.020	White	206
Separate Components:				
22-Inch Evolution® 4-Inch Centerset Pedestal Sink Top	34 lb 15.7 kg	0467004.020	White	123
Evolution® Pedestal Leg	23 lb 10.5 kg	731150-400.020	White	83



22-Inch Evolution® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

22 in x 17-1/2 in x 34-1/4 in (558 mm x 444 mm x 869 mm)

Bowl Size:

18-1/4 in (wide) 11 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
22-Inch Evolution® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0467800.020	White	206
Separate Components:				
22-Inch Evolution® 8-Inch Widespread Pedestal Sink Top	34 lb 15.7 kg	0467008.020	White	123
Evolution® Pedestal Leg	23 lb 10.5 kg	731150-400.020	White	83



22-Inch Evolution® Center Hole Only Pedestal Sink Top and Leg Combination

- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

22 in x 17-1/2 in x 34-1/4 in (558 mm x 444 mm x 869 mm)

18-1/4 in (wide) 11 in (front to back) 6 in (deep)

Description	Net Wt	SKU	Color	List Price
22-Inch Evolution® Center Hole Only Pedestal Sink Top and Leg Combination		0467100.020	White	206
Separate Components:				
22-Inch. Evolution® Center Hole Only Pedestal Sink Top	34 lb 15.7 kg	0467001.020	White	123
Evolution® Pedestal Leg	23 lb 10.5 kg	731150-400.020	White	83



Portsmouth® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Turn-of-the-century detailing on sink and pedestal leg
 - Faucet ledge with large deck area
 - Rear overflow
 - Supplied with mounting kit
- Right height for greater comfort during use
 Design coordinates with Portsmouth® Champion® PRO toilets
- Made of vitreous china

Nominal Dimensions:

24-3/8 in x 19-1/2 in x 35-7/16 in (619 mm x 495 mm x 900 mm)

Bowl Size:

19-1/4 in (wide) 11-3/8 in (front to back) 5-3/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Portsmouth® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0555801.020	White	427
Separate Components:				
Portsmouth® 8-Inch Widespread Pedestal Sink Top	54 lb 24.9 kg	0555108.020	White	252
Portsmouth® Pedestal Leg	26 lb 12.0 kg	734906-401.020	White	175



Ravenna® 4-Inch Centerset Pedestal Sink Top and Leg Combination

- · Contemporary design
- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Available integral mounted towel bar (order separately)
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24-1/4 in x 20 in x 34 in (615 mm x 508 mm x 863 mm)

19-3/8 in (wide) 12.0 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Ravenna® 4-Inch Centerset Pedestal Sink Top and Leg Combination	i	0268400.020	White	360
Separate Components:				
Ravenna® Pedestal Leg	27 lb 12.3 kg	0041000.020	White	114
Ravenna® 4-Inch Centerset Pedestal Sink Top	41 lb 18.8 kg	0268004.020	White	246
Ravenna® Towel Bar Mounting Kit	0 lb 0.1 kg	⊳738520-0070A	No Finish	30
Optional Components:				
Ravenna® Semi-Pedestal Sink Integral Towel Bar	1 lb	3520000.002	Polished Chrome	91
	0.8 kg	3520000.295	Brushed Nickel	112



Ravenna® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Contemporary design Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
 Available integral mounted towel bar (order separately)
 Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24-1/4 in x 20 in x 34 in (615 mm x 508 mm x 863 mm)

Bowl Size:

19-3/8 in (wide) 12 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Ravenna® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0268800.020	White	360
Separate Components:				
Ravenna® Pedestal Leg	27 lb 12.3 kg	0041000.020	White	114
Ravenna® 8-Inch Widespread Pedestal Sink Top	41 lb 18.8 kg	0268008.020	White	246
Ravenna® Towel Bar Mounting Kit	0 lb 0.1 kg	⊳738520-0070A	No Finish	30
Optional Components:				
Ravenna® Semi-Pedestal Sink Integral Towel Bar	1 lb	3520000.002	Polished Chrome	91
	0.8 kg	3520000.295	Brushed Nickel	112



Ravenna® Center Hole Only Pedestal Sink Top and Leg Combination

- Contemporary design
- Faucet ledge with generous shelf area
- Rear overflow
- Soap/accessory ledge
- Available integral mounted towel bar (order separately)
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24-1/4 in x 20 in x 34 in (615 mm x 508 mm x 863 mm)

19-3/8 in (wide) 12.0 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Ravenna® Center Hole Only Pedestal Sink Top and Leg Combination	d	0268100.020	White	360
Separate Components:				
Ravenna® Pedestal Leg	27 lb 12.3 kg	0041000.020	White	114
Ravenna® Center Hole Only Pedestal Sink Top	41 lb 18.8 kg	0268001.020	White	246
Ravenna® Towel Bar Mounting Kit	0 lb 0.1 kg	⊳738520-0070A	No Finish	30
Optional Components:				
Ravenna® Semi-Pedestal Sink Integral Towel Bar	1 lb	3520000.002	Polished Chrome	91
	0.8 kg	3520000.295	Brushed Nickel	112



Retrospect® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Authentically styled pedestal
- Hidden front overflow
- Supplied with mounting kit
- Right height for greater comfort during use
 Made of vitreous china

Nominal Dimensions:

27 in x 19-3/4 in x 36 in (685 mm x 501 mm x 914 mm)

15-1/2 in (wide) 12 in (front to back) 6-1/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Retrospect® 8-Inch Widespread Pedestal Sink Top and Leg Combination		0282800.020	White	601
Separate Components:				
Retrospect® Pedestal Leg	30 lb 13.6 kg	0066000.020	White	219
Retrospect® 8-Inch Widespread Pedestal Sink Top	37 lb 17.1 kg	0282008.020	White	382



Town Square® S 4-Inch Centerset Pedestal Sink Top and Leg Combination

- Raised faucet ledge
- Rear overflow
 Supplied with mounting kit
- Design coordinates with Town Square® S collection
- Right height for greater comfort during use
- Open back pedestal
- Fine fireclay construction

Nominal Dimensions:

30 in x 22-1/2 in x 35 in (762 mm x 571 mm x 889 mm)

17-1/2 in (wide) 12-1/4 in (front to back) 5-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S 4-Inch Centerset Pedestal Sink Top and Leg Combination		0297400.020	White	560
Separate Components:				
Town Square® S Pedestal Leg	25 lb 11.3 kg	0056001.020	White	203
Town Square® S 4-Inch Centerset Pedestal Sink Top	41 lb 18.6 kg	0297004.020	White	357



Town Square® S 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Raised faucet ledge
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Town Square® S collection
- Right height for greater comfort during use
 Open back pedestal
- Fine fireclay construction

Nominal Dimensions:

30 in x 22-1/2 in x 35 in (762 mm x 571 mm x 889 mm)

17-1/2 in (wide) 12-1/4 in (front to back) 5-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S 8-Inch Widespread Pedestal Sink Top and Leg Combination		0297800.020	White	568
Separate Components:				
Town Square® S Pedestal Leg	25 lb 11.3 kg	0056001.020	White	203
Town Square® S 8-Inch Widespread Pedestal Sink Top	41 lb 18.6 kg	0297008.020	White	365



Town Square® S Center Hole Only Pedestal Sink Top and Leg Combination

- Raised faucet ledge
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Town Square® S collection
 Right height for greater comfort during use
 Open back pedestal

- Fine fireclay construction

Nominal Dimensions:

30 in x 22-1/2 in x 35 in (762 mm x 571 mm x 889 mm)

Bowl Size:

17-1/2 in (wide) 12-1/4 in (front to back) 5-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S Center Hole Only Pedestal Sink Top and Leg Combination		0297100.020	White	568
Separate Components:				
Town Square® S Pedestal Leg	25 lb 11.3 kg	0056001.020	White	203
Town Square® S Center Hole Only Pedestal Sink Top	41 lb 18.6 kg	0297001.020	White	365



Townsend® 8-Inch Widespread Pedestal Sink Top and Leg Combination

- Raised faucet ledge
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Townsend® collection including new furniture offerings
- Right height for greater comfort during use
- Open back pedestal
- Fine fireclay construction

Nominal Dimensions:

30 in x 19-1/2 in x 35-1/4 in (762 mm x 495 mm x 895 mm)

Bowl Size:

19 in (wide) 12-3/4 in (front to back) 5 in (deep)



Net Wt	SKU	Color	List Price
	0328800.020	White	507
34 lb 15.6 kg	0039001.020	White	150
53 lb 24.1 kg	0328008.020	White	357
	34 lb 15.6 kg 53 lb	0328800.020 34 lb 0039001.020 15.6 kg 53 lb 0328008.020	0328800.020 White 34 lb 0039001.020 White 15.6 kg 53 lb 0328008.020 White



Townsend® Center Hole Only Pedestal Sink Top and Leg Combination

- Raised faucet ledge
- Rear overflow
- Supplied with mounting kit
- Design coordinates with Townsend® collection including new furniture offerings
- Right height for greater comfort during use
- Open back pedestal
- Fine fireclay construction

Nominal Dimensions:

30 in x 19-1/2 in x 35-1/4 in (762 mm x 495 mm x 895 mm)

19 in (wide) 12-3/4 in (front to back) 5 in (deep)





Description	Net Wt	SKU	Color	List Price
Townsend® Center Hole Only Pedestal Sink Top and Leg Combination		0328100.020	White	507
Separate Components:				
Townsend® Pedestal Leg	34 lb 15.6 kg	0039001.020	White	150
Townsend® Center Hole Only Pedestal Sink Top	53 lb 24.1 ka	0328001.020	White	357



Boulevard® 4-Inch Centerset Pedestal Sink Top

- Top is used with pedestal leg 0010000 or countertop-by-others
- Refer to pedestal combo 0641400 for further product details

Nominal Dimensions:

24 in x 19 in (609 mm x 482 mm)

Bowl Size:

17 in (wide) 12-1/2 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® 4-Inch Centerset Pedestal Sink Top	48 lb 22.0 kg	0641004.020	White	245



Boulevard® 8-Inch Widespread Pedestal Sink Top

- Top is used with pedestal leg 0010000 or countertop-by-others
- Refer to pedestal combo 0641800 for further product details

Nominal Dimensions:

24 in x 19 in (609 mm x 482 mm)

Bowl Size:

17 in (wide) 12-1/2 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® 8-Inch Widespread Pedestal Sink Top	48 lb 22.0 kg	0641008.020	White	245



Boulevard® Center Hole Only Pedestal Sink Top

- Top is used with pedestal leg 0010000 or countertop-by-others
- Refer to pedestal combo 0641100 for further product details

Nominal Dimensions:

24 in x 19 in (609 mm x 482 mm)

Bowl Size:

17 in (wide) 12-1/2 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® Center Hole Only Pedestal Sink Top	48 lb 22.0 kg	0641001.020	White	245



Loft® Above Counter Sink

- Above counter basin
- No faucet holes
- Cut-out template supplied
- Fine fireclay construction

Nominal Dimensions:

19-5/8 in x 15-3/4 in (498 mm x 400 mm)

Rowl Size

18-9/16 in (wide) 14-5/8 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Loft® Above Counter Sink	28 lb 13.1 kg	0552000.020	White	293



Loft® Above Counter Sink With Center Hole Only

- Above counter sink
- Integral faucet deck for single hole faucet
- Rear overflow
- No glaze on back wall
- Cut-out template supplied
- Fine fireclay construction

Nominal Dimensions:

19-5/8 in x 15-3/4 in (498 mm x 400 mm)

Bowl Size

18-9/16 in (wide) 14-5/8 in (front to back) 5 in (deep)



Description	Net Wt	SKU	Color	List Price
Loft® Above Counter Sink With Center Hole Only	38 lb 17.4 kg	0552001.020	White	305



Studio® 22 x 18-1/2-Inch Above Counter Sink With Center Hole Only

- Contemporary above countertop rectangular sink design
- Integral faucet deck for single hole faucet
- Rear overflow
- Fits most standard 22" (559 mm) vanities
- No glaze on back wall
- Made of vitreous china

Nominal Dimensions:

22 in x 18-1/2 in (558 mm x 469 mm)

Rowl Size

19-1/4 in (wide) 12-5/8 in (front to back) 2-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® 22 x 18-1/2-Inch Above Counter Sink With Center Hole Only	36 lb 16.7 kg	0621001.020	White	393



Studio® S Above Counter Oval Sink

- Vitreous china top
- Oval shape with center drain
- Design coordinates with Studio S collection
- Supplied with countertop template
- · Sink can be used with or without optioanl furniture

Nominal Dimensions:

14 in x 22-1/2 in (355 mm x 571 mm)

Rowl Size

21-9/16 in (wide) 13-1/16 in (front to back) 4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® S Above Counter Oval Sink	17 lb 7.9 kg	1296000.020	White	370



Studio® S 24-Inch Vitreous China Vanity Sink Top Center Hole Only

- Vitreous china top
- Rectangular vanity sink
- Front overflow
- Design coordinates with the Studio® S Collection of furniture, faucets and accessories
- Supplied with cut-out template
- Sink can be used with or without optional furniture

Nominal Dimensions:

20 in x 24 in (508 mm x 609 mm)

Bowl Size

19-11/16 in (wide) 14-3/16 in (front to back) 4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® S 24-Inch Vitreous China Vanity Sink Top Center Hole Only	26 lb 11.8 kg	1297001.020	White	408



Studio® S 24-Inch Vitreous China Vanity Sink Top 8-Inch Centers

- Vitreous china top
- Rectangular vanity sink
- Front overflow
- Design coordinates with the Studio® S Collection of furniture, faucets and accessories
- Supplied with cut-out template
- Sink can be used with or without optional furniture

Nominal Dimensions:

20 in x 24 in (508 mm x 609 mm)

Bowl Size:

19-11/16 in (wide) 14-3/16 in (front to back) 4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® S 24-Inch Vitreous China Vanity Sink Top 8-Inch Centers	26 lb 11.8 kg	1297008.020	White	408



Studio® S 33-Inch Vitreous China Vanity Sink Top Center Hole Only

- Vitreous china top
- Rectangular vanity sink
- Front overflow
- Design coordinates with the Studio® S Collection of furniture, faucets and accessories
- Supplied with cut-out template
- Sink can be used with or without optional furniture

Nominal Dimensions:

20 in x 33 in (508 mm x 838 mm)

Bowl Size:

22-7/16 in (wide) 14-3/16 in (front to back) 4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® S 33-Inch Vitreous China Vanity Sink Top Center Hole Only	35 lb 16.2 kg	1298001.020	White	437



Studio® S 33-Inch Vitreous China Vanity Sink Top 8-Inch Centers

- Vitreous china top
- Rectangular vanity sink
- Front overflow
- Design coordinates with the Studio® S Collection of furniture, faucets and accessories
- Supplied with cut-out template
- Sink can be used with or without optional furniture

Nominal Dimensions:

20 in x 33 in (508 mm x 838 mm)

Rowl Size

22-7/16 in (wide) 14-3/16 in (front to back) 4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® S 33-Inch Vitreous China Vanity Sink Top	35 lb	1298008.020	White	437





Town Square® S Console Vanity Sink Top Center Hole Only

- Faucet holes center hole only
- Vitreous china top
- Rectangular above counter vanity sink
- Rear overflow
- Design coordinates with Town Square S collection
- Supplied with cut-out template
- Sink can be used with washstand furniture or counter by others including furniture offerings

Nominal Dimensions:

22-3/8 in x 31 in (568 mm x 787 mm)

Bowl Size:

17-1/2 in (wide) 11-15/16 in (front to back) 4-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S Console Vanity Sink Top Center Hole Only	26 lb 11.8 kg	0298001.020	White	393



Town Square® S Vanity Top with 8-Inch Widespread

- Faucet holes on 8" (203 mm) centers
- Vitreous china top
- Rectangular above counter vanity sink
- Rear overflow
- Design coordinates with Town Square® S collection
- Supplied with cut-out template
- Sink can be used with washstand furniture or counter by others including furniture offerings

Nominal Dimensions:

22-3/8 in x 31 in (568 mm x 787 mm)

Bowl Size:

17-1/2 in (wide) 11-15/16 in (front to back) 4-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S Vanity Top with 8-Inch	26 lb	0298008.020	White	393
Widespread	11.8 kg			

Bathroom Sinks



Aqualyn® Drop-In Sink With 4-Inch Centerset

- Self-rimming oval drop-in sink
- Tapered edges for style
- Front overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

20-3/8 in x 17-3/8 in (517 mm x 441 mm)

Bowl Size

16 in (wide) 10 in (front to back) 5-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Aqualyn® Drop-In Sink With 4-Inch Centerset	17 lb 8.0 kg	0476028.020	White	90



Aqualyn® Drop-In Sink With 4-Inch Centerset Less Overflow

- Countertop sink less overflow
- Self-rimming with cut-out template
- Made of vitreous china

Nominal Dimensions:

20-3/8 in x 17-3/8 in (517 mm x 441 mm)

Bowl Size:

16 in (wide) 10 in (front to back) 5-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Aqualyn® Drop-In Sink With 4-Inch Centerset Less Overflow	19 lb 9.0 kg	0476928.020	White	114



Aqualyn® Drop-In Sink With 8-Inch Widespread

- Self-rimming oval drop-in sink
- Tapered edges for style
- Front overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

20-3/8 in x 17-3/8 in (517 mm x 441 mm)

Bowl Size:

16 in (wide) 10 in (front to back) 5-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Aqualyn® Drop-In Sink With 8-Inch Widespread	19 lb 9.0 kg	0475020.020	White	90



Aqualyn® Drop-In Sink With Center Hole Only

- Self-rimming oval drop-in sink
- Tapered edges for style
- Front overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

20-3/8 in x 17-3/8 in (517 mm x 441 mm)



16 in (wide) 10 in (front to back) 5-5/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Aqualyn® Drop-In Sink With Center Hole Only	19 lb 9.0 kg	0475047.020	White	89



Rondalyn® Drop-In Sink With 4-Inch Centerset

- Self-rimming round drop-in sink
- Tapered edges for style
- Front overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

19-1/8 in x 19-1/8 in (485 mm x 485 mm)

Bowl Size:

15 in (wide) 12-1/8 in (front to back) 5-3/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Rondalyn® Drop-In Sink With 4-Inch Centerset	19 lb 9.0 kg	0491019.020	White	90



Studio Carre® Drop-In Sink With Center Hole Only

- Square self-rimming, drop-in sink with rectangular curved bottom bowl
- Rear overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

16-1/4 in x 16-1/4 in (412 mm x 412 mm)

Bowl Size:

12-1/2 in (wide) 9-3/8 in (front to back) 4-3/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio Carre® Drop-In Sink With Center Hole Only	17 lb 7.7 kg	0642001.020	White	247



Studio® Drop-In Sink With 8-Inch Widespread

- Rectangular self-rimming, drop-in sink with rectangular curved bottom bowl
- Front overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

21 in x 17-3/4 in (533 mm x 450 mm)

Bowl Size:

18 in (wide) 12 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® Drop-In Sink With 8-Inch Widespread	27 lb 12.5 kg	0643008.020	White	324



Studio® Drop-In Sink With Center Hole Only

- Rectangular self-rimming, drop-in sink with rectangular curved bottom bowl
- Front overflow
- Supplied with cut-out template
- Made of vitreous china

Nominal Dimensions:

21 in x 17-3/4 in (533 mm x 450 mm)

Bowl Size:

18 in (wide) 12 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® Drop-In Sink With Center Hole Only	27 lb 12.5 kg	0643001.020	White	324

Bathroom Sinks



Town Square® S Drop-In Sink With 4-Inch Centerset

- Self-rimming fireclay drop-in sink
- Decorative rim detailing with tapered nterior bowl design
- Front overflow
- Supplied with cut-out template
- Design coordinated to Town Square® S suite

Nominal Dimensions:

24 in x 19-1/16 in (609 mm x 484 mm)

Bowl Size:

17-7/16 in (wide) 11-7/8 in (front to back) 5-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S Drop-In Sink With 4-Inch Centerset	34 lb 15.7 kg	1203004.020	White	316



Town Square® S Drop-In Sink With 8-Inch Widespread

- Self-rimming fireclay drop-in sink
- Decorative rim detailing with tapered nterior bowl design
- Front overflow
- Supplied with cut-out template
- Design coordinated to Town Square® S suite

Nominal Dimensions:

24 in x 19-1/16 in (609 mm x 484 mm)

Bowl Size:

17-7/16 in (wide) 11-7/8 in (front to back) 5-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S Drop-In Sink With 8-Inch Widespread	34 lb 15.7 kg	1203008.020	White	316



Town Square® S Drop-In Sink With Center Hole Only

- Self-rimming fireclay drop-in sink
- Decorative rim detailing with tapered nterior bowl design
- Front overflow
- Supplied with cut-out template
- Design coordinated to Town Square® S suite

Nominal Dimensions:

24 in x 19-1/16 in (609 mm x 484 mm)

Rowl Size:

17-7/16 in (wide) 11-7/8 in (front to back) 5-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Town Square® S Drop-In Sink With Center Hole Only	34 lb 15.7 kg	1203001.020	White	316

americanstandard.com List Price Guide 2023-4





Boulevard® Under Counter Sink

- Rectangular under counter mount sink with unique tapered interior bowl
- Unglazed rim
- Front overflow
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

20-1/4 in x 16 in (514 mm x 406 mm x 8 in)

Bowl Size

17 in (wide) 13 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Boulevard® Under Counter Sink	23 lb 10.4 kg	0610000.020	White	339
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Edgemere® Under Counter Sink

- Rectangular under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with kit for under counter installation
- Made of vitreous china

Nominal Dimensions:

18-1/2 in x 16-1/8 in (469 mm x 409 mm)

Rowl Size

16-3/4 in (wide) 14-3/8 in (front to back) 3 in (deep)



Description	Net Wt	SKU	Color	List Price
Edgemere® Under Counter Sink	14 lb 6.5 kg	0545000.020	White	186
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Orbit® Under Counter Sink

- Round under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

15-1/2 in x 15-1/2 in (393 mm x 393 mm x 6-1/8 in)

Bowl Size:

12-3/4 in (wide) 12-3/4 in (front to back) 4-3/8 in (deep)



Description	Net Wt	SKU	Color	List Price
Orbit® Under Counter Sink	17 lb 8.0 kg	0630000.020	White	257
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Ovalyn™ Large Under Counter Sink

- Under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with mounting kit and template
- Made of vitreous china

Nominal Dimensions:

17-3/8 in x 21-1/2 in (441 mm x 546 mm)

Bowl Size:

19 in (wide) 15-3/8 in (front to back) 5-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn™ Large Under Counter Sink	23 lb 10.4 kg = -	0497221.020	White	93
		0497221.021	Bone	255
		0497221.222	Linen	255
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Ovalyn™ Large Under Counter Sink With Glazed Underside

- Under counter mount sink with glazed underside
- Unglazed rim
- Front overflow
- Supplied with mounting kit and template
- Made of vitreous china

Nominal Dimensions:

17-3/8 in x 21-1/2 in (441 mm x 546 mm)

Bowl Size:

19 in (wide) 15-3/8 in (front to back) 4 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn™ Large Under Counter Sink With Glazed Underside	23 lb 10.4 kg	0497300.020	White	136
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Ovalyn™ Medium Under Counter Sink

- Under counter mount sink
- Unglazed rimFront overflow
- Supplied with mounting kit and template
- Made of vitreous china

Nominal Dimensions:

16 in x 19-1/4 in (406 mm x 488 mm)

Bowl Siz

17 in (wide) 14 in (front to back) 5-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn™ Medium Under Counter Sink	18 lb	0496221.020	White	89
	8.5 kg	0496221.021	Bone	161
	_	0496221.222	Linen	161
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21

Parts Program (Non-Premier)

americanstandard.com List Price Guide 2023-4



Ovalyn™ Medium Under Counter Sink With Glazed Underside

- Under counter mount sink with glazed underside
- Unglazed rim
- Front overflow
- Supplied with mounting kit and template
- Made of vitreous china

Nominal Dimensions:

16 in x 19-1/4 in (406 mm x 488 mm)

Bowl Size:

17 in (wide) 14 in (front to back) 5-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn™ Medium Under Counter Sink With Glazed Underside	18 lb 8.5 kg	0496300.020	White	133
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Ovalyn™ Small Under Counter Sink

- Under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with mounting kit and template
- · Made of vitreous china

Nominal Dimensions:

14-1/8 in x 17-1/8 in (358 mm x 434 mm)

Bowl Size:

15-1/16 in (wide) 12-1/16 in (front to back) 5-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn™ Small Under Counter Sink	17 lb	0495221.020	White	89
	7.7 kg ⁻	0495221.021	Bone	161
	_	0495221.222	Linen	161
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Ovalyn™ Small Under Counter Sink With Glazed Underside

- Under counter mount sink with glazed underside
- Unglazed rim
- Front overflow
- Supplied with mounting kit and template
- Made of vitreous china

Nominal Dimensions:

14-3/16 in x 17-1/8 in (360 mm x 434 mm)

15-1/16 in (wide) 12-1/16 in (front to back) 5-1/2 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn [™] Small Under Counter Sink With Glazed Underside	17 lb 7.7 kg	0495300.020	White	133
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21

Parts Program (Non-Premier)



Ovalyn™ Universal Access Undermount Sink

- Under counter mount sink
- Unglazed rim
- Rear overflow
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

15-3/4 in x 19-1/2 in (400 mm x 495 mm)

Bowl Size

16-3/4 in (wide) 13-1/4 in (front to back) 4 in (deep)

Description	Net Wt	SKU	Color	List Price
Ovalyn™ Universal Access Undermount Sink	15 lb 6.8 kg	9482000.020	White	126
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Studio Carre® Under Counter Sink

- Square under counter mount sink
- · Sink less faucet deck
- · Position overflow as either front or rear
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

16 in x 16 in (406 mm x 406 mm)

Bowl Size:

13-1/2 in (wide) 13-1/2 in (front to back) 4-3/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio Carre® Under Counter Sink	17 lb 7.7 kg	0426000.020	White	239
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Studio® Large Under Counter Sink

- Rectangular under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

23-5/8 in x 16-5/8 in (600 mm x 422 mm)

Bowl Size

21-1/16 in (wide) 14 in (front to back) 6-1/4 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® Large Under Counter Sink	23 lb 10.4 kg	0618000.020	White	309
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21

americanstandard.com List Price Guide 2023-4



Studio® Under Counter Sink

- Rectangular under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

19-3/4 in x 13-3/4 in (501 mm x 349 mm)

Bowl Size:

18 in (wide) 12 in (front to back) 6-7/16 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® Under Counter Sink	22 lb 10.0 kg	0614000.020	White	274
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Studio® Under Counter Sink With Glazed Underside

- Rectangular under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with under counter mounting kit and template
- Made of vitreous china

Nominal Dimensions:

19-3/4 in x 13-3/4 in (501 mm x 349 mm)

Bowl Size:

18 in (wide) 12 in (front to back) 6-7/16 in (deep)



Description	Net Wt	SKU	Color	List Price
Studio® Under Counter Sink With Glazed Underside	22 lb 10.0 kg	0614300.020	White	338
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21



Townsend® Under Counter Sink

- Rectangular under counter mount sink
- Unglazed rim
- Front overflow
- Supplied with under counter mounting kit and template
- Design coordinates with Townsend® collection including furniture offerings
- Made of vitreous china

Nominal Dimensions:

19-1/2 in x 13-5/8 in (495 mm x 346 mm)

Bowl Size:

17-3/4 in (wide) 11-5/8 in (front to back) 4-1/2 in (deep)



Description	Net Wt	SKU	Color	List Price
Townsend® Under Counter Sink	17 lb 7.7 kg	0330000.020	White	258
Separate Components:				
Under Counter Mounting Kit	0 lb 0.1 kg	⊳047194-0070A	No Finish	21

Parts Program (Non-Premier)



Ravenna® 4-Inch Centerset Wall-Hung Sink and Semi-Pedestal Leg Combination

- Contemporary wall-hung design
- · Semi-pedestal P-trap cover for ease of cleaning
- Faucet ledge with generous shelf area for accessories
- Rear overflow
- Available integral mounted towel bar (order separately)
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24-1/4 in x 20 in x 34 in (615 mm x 508 mm x 863 mm)

Bowl Size:

19-3/8 in (wide) 12.0 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Ravenna® 4-Inch Centerset Wall-Hung Sink and Semi-Pedestal Leg Combination		0268444.020	White	438
Separate Components:				
Ravenna® Semi-Pedestal Leg	14 lb 6.4 kg	0044000.020	White	192
Ravenna® 4-Inch Centerset Pedestal Sink Top	41 lb 18.8 kg	0268004.020	White	246
Ravenna® Towel Bar Mounting Kit	0 lb 0.1 kg	>738520-0070A	No Finish	30
Optional Components:				
Ravenna® Semi-Pedestal Sink Integral Towel Bar	1 lb 3520000.002 0.8 kg 3520000.295	3520000.002	Polished Chrome	91
		3520000.295	Brushed Nickel	112



Ravenna® 8-Inch Widespread Wall-Hung Sink and Semi-Pedestal Leg Combination

- Contemporary wall-hung design
- Semi-pedestal P-trap cover for ease of cleaning
- Faucet ledge with generous shelf area for accessories
- Rear overflow
- Available integral mounted towel bar (order separately)
- Supplied with mounting kit
- Made of vitreous china

Nominal Dimensions:

24-1/4 in x 20 in x 34 in (615 mm x 508 mm x 863 mm)

Rowl Size:

19-3/8 in (wide) 12.0 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Price
Ravenna® 8-Inch Widespread Wall-Hung Sink and Semi-Pedestal Leg Combination		0268888.020	White	438
Separate Components:				
Ravenna® Semi-Pedestal Leg	14 lb 6.4 kg	0044000.020	White	192
Ravenna® 8-Inch Widespread Pedestal Sink Top	41 lb 18.8 kg	0268008.020	White	246
Ravenna® Towel Bar Mounting Kit	0 lb 0.1 kg	⊳738520-0070A	No Finish	30
Optional Components:				
Ravenna® Semi-Pedestal Sink Integral Towel Bar	1 lb	3520000.002	Polished Chrome	91
	0.8 kg	3520000.295	Brushed Nickel	112



Ravenna® Center Hole Only Wall-Hung Sink and Semi-Pedestal Leg Combination

- Contemporary wall-hung design
 - Semi-pedestal P-trap cover for ease of cleaning
 - Faucet ledge with generous shelf area for accessories
 - Rear overflow
 - Available integral mounted towel bar (order separately)
 - Supplied with mounting kit
 - Made of vitreous china

Nominal Dimensions:

24-1/4 in x 20 in x 34 in (615 mm x 508 mm x 863 mm)

Bowl Size

19-3/8 in (wide) 12 in (front to back) 6 in (deep)



Description	Net Wt	SKU	Color	List Pric
Ravenna® Center Hole Only Wall-Hung Sink and Semi-Pedestal Leg Combination		0268144.020	White	438
Separate Components:				
Ravenna® Semi-Pedestal Leg	14 lb 6.4 kg	0044000.020	White	192
Ravenna® Center Hole Only Pedestal Sink Top	41 lb 18.8 kg	0268001.020	White	246
Ravenna® Towel Bar Mounting Kit	0 lb 0.1 kg	⊳738520-0070A	No Finish	30
Optional Components:				
Ravenna® Semi-Pedestal Sink Integral Towel Bar	1 lb	3520000.002	Polished Chrome	91
	0.8 kg	3520000.295	Brushed Nickel	112

Toilets

When considering a toilet, technology reigns. Does it meet your functional needs? Is it efficient?

Does it have additional features to make daily maintenance easy? The American Standard collection includes a vast array of toilet designs to meet every requirement you demand.



americanstandard.com List Price Guide 2023-4

No-Touch Flush for Home and Business

Cadet® Touchless Toilets are chair height, elongated styles designed for comfort and ease of use. Available with smooth, skirted sides to conceal trapway for easy cleaning, or with exposed trapway less seat, both feature our exclusive EverClean® surface to inhibit the growth of bacteria, and use 1.28 gpf volume to conserve water without sacrificing performance.





Optional Tank Cover Lock
Device (TCLD) tank 4000769 with
locking sensor tab now available
for "vandal resistant" commercial
bathroom applications.





2-1/2 inch diameter sensor module can be installed on wall within 3 feet of toilet or on top of toilet tank with supplied screws or backing tape.





When installed with recommended seats listed below, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.



TOUCHLESS FLUSH — Wave hand slowly within 1-1/2 inches of sensor face for approximately two seconds to trigger a powerful flush



MANUAL FLUSH — Push and hold the left side actuator button for approximately two seconds ensuring continual operation in the event batteries need replacing



BATTERIES INCLUDED — One-year battery life powered by 3 AAA sensor and 4 AA control module batteries, based on an average of 12 flushes per day



Includes signage to educate users how to activate the no-touch flush technology.

> Fixture Color



CADET TOUCHLESS TOILET COMBINATION	COMBINATION	BOWL	TANK	SLOW-CLOSE SEAT
Concealed Trap Elongated With Seat	2989709	3075000	4000709	502465G (packed with bowl)
Concealed Trap Elongated With TCLD Option and Seat	2989769	3075000	4000769	502465G (packed with bowl)
Exposed Trap Elongated Less Seat	215AA709	3517A101	4000709	5503A00B (order separately)
Exposed Trap Elongated With TCLD Option Less Seat	215AA769	3517A101	4000769	5503A00B (order separately)

List Price Guide 2023-4 americanstandard.com

Studio® S Low Profile One-Piece Toilet – Powerful Yet Quiet Flush



Ultra-High Efficiency Toilet (UHET) uses a water saving, MaP PREMIUM listed, 1.0 gallon per flush (gpf) volume and obtains the best 1,000 g flush score*



PowerFlo™ technology requires no batteries or electrical power and uses a standard bathroom inlet water connection



CleanCurve® rim eliminates dirt buildup and smooth-sided, concealed trapway cleans easily



Slow-close seat included

12-inch rough configuration


Fits in the space of a traditional elongated toilet

Hidden supply-line installation option



Limited Lifetime Warranty on chinaware, 5-year warranty on all mechanical parts

How Does the PowerFlo™ Technology Work?



Water exits Regulator and enters the lower chambers

The water from the water supply line enters at the regulated inlet and flows to the self-contained flushing chambers located strategically behind the toilet bowl area, compresses with air, and is directed to the toilet via manifold and two water pathways.

 \star MaP testing performed by IAPMO R&T Lab. MaP report conducted by Gauley Associates Ltd and Koeller and Company.

As soon as the toilet's top flush actuator is pressed, water from 2 one pathway is directed into the rim providing a thorough CleanCurve rim wash while water in the second pathway goes directly to the 3 bowl jet which initiates the powerful siphon based flush that completely evacuates the bowl each and every time.

americanstandard.com List Price Guide 2023-4

Standard Toilets Overview

One-Piece Toilets



Two-Piece Toilets



List Price Guide 2023-4 americanstandard.com

Boulevard®

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Boulevard® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl with smooth-sided, concealed trapway
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
 Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 16-1/2" (419 mm) rim height for accessible applications
- 2" (51 mm) trapway
- 3" (76 mm) flush valve
- Includes slow-close seat and cover with concealed seat ring and easy lift-off feature
- Two color-matched bolt hole covers
- 10-year warranty
- Design coordinates with Studio® and Boulevard® lavatories

Nominal Dimensions:

29-1/16 in x 14-1/2 in x 30-1/2 in (738 mm x 368 mm x 774 mm)



Description	Net Wt	SKU	Color	List Price
Boulevard® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat	105 lb 47.7 kg	2891128.020	White	1,128
Boulevard® One-Piece 1.28 gpf/4.8 Lpf Chair Height Right-Hand Trip Lever Elongated Toilet With Seat	106 lb 48.4 kg	2891813.020	White	1,133
Separate Components:				
Telescoping Slow-Close Easy Lift-Off Elongated Toilet Seat	4 lb 2.0 kg	5025A65G.020	White	131
Boulevard® One-Piece Toilet Tank Cover	7 lb 3.3 kg	735148-400.020	White	119
Left-Hand Trip Lever	0 lb	⊳7381064-2240A	Oil Rubbed Bronze	113
	0.3 kg -	⊳7381064-2430A	Matte Black	84
	_	⊳7381064-2950A	Brushed Nickel	67
Right-Hand Trip Lever	0 lb	>7381847-200.0020A	Polished Chrome	54
	0.1 kg -	>7381847-200,2950A	Brushed Nickel	90

Parts Program (Non-Premier)

High Efficiency (1.6 gpf/6.0 Lpf) Full Flush and (1.1 gpf/4.4 Lpf) Conserving Flush Toilet



Boulevard® One-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet
- 12" (305 mm) rough-in
- Chair Height elongated siphon action dual flush bowl with smooth-sided, concealed trapway
- High efficiency, low consumption, full flush (1.6 gpf/6.0 Lpf) or conserving flush (1.1 gpf/4.2 Lpf), utilizes 31% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 16-1/2" (419 mm) rim height
- 2" (51 mm) trapway
- 3" (76 mm) flush valve
- 9" x 8" (229 x 203 mm) water surface area
- Includes slow-close seat and cover with concealed seat ring and easy lift-off feature
- Chrome plated top-mounted push button actuator
 Two color-matched bolt hole covers
- 10-year warranty
- Design coordinates with Studio® and Boulevard® lavatories

Nominal Dimensions:

29-3/4 in x 14-1/2 in x 30-1/2 in (755 mm x 368 mm x 774 mm)



Description	Net Wt	SKU	Color	List Price
Boulevard® One-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair Height Elongated Toilet With Seat	106 lb 48.4 kg	2891200.020	White	1,234
Separate Components:				
Telescoping Slow-Close Easy Lift-Off Elongated Toilet Seat	4 lb 2.0 kg	5025A65G.020	White	131
Boulevard® One-Piece Dual Flush Toilet Tank Cover	10 lb 4.5 kg	735169-400.020	White	113
Top-of-Tank Actuator, Dual Flush	0 lb	>7381203-200.2950A	Brushed Nickel	109
	0.1 kg -	>7381203-200.2430A	Matte Black	132
	_	>7381203-200.0020A	Polished Chrome	15

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Compact Cadet® 3

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Compact Cadet® 3 One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- Chair Height elongated bowl
- Space saving compact elongated bowl fits in the space of a round front
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
 Meets EPA WaterSense® criteria
- 16-1/2" (419 mm) bowl rim height for accessible application
- EverClean® Antimicrobial Surface
- Includes slow-close seat and cover with EverClean® Surface
- · Seat features unique sanitary seat lift tab
- •3" (76 mm) flush valve
- 9" x 8" (229 x 203 mm) water surface area
- 2-1/8" (54 mm) trapway
- Two color-matched bolt caps
- Five-year warranty

Nominal Dimensions:

27-11/16 in x 15 in x 27-3/8 in (703 mm x 381 mm x 695 mm)



Description	Net Wt	SKU	Color	List Price
Compact Cadet® 3 One-Piece 1.28 gpf/4.8 Lpf	92 lb	2403128.020	White	630
Chair Height Elongated Toilet With Seat	41.9 kg	2403128.021	Bone	921
	-	2403128.222	Linen	921
Compact Cadet® 3 One-Piece 1.28 gpf/4.8 Lpf Chair Height Right-Hand Trip Lever Elongated Toilet With Seat		2403813.020	White	769
Separate Components:				
Cadet® 3 Slow-Close Elongated Toilet Seat	4 lb 2.0 kg	5350110.020	White	81
		5350110.021	Bone	110
		5350110.222	Linen	110
Compact Cadet® 3 One-Piece Toilet Tank Cover	15 lb 6.8 kg	735125-400.020	White	151
		735125-400.021	Bone	188
	-	735125-400.222	Linen	188
Left-Hand Trip Lever	0 lb	⊳738903-0020A	Polished Chrome	25
	0.0 kg	⊳738903-0200A	White	41
	-	>738903-2220A	Linen	47
	-	⊳738903-2430A	Matte Black	100
	-	⊳738903-2950A	Brushed Nickel	35
Right-Hand Trip Lever		⊳738919-0020A	Polished Chrome	25

Parts Program (Non-Premier)

Champion® 4 **One-Piece Toilets**

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Champion® 4 One-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Toilet With Seat

- Chair Height elongated siphon action jetted bowl
- EverClean® Antimicrobial Surface
- Low consumption (1.6 gpf/6.0 Lpf)
- 4" (102 mm) piston-action Accelerator™ flush valve
- 12" (305 mm) rough-in
- 2-3/8" (60 mm) fully-glazed trapway 16-1/2" (419 mm) rim height
- 100% factory flush tested
- Two color-matched bolt caps
- Includes color-matched Champion slow-close toilet seat
- 10-year warranty

Nominal Dimensions:

28-13/16 in x 16-3/4 in x 29-1/2 in (731 mm x 425 mm x 749 mm)



Description	Net Wt	SKU	Color	List Price
Champion® 4 One-Piece 1.6 gpf/6.0 Lpf Chair	115 lb	2034314.020	White	838
Height Elongated Toilet With Seat	52.2 kg	2034314.021	Bone	1,048
	-	2034314.222	Linen	1,048
Separate Components:				
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98
		5321A65CT.021	Bone	123
		5321A65CT.222	Linen	123
Champion® 4 One-Piece Toilet Tank Cover	7 lb	735105-400.020	White	79
	3.6 kg ⁻	735105-400.021	Bone	101
	_	735105-400.222	Linen	101
Left-Hand Trip Lever	0 lb	⊳738772-0020A	Polished Chrome	27
	0.1 kg -	⊳738772-0990A	Polished Brass	43
	_	⊳738772-2950A	Brushed Nickel	44

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Parts Program (Non-Premier)

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Champion® 4 One-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated Toilet With Seat

- Elongated siphon action jetted bowl
 EverClean® Antimicrobial Surface
- Low consumption (1.6 gpf/6.0 Lpf)
- 4" (102 mm) piston-action Accelerator™ flush valve 12" (305 mm) rough-in
- - 2-3/8" (60 mm) fully-glazed trapway
 - 15" (381 mm) rim height
- 100% factory flush tested
- Two color-matched bolt caps
- Includes color-matched Champion slow-close toilet seat
- 10-year warranty

Nominal Dimensions:

29-3/4 in x 17-3/4 in x 29-1/2 in (755 mm x 450 mm x 749 mm)



20 0/ 1 11/2 1/ 0/ 1 11/2 20 1/2 11/ (100 11111/2 1/ 10 11111/4)				
Description	Net Wt	SKU	Color	List Price
Champion® 4 One-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated Toilet With Seat	109 lb 49.5 kg	2004314.020	White	772
Separate Components:				
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98
Champion® 4 One-Piece Toilet Tank Cover	7 lb 3.6 kg	735105-400.020	White	79
Left-Hand Trip Lever	0 lb	⊳738772-0020A	Polished Chrome	27
	0.1 kg -	⊳738772-0990A	Polished Brass	43
	_	⊳738772-2950A	Brushed Nickel	44

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Parts Program (Non-Premier)

[♦] Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Colony®

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Colony® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- Chair Height elongated bowl
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- 16-1/2" (419 mm) bowl rim height for accessible application
- Includes slow-close seat and cover
- •3" (76 mm) flush valve
- 9" x 8" (229 x 203 mm) water surface area
- 2" (51 mm) trapway
- Chrome plated trip lever
 Two color-matched bolt caps
 Two-year warranty

Nominal Dimensions:

28-7/8 in x 16-3/8 in x 26-3/16 in (733 mm x 415 mm x 665 mm)



Description	Net Wt	SKU	Color	List Price
Colony® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat	71 lb 32.3 kg	2961A104SC.020	White	588
Separate Components:				
Cardiff [™] Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71
Colony® One-Piece Toilet Tank Cover	7 lb 3.4 kg	735228-400.020	White	
Left-Hand Trip Lever	1 lb 0.5 kg	⊳7381951-200.0020A	Polished Chrome	12



High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Loft® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- Chair Height elongated bowl
- Space saving compact design with side trip lever
- 12" (305 mm) rough-in
 - High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- 16-1/2" (419 mm) bowl rim height for accessible application
- EverClean® Antimicrobial Surface
- Includes slow-close telescoping toilet seat and cover with EverClean® Surface
- •3" (76 mm) flush valve
- 9" x 8" (229 x 203 mm) water surface area
- 2-1/8" (54 mm) trapway
- Two color-matched bolt caps
- Five-year warranty

Nominal Dimensions:

27-11/16 in x 14 in x 28-5/8 in (703 mm x 355 mm x 727 mm)



Description	Net Wt	SKU	Color	List Price
Loft® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat	89 lb 40.6 kg	2535128.020	White	750
Separate Components:				
Telescoping Slow-Close Easy Lift-Off Elongated Toilet Seat	4 lb 2.0 kg	5025A65G.020	White	131
Loft® One-Piece Toilet Tank Cover	10 lb 4.5 kg	735182-400.020	White	139
Left-Hand Trip Lever	0 lb 0.1 kg	⊳7381286-200.0020A	Polished Chrome	32

Parts Program (Non-Premier)

Studio® S One-Piece Toilets

Ultra-High Efficiency (1.0 gpf/3.8 Lpf) Toilet



Studio® S One-Piece 1.0 gpf/3.8 Lpf Chair Height Elongated Toilet With Seat

- High performance, quiet PowerFlo™ flushing system requires no electrical power and uses standard inlet water connection
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl with smooth-sided, concealed trapway
- Ultra-High Efficiency Toilet (UHET) 1.0 gpf/3.8 Lpf)
- Meets EPA WaterSense® and MaP PREMIUM critéria
- CleanCurve® rim eliminates area where dirt and build-up hide
- Generous 8-1/4" x 9-1/4" (210 x 235 mm) water surface area
- •2" (51 mm) fully glazed trapway
- Color-matched tank top actuator
- Includes slow-close seat and cover with easy lift-off feature



Nominal Dimensions:

29-1/2 in x 15-7/8 in x 16-3/4 in (749 mm x 403 mm x 425 mm)

B		0.01		
Description	Net Wt	SKU	Color	List Price
Studio® S One-Piece 1.0 gpf/3.8 Lpf Chair Height Elongated Toilet With Seat	109 lb 49.7 kg	2548A100.020	White	1,469
Separate Components:				
Studio® S Elongated Toilet Seat	3 lb 1.7 kg	⊳5041A65G.0200A	White	127

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

List Price Guide 2023-4 americanstandard.com

Parts Program (Non-Premier)

^{*}MaP testing performed by IAPMO R&T Lab. MaP report conducted by Gauley Associates Ltd. and Koeller and Company.

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Town Square® S One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl with smooth-sided, concealed trapway
- · High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Classic American traditional styling
- EverClean® Antimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 16-1/2" (419 mm) rim height for accessible applications
- 2" (51 mm) trapway 3" (76 mm) flush valve
- Chrome trip lever matches Town Square® S faucets and accessories
- Includes slow-close seat and cover with concealed seat ring and easy lift-off feature
 - Two color-matched bolt hole covers
 - 10-year warranty
 - Design coordinates with Town Square® S suite

Nominal Dimensions:

30-1/2 in x 16-3/8 in x 30-9/16 in (774 mm x 415 mm x 776 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S One-Piece 1.28 gpf/4.8 Lpf Chair		2851A104.020	White	1,058
Height Elongated Toilet With Seat	48.6 kg	2851A104.222	Linen	1,322
Town Square® S One-Piece 1.28 gpf/4.8 Lpf Chair Height Right-Hand Trip Lever Elongated Toilet With Seat		2851A105.020	White	1,064
Separate Components:				
Traditional Slow-Close & Easy Lift-Off Elongated	6 lb 3.0 kg	5020A65G.020	White	131
Toilet Seat		5020A65G.222	Linen	162
Town Square® S One-Piece Toilet Tank Cover	9 lb 4.3 kg	735226-400.020	White	117
		735226-400.222	Linen	146
Left-Hand Trip Lever	0 lb	⊳7381105-0020A	Polished Chrome	44
	0.3 kg -	⊳7381105-0130A	Polished Nickel	58
	-	⊳7381105-2240A	Oil Rubbed Bronze	109
	-	⊳7381105-2780A	Legacy Bronze	72
	_	⊳7381105-2950A	Brushed Nickel	63
Right-Hand Trip Lever	0 lb 0.2 kg	⊳7381020-0020A	Polished Chrome	44

Parts Program (Non-Premier)

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Townsend VorMax One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet with Seat

- Two patented flush valves and maximum rinsing power for the cleanest flush*
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
 Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- CleanCurve® rim eliminates rim area where dirt and build-up hide
- 16-1/2" (419 mm) rim height for accessible applications
- 2-1/16" (52 mm) trapway
- Dual injection flush valves
- Includes slow-close seat and cover
- Two color-matched bolt caps
- 10-year warranty
- Design coordinates with Townsend® suite

Nominal Dimensions:

29-1/2 in x 16-7/8 in x 29-3/4 in (749 mm x 428 mm x 755 mm)



Description	Net Wt	SKU	Color	List Price
Townsend VorMax One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet with Seat	100 lb 45.8 kg	2922A104.020	White	886
Separate Components:				
Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat for VorMax® CleanCurve® Style Rims	3 lb 1.7 kg	5055A65C.020	White	108
Townsend® VorMax® One-Piece Toilet Tank Cover	7 lb 3.5 kg	735212-400.020	White	111
Left-Hand Trip Lever	0 lb	>7381735-200.0020A	Polished Chrome	79
	0.1 kg -	>7381735-200.0130A	Polished Nickel	74
	_	>7381735-200.2430A	Matte Black	101
	-	>7381735-200.2780A	Legacy Bronze	105
	_	>7381735-200.2950A	Brushed Nickel	85

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Parts Program (Non-Premier)

^{*}Compared to American Standard Champion toilets.

Tropic®

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Tropic® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl with smooth-sided, concealed trapway
- · High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 16-1/2" (419 mm) rim height for accessible applications
- 2" (51 mm) trapway 3" (76 mm) flush valve
- Chrome trip lever
- Includes slow-close seat and cover with concealed seat ring and easy lift-off feature
- Two color-matched bolt hole covers
- 10-year warranty
- Transitional design coordinates with Tropic® lavatories and faucets

Nominal Dimensions:

29-3/4 in x 16-3/4 in x 30-1/2 in (755 mm x 425 mm x 774 mm)



Description	Net Wt	SKU	Color	List Price
Tropic® One-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat	97 lb 44.4 kg	2786128.020	White	1,128
Separate Components:				
Transitional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5024A65G.020	White	131
Tropic® One-Piece Toilet Tank Cover	7 lb 3.3 kg	735147-400.020	White	119
Left-Hand Trip Lever	0 lb 0.4 ka	⊳7381097-2950A	Brushed Nickel	89

Parts Program (Non-Premier)

Cadet® Touchless - Skirted Design

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Cadet® Touchless Chair Height Elongated Toilet With Concealed Trapway

- Simple hand wave touchless flush technology
- 2-1/2" (64 mm) diameter sensor module can be installed on wall within 3 feet of toilet or on top of toilet tank itself
- Siphon action jetted bowl with smooth-sided, concealed trapway
- Ultra-low consumption (1.28 gpf/4.8 Lpf) utilizes 20% less water
- Meets EPA WaterSense® criteria
- 12" (305 mm) rough installation
- 3" (76 mm) flush valve with integrated fill valve
- 2-1/8" (54 mm) trapway bowl with EverClean® surface included
- Obtains best 1,000g MaP flush score*
- Includes top mount, slow-close seat and cover with easy lift-off feature for cleaning
- Powered by 3AAA sensor and 4AA control module batteries (included)
- Convenient, manual Polished Chrome override flush actuator on side of tank
- Limited lifetime warranty on chinaware, limited five-year warranty on all mechanical parts, and limited one-year warranty on electronic parts and seat

Nominal Dimensions:

30-3/16 in x 15-13/16 in x 30-11/16 in (766 mm x 401 mm x 779 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® Touchless Chair Height Elongated Toilet With Concealed Trapway		2989709.020	White	726
Cadet® Touchless Chair Height Elongated Skirted Toilet with Seat and Locking Device	-	2989769.020	White	762
Separate Components:				
Cadet® 3 FloWise® Skirted Chair Height Elongated Bowl With Seat	72 lb 33.1 kg	3075000.020	White	471
Cadet® Touchless 1.28 gpf Single Flush Toilet Tank Only	29 lb 13.3 kg	4000709.020	White	255
Cadet Touchless 1.28 gpf Single Flush Toilet Tank Only with Locking Device	-	4000769.020	White	291
Studio 12-Inch Rough Tank Cover	7 lb 3.3 kg	735158-400.020	White	71
Touchless Sensor	0 lb 0.2 kg	>7381981-201.0070A	No Finish	97
Manual Override Button	0 lb	>7381982-201.0020A	Polished Chrome	9
	0.0 kg -	>7381982-201.0200A	White	9
Optional Components:				
Transitional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5024A65G.020	White	131

Parts Program (Non-Premier)

Cadet® - Skirted Design

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Cadet®3 FloWise™ Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- Combination bowl and tank, with seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- · Siphon action jetted bowl with smooth-sided, concealed trapway
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- PowerWash® rim helps clean bowl with each flush
- 3" (76 mm) flush valve
- Chrome plated trip lever
- Includes top-mount slow-close seat and cover with easy lift off feature
- Two color-matched bolt hole covers
- Five-year warranty

Nominal Dimensions:

30-1/4 in x 15-3/4 in x 30-3/4 in (768 mm x 400 mm x 781 mm)



Description	Net Wt	SKU	Color	List Price
Cadet®3 FloWise™ Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat		2989101.020	White	607
Cadet® 3 FloWise® Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Right-Hand Trip Lever Elongated Toilet With Seat	_	2989813.020	White	614
Separate Components:				
Cadet® 3 FloWise® Skirted Chair Height Elongated Bowl With Seat	72 lb 33.1 kg	3075000.020	White	471
Cadet® 3 FloWise® 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	29 lb 13.3 kg	4000101.020	White	136
Cadet® 3 FloWise® 1.28 gpf/4.8 Lpf 12-Inch Rough Right Hand Trip Lever Tank	_	4000813.020	White	143
Cadet® 3 FloWise® 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735154-400.020	White	75
Transitional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5024A65G.020	White	131
Left-Hand Trip Lever	0 lb	⊳738903-0020A	Polished Chrome	25
	0.0 kg -	⊳738903-0200A	White	41
	_	⊳738903-2430A	Matte Black	100
	_	⊳738903-2950A	Brushed Nickel	35
Right-Hand Trip Lever	_	⊳738919-0020A	Polished Chrome	25

Parts Program (Non-Premier)

Cadet® - Skirted Design

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Cadet® 3 FloWise™ Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet With Seat

- Combination bowl and tank, with seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- Siphon action jetted bowl with smooth-sided, concealed trapway
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- PowerWash® rim scrubs bowl with each flush
- 3" (76 mm) flush valve
- Chrome plated trip lever
- Includes top-mount slow-close seat and cover with easy lift off feature
- Two color-matched bolt hole covers
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 15-3/4 in x 30-3/4 in (717 mm x 400 mm x 781 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® 3 FloWise™ Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet With Seat		2988101.020	White	577
Cadet® 3 FloWise® Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Right-Hand Trip Lever Round Front Toilet With Seat	_	2988813.020	White	584
Separate Components:				
Cadet® 3 FloWise® Skirted Chair Height Round Front Bowl With Seat	68 lb 31.1 kg	3053000.020	White	441
Cadet® 3 FloWise® 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	29 lb 13.3 kg	4000101.020	White	136
Cadet® 3 FloWise® 1.28 gpf/4.8 Lpf 12-Inch Rough Right Hand Trip Lever Tank		4000813.020	White	143
Cadet® 3 FloWise® 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735154-400.020	White	75
Transitional Slow-Close & Easy Lift-Off Round Front Toilet Seat	4 lb 2.1 kg	5024B65G.020	White	120
Left-Hand Trip Lever	0 lb	⊳738903-0020A	Polished Chrome	25
	0.0 kg	⊳738903-0200A	White	41
	-	⊳738903-2430A	Matte Black	100
	-	⊳738903-2950A	Brushed Nickel	35
Right-Hand Trip Lever	-	⊳738919-0020A	Polished Chrome	25

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Cadet® Touchless Chair Height Elongated Toilet Less Seat

- Combination tank and bowl, less seat
- · Simple hand wave touchless flush technology
- 2-½" (64 mm) diameter sensor module can be installed on wall within 3 feet of toilet or on top of toilet tank itself
- Siphon action jetted bowl
- Ultra-low consumption (1.28 gpf/4.8 Lpf) utilizes 20% less water
- Meets EPA WaterSense® criteria
- 12" (305 mm) rough installation
- 3" (76 mm) flush valve with integrated fill valve
- 2-1/8" (54 mm) trapway bowl with EverClean® surface included
- Obtains best 1,000g MaP flush score*

 Powered by 3AAA sensor and 4AA control module batteries (included)
- Convenient, manual Polished Chrome override flush actuator on side of tank
- Limited lifetime warranty on chinaware, limited five-year warranty on all mechanical parts, and limited one-year warranty on electronic parts

Nominal Dimensions:

30-3/16 in x 15-13/16 in x 30-11/16 in (766 mm x 401 mm x 779 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® Touchless Chair Height Elongated Toilet Less Seat		215AA709.020	White	519
Cadet® Touchless Chair Height Elongated Toilet with Locking Device - Less Seat	_	215AA769.020	White	555
Separate Components:				
Cadet® PRO Chair Height Elongated Toilet Bowl Only	55 lb 25.0 kg	3517A101.020	White	264
*Cadet® Touchless 1.28 gpf Single Flush Toilet Tank Only	29 lb 13.3 kg	4000709.020	White	255
*Cadet Touchless 1.28 gpf Single Flush Toilet Tank Only with Locking Device		4000769.020	White	291
*Studio 12-Inch Rough Tank Cover	7 lb 3.3 kg	735158-400.020	White	71
Touchless Sensor	0 lb 0.2 kg	>7381981-201.0070A	No Finish	97
Manual Override Button	0 lb	>7381982-201.0020A	Polished Chrome	9
	0.0 kg -	>7381982-201.0200A	White	9
Optional Components:				
*Transitional Slow-Close Elongated Toilet Seat	2 lb 1.3 kg	5503A00B.020	White	57

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

americanstandard.com List Price Guide 2023-4

Parts Program (Non-Premier)

^{*} Tank and seat only are Premier

Cadet® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 10-1/2 (419 IIIII) IIII religit for accessible 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

30-1/4 in x 17-1/4 in x 30-1/4 in (768 mm x 438 mm x 768 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair		215AA104.020	White	413
Height Elongated Toilet Less Seat	_	215AA104.021	Bone	509
	_	215AA104.222	Linen	509
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Right-Hand Trip Lever Toilet Less Seat	_	215AA105.020	White	421
Separate Components:				
Cadet® PRO Chair Height Elongated Toilet Bowl	55 lb	3517A101.020	White	264
Only	25.0 kg	3517A101.021	Bone	327
	_	3517A101.222	Linen	327
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb	4188A104.020	White	149
	12.6 kg	4188A104.021	Bone	182
	_	4188A104.222	Linen	182
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right-Hand Trip Lever Tank	-	4188A105.020	White	157
Cadet PRO® 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	>7381231-200.0990A	Polished Brass	45
	_	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Right-Hand Trip Lever	0 lb	>7381231-201.0020A	Polished Chrome	37
	0.2 kg -	⊳7381231-201.2950A	Brushed Nickel	54

Parts Program (Non-Premier) Other seat options

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- Everclear Antimicrobial Surface
 16-1/2" (419 mm) rim height for accessible application
 2-1/8" (54 mm) fully glazed trapway
 9" x 8" (229 x 203 mm) water surface area
 3" (76 mm) flush valve

- Five-year warranty

Nominal Dimensions:

29-1/8 in x 17-3/8 in x 30-3/8 in (739 mm x 441 mm x 771 mm)



1 x 771 mm)		
Net Wt	SKU	Color	List Price
	215AA004.020	White	413
_	215AA004.021	Bone	509
_	215AA004.222	Linen	509
_	215AA005.020	White	421
55 lb	3517A101.020	White	264
25.0 kg	3517A101.021	Bone	327
-	3517A101.222	Linen	327
27 lb	4188A004.020	White	149
12.6 kg	4188A004.021	Bone	182
_	4188A004.222	Linen	182
_	4188A005.020	White	157
7 lb 3.3 kg	735172-400.020	White	94
	735172-400.021	Bone	119
	735172-400.222	Linen	119
0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
0 lb	>7381231-200.0200A	White	45
0.2 kg -	>7381231-200.0990A	Polished Brass	45
-	>7381231-200.2240A	Oil Rubbed Bronze	67
0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
0 lb 0.2 kg	⊳7381231-201.2950A	Brushed Nickel	54
3 lb	5257A65MT.020	White	71
1.5 kg	5257A65MT.021	Bone	78
	5257A65MT.222	Linen	78
	7 lb 12.6 kg 0 lb 0.2 kg 0 lb 0.1 kg 0 lb 0.0 kg 0 lb 0.2 kg 0 lb 0.2 kg 0 lb 0.1 kg 0 lb 0.2 kg 0 lb 0.2 kg 0 lb 0.2 kg 0 lb 0.2 kg	Net Wt SKU 215AA004.020 215AA004.021 215AA004.022 215AA004.222 215AA005.020 3517A101.021 3517A101.021 3517A101.222 27 lb 4188A004.020 4188A004.021 4188A004.022 4188A005.020 7 lb 735172-400.020 3.3 kg 735172-400.021 735172-400.021 735172-400.022 0 lb >7381231-200.0130A 0.1 kg >7381231-200.0200A >7381231-200.0200A >7381231-200.2240A 0 lb >7381231-200.2780A 0.1 kg >7381231-200.2950A 0 lb >7381231-200.2950A 0 lb >7381231-201.2950A 0.2 kg >7381231-201.2950A 0 lb >7381231-201.2950A 0.5 kg >5257A65MT.020 5257A65MT.021	Net Wt SKU Color 215AA004.020 White 215AA004.021 Bone 215AA004.222 Linen 215AA005.020 White 55 lb 25.0 kg 3517A101.020 White 3517A101.021 Bone 3517A101.222 Linen 4188A004.020 White 4188A004.021 Bone 4188A004.022 Linen 4188A005.020 White 7 lb 3.3 kg 735172-400.020 White 735172-400.021 Bone 735172-400.022 Linen 0 lb 0.2 kg ▷7381231-200.0020A Polished Chrome 0 lb 0.1 kg ▷7381231-200.0130A Polished Nickel 0 lb 0.2 kg ▷7381231-200.0200A White 0 lb 0.0 kg ▷7381231-200.2240A Oil Rubbed Bronze 0 lb 0.0 kg ▷7381231-200.2950A Brushed Nickel 0 lb 0.2 kg ▷7381231-200.2950A Brushed Nickel 3 lb 1.5 kg 5257A65MT.020 White 5257A65MT.021 Bone

Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

List Price Guide 2023-4 americanstandard.com

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application

- 2-1/8" (54 mm) fully glazed trapway
 9" x 8" (229 x 203 mm) water surface area
 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 17-1/4 in x 30-1/4 in (717 mm x 438 mm x 768 mm)



Description	Net Wt	SKU	Color	List Prid
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair		215BA104.020	White	396
Height Round Front Toilet Less Seat		215BA104.021	Bone	489
		215BA104.222	Linen	489
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Right-Hand Trip Lever Toilet Less Seat		215BA105.020	White	404
Separate Components:				
Cadet® PRO Chair Height Round Front Bowl	52 lb	3517B101.020	White	247
	23.9 kg -	3517B101.021	Bone	307
	_	3517B101.222	Linen	307
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb	4188A104.020	White	149
	12.6 kg	4188A104.021	Bone	182
	_	4188A104.222	Linen	182
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right-Hand Trip Lever Tank	-	4188A105.020	White	157
Cadet PRO® 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb 0.2 kg -	⊳7381231-200.0200A	White	45
		>7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	⊳7381231-200.2950A	Brushed Nickel	54
Right-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-201.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71
	_	5259B65MT.222	Linen	71

▶ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 17-1/4 in x 30-1/4 in (717 mm x 438 mm x 768 mm)



28-1/4 in x 17-1/4 in x 30-1/4 in (717 mm x 438 mm	x 768 mm)			~
Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair		215BA004.020	White	396
Height Round Front Toilet Less Seat		215BA004.021	Bone	489
		215BA004.222	Linen	489
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front Right-Hand Trip Lever Toilet Less Seat		215BA005.020	White	404
Separate Components:				
Cadet® PRO Chair Height Round Front Bowl	52 lb	3517B101.020	White	247
	23.9 kg	3517B101.021	Bone	307
	-	3517B101.222	Linen	307
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb	4188A004.020	White	149
	12.6 kg	4188A004.021	Bone	182
		4188A004.222	Linen	182
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Right- Hand Trip Lever Tank		4188A005.020	White	157
Cadet PRO® 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg	⊳7381231-200.0990A	Polished Brass	45
	-	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Right-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-201.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71
	-	5259B65MT.222	Linen	71

Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements

 \diamondsuit Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

List Price Guide 2023-4 americanstandard.com

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/2 in x 18 in x 30-1/4 in (723 mm x 457 mm x 768 mm)



	,			MANUNAT
Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair		215AB104.020	White	467
Height Elongated 10-Inch Rough Toilet Less Seat	_	215AB104.021	Bone	669
	_	215AB104.222	Linen	669
Separate Components:				
Cadet® PRO Chair Height Elongated Toilet Bowl	55 lb	3517A101.020	White	264
Only	25.0 kg	3517A101.021	Bone	327
	_	3517A101.222	Linen	327
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb	4188B104.020	White	203
	12.3 kg	4188B104.021	Bone	342
	_	4188B104.222	Linen	342
Cadet [®] PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb 0.2 kg -	>7381231-200.0200A	White	45
		>7381231-200.0990A	Polished Brass	45
		>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	⊳7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	⊳7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg ⁻	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier)
 Other seat options
 Additional tanks

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front 10-Inch Rough Toilet Less Seat

- · Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- EverClean Antimicrobial Surface
 16-1/2" (419 mm) rim height for accessible application
 2-1/8" (54 mm) fully glazed trapway
 9" x 8" (229 x 203 mm) water surface area
 3" (76 mm) flush valve

- Five-year warranty

Nominal Dimensions:

26-1/4 in x 18 in x 30-1/4 in (666 mm x 457 mm x 768 mm)



Description	Net Wt	SKU	Color	List Pric
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair		215BB104.020	White	450
Height Round Front 10-Inch Rough Toilet Less Seat	_	215BB104.021	Bone	649
	_	215BB104.222	Linen	649
Separate Components:				
Cadet® PRO Chair Height Round Front Bowl	52 lb	3517B101.020	White	247
	23.9 kg ⁻	3517B101.021	Bone	307
	_	3517B101.222	Linen	307
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb	4188B104.020	White	203
	12.3 kg	4188B104.021	Bone	342
		4188B104.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb	⊳7381231-200.0200A	White	45
	0.2 kg -	>7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71
	_	5259B65MT.222	Linen	71

Parts Program (Non-Premier) Other seat options Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve Five-year warranty

Nominal Dimensions:

28-1/2 in x 18 in x 30-1/4 in (723 mm x 457 mm x 768 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair		215AB004.020	White	467
Height Elongated 10-Inch Rough Toilet Less Seat	_	215AB004.021	Bone	669
	_	215AB004.222	Linen	669
Separate Components:				
Cadet® PRO Chair Height Elongated Toilet Bowl	55 lb	3517A101.020	White	264
Only	25.0 kg	3517A101.021	Bone	327
	_	3517A101.222	Linen	327
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb	4188B004.020	White	203
	12.3 kg	4188B004.021	Bone	342
	_	4188B004.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb 0.2 kg -	>7381231-200.0200A	White	45
		⊳7381231-200.0990A	Polished Brass	45
		⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

26-1/4 in x 18 in x 30-1/4 in (666 mm x 457 mm x 768 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair		215BB004.020	White	450
Height Round Front 10-Inch Rough Toilet Less Seat	_	215BB004.021	Bone	649
	_	215BB004.222	Linen	649
Separate Components:				
Cadet® PRO Chair Height Round Front Bowl	52 lb	3517B101.020	White	247
	23.9 kg	3517B101.021	Bone	307
	_	3517B101.222	Linen	307
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb	4188B004.020	White	203
	12.3 kg	4188B004.021	Bone	342
	_	4188B004.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb	735173-400.020	White	107
	2.9 kg	735173-400.021	Bone	124
	_	735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb 0.2 kg -	>7381231-200.0200A	White	45
		⊳7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71
	_	5259B65MT.222	Linen	71

Parts Program (Non-Premier) Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

List Price Guide 2023-4 americanstandard.com

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Compact Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- Space saving elongated bowl fits in the space of a round front
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- Trade specific tank
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application

- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 18 in x 30-3/8 in (717 mm x 457 mm x 771 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Compact		215FA104.020	White	481
Chair Height Elongated Toilet Less Seat	_	215FA104.021	Bone	817
	_	215FA104.222	Linen	817
Separate Components:				
Cadet® PRO Compact Chair Height Elongated Bowl	55 lb	3517F101.020	White	278
	25.0 kg	3517F101.021	Bone	475
	_	3517F101.222	Linen	475
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb	4188B104.020	White	203
	12.3 kg ⁻	4188B104.021	Bone	342
	_	4188B104.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb	735173-400.020	White	107
	2.9 kg -	735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb 0.2 kg	⊳7381231-200.0200A	White	45
		>7381231-200.0990A	Polished Brass	45
	_	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg -	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Compact Chair Height Elongated 14-Inch Rough Toilet Less Seat

- · Combination bowl and tank, less seat
- · Space saving elongated bowl fits in the space of a round front
- 14" (356 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
 PowerWash® rim helps clean bowl with each flush
- Trade specific tank
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

30 in x 17-3/8 in x 30-3/8 in (762 mm x 441 mm x 771 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Compact		215FC104.020	White	427
Chair Height Elongated 14-Inch Rough Toilet Less Seat	_	215FC104.021	Bone	657
		215FC104.222	Linen	657
Separate Components:				
Cadet® PRO Compact Chair Height Elongated	55 lb	3517F101.020	White	278
Bowl	25.0 kg	3517F101.021	Bone	475
	_	3517F101.222	Linen	475
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb	4188A104.020	White	149
	12.6 kg	4188A104.021	Bone	182
		4188A104.222	Linen	182
Cadet PRO® 12-Inch Rough Toilet Tank Cover	7 lb	735172-400.020	White	94
	3.3 kg	735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	⊳7381231-200.0200A	White	45
	0.2 kg -	>7381231-200.0990A	Polished Brass	45
	_	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff [™] Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Compact Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- Space saving elongated bowl fits in the space of a round front
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 18 in x 30-3/8 in (717 mm x 457 mm x 771 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Compact		215FA004.020	White	481
Chair Height Elongated Toilet Less Seat	_	215FA004.021	Bone	817
	_	215FA004.222	Linen	817
Separate Components:				
Cadet® PRO Compact Chair Height Elongated	55 lb	3517F101.020	White	278
Bowl	25.0 kg	3517F101.021	Bone	475
	_	3517F101.222	Linen	475
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb	4188B004.020	White	203
	12.3 kg	4188B004.021	Bone	342
	_	4188B004.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg ⁻	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Compact Chair Height Elongated 14-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- Space saving elongated bowl fits in the space of a round front
- 14" (356 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

30 in x 17-3/8 in x 30-3/8 in (762 mm x 441 mm x 771 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Compact		215FC004.020	White	427
Chair Height Elongated 14-Inch Rough Toilet Less Seat	_	215FC004.021	Bone	657
		215FC004.222	Linen	657
Separate Components:				
Cadet® PRO Compact Chair Height Elongated	55 lb	3517F101.020	White	278
Bowl	25.0 kg ⁻	3517F101.021	Bone	475
	_	3517F101.222	Linen	475
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb	4188A004.020	White	149
	12.6 kg	4188A004.021	Bone	182
		4188A004.222	Linen	182
Cadet PRO® 12-Inch Rough Toilet Tank Cover	7 lb	735172-400.020	White	94
	3.3 kg ⁻	735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb 0.2 kg	>7381231-200.0200A	White	45
		>7381231-200.0990A	Polished Brass	45
		>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg -	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve Five-year warranty

Nominal Dimensions:

30-1/4 in x 17-1/4 in x 28-7/8 in (768 mm x 438 mm x 733 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard		215CA104.020	White	366
Height Elongated Toilet Less Seat	_	215CA104.021	Bone	451
	_	215CA104.222	Linen	451
Separate Components:				
Cadet® PRO Standard Height Elongated Bowl	50 lb	3517C101.020	White	217
	23.1 kg ⁻	3517C101.021	Bone	269
	_	3517C101.222	Linen	269
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb	4188A104.020	White	149
	12.6 kg	4188A104.021	Bone	182
	_	4188A104.222	Linen	182
Cadet PRO® 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
	_	735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb 0.2 kg -	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options Additional tanks Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve Five-year warranty

Nominal Dimensions:

28-1/4 in x 17-1/4 in x 28-7/8 in (717 mm x 438 mm x 733 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard		215DA104.020	White	325
Height Round Front Toilet Less Seat	_	215DA104.021	Bone	401
	_	215DA104.222	Linen	401
Separate Components:				
Cadet® PRO Standard Height Round Front Bowl	46 lb	3517D101.020	White	176
	21.3 kg ⁻	3517D101.021	Bone	219
	_	3517D101.222	Linen	219
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb	4188A104.020	White	149
	12.6 kg	4188A104.021	Bone	182
	_	4188A104.222	Linen	182
Cadet PRO® 12-Inch Rough Toilet Tank Cover	7 lb	735172-400.020	White	94
	3.3 kg	735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	>7381231-200.0990A	Polished Brass	45
		⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg -	5259B65MT.021	Bone	71
		5259B65MT.222	Linen	71

Parts Program (Non-Premier) Other seat options Additional tanks Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

americanstandard.com

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

30-1/4 in x 17-1/4 in x 28-7/8 in (768 mm x 438 mm x 733 mm)

Description	Net Wt	SKU	Color	List Pric
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard		215CA004.020	White	366
Height Elongated Toilet Less Seat	_	215CA004.021	Bone	451
		215CA004.222	Linen	451
Separate Components:				
Cadet® PRO Standard Height Elongated Bowl	50 lb	3517C101.020	White	217
	23.1 kg ⁻	3517C101.021	Bone	269
	_	3517C101.222	Linen	269
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb	4188A004.020	White	149
	12.6 kg	4188A004.021	Bone	182
	_	4188A004.222	Linen	182
Cadet PRO® 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	⊳7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

[♦] Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warrantyRound Front Toilet Less Seat

Nominal Dimensions:

28-1/4 in x 17-1/4 in x 28-7/8 in (717 mm x 438 mm x 733 mm)

Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard		215DA004.020	White	325
Height Round Front Toilet Less Seat	_	215DA004.021	Bone	401
	_	215DA004.222	Linen	401
Separate Components:				
Cadet® PRO Standard Height Round Front Bowl	46 lb	3517D101.020	White	176
	21.3 kg	3517D101.021	Bone	219
	_	3517D101.222	Linen	219
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb	4188A004.020	White	149
	12.6 kg	4188A004.021	Bone	182
		4188A004.222	Linen	182
Cadet PRO® 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White	94
		735172-400.021	Bone	119
		735172-400.222	Linen	119
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg	⊳7381231-200.0990A	Polished Brass	45
	-	⊳7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff [™] Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg	5259B65MT.021	Bone	71
		5259B65MT.222	Linen	71

Parts Program (Non-Premier) Other seat options Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/2 in x 18 in x 29 in (723 mm x 457 mm x 736 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard		215CB104.020	White	420
Height Elongated 10-Inch Rough Toilet Less Seat	-	215CB104.021	Bone	611
	-	215CB104.222	Linen	611
Separate Components:				
Cadet® PRO Standard Height Elongated Bowl	50 lb	3517C101.020	White	217
	23.1 kg	3517C101.021	Bone	269
	-	3517C101.222	Linen	269
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb	4188B104.020	White	203
	12.3 kg	4188B104.021	Bone	342
	_	4188B104.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff [™] Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	-	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options Additional tanks Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Round Front 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
 9" x 8" (229 x 203 mm) water surface area
 3" (76 mm) flush valve

- Five-year warranty
 Round Front Toilet Less Seat

Nominal Dimensions:

26-1/4 in x 18 in x 29 in (666 mm x 457 mm x 736 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard		215DB104.020	White	379
Height Round Front 10-Inch Rough Toilet Less Seat	_	215DB104.021	Bone	561
		215DB104.222	Linen	561
Separate Components:				
Cadet® PRO Standard Height Round Front Bowl	46 lb	3517D101.020	White	176
	21.3 kg ⁻	3517D101.021	Bone	219
	_	3517D101.222	Linen	219
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb	4188B104.020	White	203
	12.3 kg ⁻	4188B104.021	Bone	342
		4188B104.222	Linen	342
Cadet [®] PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	⊳7381231-200.0130A	Polished Nickel	46
	0 lb	⊳7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb	5259B65MT.020	White	65
	1.4 kg ⁻	5259B65MT.021	Bone	71
	_	5259B65MT.222	Linen	71

Parts Program (Non-Premier) Other seat options Additional tanks Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

americanstandard.com

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
 PowerWash® rim helps clean bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/2 in x 18 in x 29 in (723 mm x 457 mm x 736 mm)

Description	Net Wt	SKU	Color	List Pric
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard		215CB004.020	White	420
Height Elongated 10-Inch Rough Toilet Less Seat	_	215CB004.021	Bone	611
	_	215CB004.222	Linen	611
Separate Components:				
Cadet® PRO Standard Height Elongated Bowl	50 lb	3517C101.020	White	217
	23.1 kg ⁻	3517C101.021	Bone	269
	_	3517C101.222	Linen	269
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb	4188B004.020	White	203
	12.3 kg	4188B004.021	Bone	342
		4188B004.222	Linen	342
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White	107
		735173-400.021	Bone	124
		735173-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	>7381231-200.0200A	White	45
	0.2 kg	⊳7381231-200.0990A	Polished Brass	45
	_	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb	5257A65MT.020	White	71
	1.5 kg	5257A65MT.021	Bone	78
	_	5257A65MT.222	Linen	78

Parts Program (Non-Premier) Other seat options Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ♦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Round Front 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- •3" (76 mm) flush valve
- Five-year warranty
 Round Front Toilet Less Seat

Nominal Dimensions:

26-1/4 in x 18 in x 29 in (666 mm x 457 mm x 736 mm)

Net Wt	SKU	Color	List Price
	215DB004.020	White	379
	215DB004.021	Bone	561
	215DB004.222	Linen	561
46 lb	3517D101.020	White	176
21.3 kg ⁻	3517D101.021	Bone	219
	3517D101.222	Linen	219
27 lb	4188B004.020	White	203
12.3 kg ⁻	4188B004.021	Bone	342
	4188B004.222	Linen	342
6 lb 2.9 kg	735173-400.020	White	107
	735173-400.021	Bone	124
	735173-400.222	Linen	124
0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
0 lb	>7381231-200.0200A	White	45
0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
_	⊳7381231-200.2240A	Oil Rubbed Bronze	67
0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
0 lb 0.0 kg	>7381231-200.2950A	Brushed Nickel	54
3 lb	5259B65MT.020	White	65
1.4 kg =	5259B65MT.021	Bone	71
_	5259B65MT.222	Linen	71
	46 lb 21.3 kg = 27 lb 12.3 kg = 6 lb 2.9 kg = 0 lb 0.2 kg = 0 lb 0.2 kg = 0 lb 0.1 kg = 0 lb 0.0 kg = 0 lb 0.0 kg	215DB004.020 215DB004.021 215DB004.021 215DB004.222 46 lb 21.3 kg 3517D101.020 3517D101.021 3517D101.222 27 lb 4188B004.020 4188B004.020 4188B004.021 4188B004.222 6 lb 2.9 kg 735173-400.020 735173-400.021 735173-400.021 735173-400.022 0 lb 0.2 kg 0 lb 0.7381231-200.0020A 0.2 kg 0 lb 0.2 kg 0 lb 0.7381231-200.0200A 0.2 kg 0 lb 0.7381231-200.0200A 0.7381231-200.2240A 0 lb 0.1 kg 0 lb 0.7381231-200.2240A 0 lb 0.1 kg 0 lb 0.7381231-200.2250A 0.1 kg 0 lb 0.7381231-200.2250A	215DB004.020 White 215DB004.021 Bone 215DB004.222 Linen 46 lb 21.3 kg 3517D101.020 White 3517D101.021 Bone 3517D101.222 Linen 27 lb 4188B004.020 White 12.3 kg 4188B004.021 Bone 4188B004.222 Linen 6 lb 2.9 kg 735173-400.020 White 2.9 kg 735173-400.021 Bone 735173-400.021 Bone 735173-400.022 Linen 0 lb 0.2 kg 0 lb 0.2 kg 0 lb 0.7381231-200.0020A Polished Chrome 0.2 kg 0 lb 0.7381231-200.020A White >7381231-200.020A White >7381231-200.020A White 0.1 kg 0 lb 0.7381231-200.020A Coll Rubbed Bronze 0 lb 0.1 kg 0 lb 0.7381231-200.2240A Oil Rubbed Bronze 0 lb 0.1 kg 0 lb 0.7381231-200.2240A Brushed Nickel 1 kg 1 b 7381231-200.2950A Brushed Nickel 3 lb 1.4 kg 5259B65MT.020 White 5259B65MT.021 Bone

Parts Program (Non-Premier) Other seat options Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.



Cadet® Ovation Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- Toilet-To-Go (TTG) shipped in single carton
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- · Chrome trip lever
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- •3" (76 mm) flush valve
- Includes wax ring and color-matched slow-close toilet seat and cover
 Limited Lifetime warranty on Chinaware, 5 year warranty on mechanical parts, 1 year warranty on seat

Nominal Dimensions:

30-3/4 in x 16-3/16 in x 30-3/16 in (781 mm x 411 mm x 766 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® Ovation Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat	85 lb 39.0 kg	760AA101.020	White	
Separate Components:				
Cadet Ovation 12-Inch Rough Tank	27 lb 12.4 kg	4299A101R.020	White	
Transitional Slow-Close Elongated Toilet Seat	2 lb 1.3 kg	5503A00B.020	White	57
Left-Hand Trip Lever	0 lb 0.1 kg	>7381919-200.0020A	Polished Chrome	9

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Champion PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator[™] flush valve

- 2-3/8" (60 mm) fully-glazed trapway 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty

Nominal Dimensions:

30-1/4 in x 19 in x 31 in (768 mm x 482 mm x 787 mm)



,	,			10.00.00
Description	Net Wt	SKU	Color	List Price
Champion PRO Two-Piece 1.28 gpf/4.8 Lpf Chair		211AA104.020	White	533
Height Elongated Toilet Less Seat	_	211AA104.021	Bone	670
		211AA104.222	Linen	670
Champion PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Right-Hand Trip Lever Toilet Less Seat		211AA105.020	White	563
Separate Components:				
Champion [®] PRO Chair Height Elongated Bowl	57 lb	3195A101.020	White	303
	25.9 kg	3195A101.021	Bone	378
	_	3195A101.222	Linen	378
Champion [®] PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	31 lb 14.1 kg	4225A104.020	White	230
	31 lb 14.3 kg	4225A104.021	Bone	292
		4225A104.222	Linen	292
Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right Hand Trip Lever Tank	_	4225A105.020	White	260
Champion® PRO 12-Inch Rough Toilet Tank Cover	8 lb 3.7 kg	735171-400.020	White	98
		735171-400.021	Bone	124
		735171-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	>7381232-200.0130A	Polished Nickel	46
	0 lb	⊳7381232-200.0200A	White	52
	0.2 kg	>7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb 0.1 kg	>7381232-200.2780A	Legacy Bronze	78
	0 lb	⊳7381232-200.2950A	Brushed Nickel	55
Right-Hand Trip Lever	0.2 kg	⊳7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Elongated	3 lb	5321A65CT.020	White	98
Toilet Seat	1.6 kg	5321A65CT.021	Bone	123
	_	5321A65CT.222	Linen	123

Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
 4" (102 mm) piston-action Accelerator™ flush valve
- 2-3/8" (60 mm) fully-glazed trapway
 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty

Nominal Dimensions:

28-1/4 in x 19 in x 31 in (717 mm x 482 mm x 787 mm)



28-1/4 in x 19 in x 31 in (/1/ mm x 482 mm x /8/ m	ım)			IAPMO RAT
Description	Net Wt	SKU	Color	List Price
Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair		211BA104.020	White	477
Height Round Front Toilet Less Seat	_	211BA104.021	Bone	598
	-	211BA104.222	Linen	598
Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Right-Hand Trip Lever Toilet Less Seat	-	211BA105.020	White	507
Separate Components:				
Champion® PRO Chair Height Round Front Bowl	57 lb	3195B101.020	White	247
	25.9 kg	3195B101.021	Bone	306
	-	3195B101.222	Linen	306
Champion [®] PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	31 lb 14.1 kg	4225A104.020	White	230
	31 lb 14.3 kg	4225A104.021	Bone	292
		4225A104.222	Linen	292
Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right Hand Trip Lever Tank	_	4225A105.020	White	260
Champion® PRO 12-Inch Rough Toilet Tank Cover	8 lb 3.7 kg -	735171-400.020	White	98
		735171-400.021	Bone	124
		735171-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	>7381232-200.0130A	Polished Nickel	46
	0 lb	>7381232-200.0200A	White	52
	0.2 kg	>7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb 0.1 kg	>7381232-200.2780A	Legacy Bronze	78
	0 lb	>7381232-200.2950A	Brushed Nickel	55
Right-Hand Trip Lever	0.2 kg	⊳7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Round	3 lb	5320B65CT.020	White	83
Front Toilet Seat	1.4 kg	5320B65CT.021	Bone	110
	-	5320B65CT.222	Linen	110

Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever and metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator[™] flush valve
- 2-3/8" (60 mm) fully-glazed trapway
 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty

Nominal Dimensions:

29-3/16 in x 19 in x 30-7/8 in (741 mm x 482 mm x 784 mm)



Description	Net Wt	SKU	Color	List Price
Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair		211AA004.020	White	533
Height Elongated Toilet Less Seat	-	211AA004.021	Bone	670
	-	211AA004.222	Linen	670
Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Right-Hand Trip Lever Toilet Less Seat	-	211AA005.020	White	563
Separate Components:				
Champion® PRO Chair Height Elongated Bowl	57 lb	3195A101.020	White	303
	25.9 kg	3195A101.021	Bone	378
	-	3195A101.222	Linen	378
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough	31 lb	4225A004.020	White	230
Tank	14.1 kg = - -	4225A004.021	Bone	292
		4225A004.222	Linen	292
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Right-Hand Trip Lever Tank		4225A005.020	White	260
Champion® PRO 12-Inch Rough Toilet Tank Cover	8 lb 3.7 kg	735171-400.020	White	98
		735171-400.021	Bone	124
		735171-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	>7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	⊳7381232-200.0130A	Polished Nickel	46
	0 lb	>7381232-200.0200A	White	52
	0.2 kg	>7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb 0.1 kg	>7381232-200.2780A	Legacy Bronze	78
	0 lb	⊳7381232-200.2950A	Brushed Nickel	55
Right-Hand Trip Lever	0.2 kg	⊳7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Elongated	3 lb	5321A65CT.020	White	98
Toilet Seat	1.6 kg	5321A65CT.021	Bone	123
	_	5321A65CT.222	Linen	123

Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

 \diamond Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator[™] flush valve
- 2-3/8" (60 mm) fully-glazed trapway
- 12" (305 mm) rough-in
- 10-year warranty

Nominal Dimensions:

28-1/4 in x 19 in x 31 in (717 mm x 482 mm x 787 mm)



Description	Net Wt	SKU	Color	List Pric
Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair		211BA004.020	White	477
Height Round Front Toilet Less Seat	_	211BA004.021	Bone	598
	_	211BA004.222	Linen	598
Champion PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front Right-Hand Trip Lever Toilet Less Seat		211BA005.020	White	507
Separate Components:				
Champion® PRO Chair Height Round Front Bowl	57 lb	3195B101.020	White	247
	25.9 kg	3195B101.021	Bone	306
	_	3195B101.222	Linen	306
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough	31 lb	4225A004.020	White	230
Tank	14.1 kg -	4225A004.021	Bone	292
	_	4225A004.222	Linen	292
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Right-Hand Trip Lever Tank		4225A005.020	White	260
Champion® PRO 12-Inch Rough Toilet Tank Cover	8 lb 3.7 kg -	735171-400.020	White	98
		735171-400.021	Bone	124
		735171-400.222	Linen	124
Left-Hand Trip Lever	0 lb 0.2 kg	⊳7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	⊳7381232-200.0130A	Polished Nickel	46
	0 lb	>7381232-200.0200A	White	52
	0.2 kg -	>7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb 0.1 kg	>7381232-200.2780A	Legacy Bronze	78
	0 lb	⊳7381232-200.2950A	Brushed Nickel	55
Right-Hand Trip Lever	0.2 kg -	>7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Round	3 lb	5320B65CT.020	White	83
Front Toilet Seat	1.4 kg	5320B65CT.021	Bone	110
	-	5320B65CT.222	Linen	110

▶ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
 High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
 Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator™ flush valve
- 2-3/8" (60 mm) fully-glazed trapway
- 12" (305 mm) rough-in
- 10-year warranty

Nominal Dimensions:

30-1/4 in x 19 in x 29-3/8 in (768 mm x 482 mm x 746 mm)



Description	Net Wt	SKU	Color	List Price
Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet Less Seat		211CA104.020	White	490
Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Right-Hand Trip Lever Elongated Toilet Less Seat		211CA105.020	White	520
Separate Components:				
Champion® PRO Standard Height Elongated Bowl	55 lb 25.1 kg	3195C101.020	White	260
Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	31 lb 14.1 kg	4225A104.020	White	230
Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right Hand Trip Lever Tank	31 lb 14.3 kg	4225A105.020	White	260
Champion® PRO 12-Inch Rough Toilet Tank Cover	8 lb 3.7 kg	735171-400.020	White	98
Left-Hand Trip Lever	0 lb 0.2 kg	>7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	⊳7381232-200.0130A	Polished Nickel	46
	0 lb 0.2 kg	>7381232-200.0200A	White	52
	0.∠ kg =	>7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb 0.1 kg	>7381232-200.2780A	Legacy Bronze	78
	0 lb	>7381232-200.2950A	Brushed Nickel	55
Right-Hand Trip Lever	0.2 kg -	>7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98

Parts Program (Non-Premier) Other seat options Additional tanks Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ♦



Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
 EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator™ flush valve
- 2-3/8" (60 mm) fully-glazed trapway 12" (305 mm) rough-in
- 10-year warranty

Nominal Dimensions:

30-1/4 in x 19 in x 29-3/8 in (768 mm x 482 mm x 746 mm)

Description	Net Wt	SKU	Color	List Price
Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated Toilet Less Seat		211CA004.020	White	490
Champion® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Right-Hand Trip Lever Elongated Toilet Less Seat	_	211CA005.020	White	520
Separate Components:				
Champion® PRO Standard Height Elongated Bowl	55 lb 25.1 kg	3195C101.020	White	260
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	31 lb 14.1 kg	4225A004.020	White	230
Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Right-Hand Trip Lever Tank		4225A005.020	White	260
Champion® PRO 12-Inch Rough Toilet Tank Cover	8 lb 3.7 kg	735171-400.020	White	98
Left-Hand Trip Lever	0 lb 0.2 kg	>7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	>7381232-200.0130A	Polished Nickel	46
	0 lb	>7381232-200.0200A	White	52
	0.2 kg	>7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb 0.1 kg	>7381232-200.2780A	Legacy Bronze	78
	0 lb	>7381232-200.2950A	Brushed Nickel	55
Right-Hand Trip Lever	0.2 kg -	>7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98

Parts Program (Non-Premier) Other seat options Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

♦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.



Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
 High efficiency toilet (HET), ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
 Meets EPA WaterSense® criteria
 PowerWash® rim helps clean bowl with each flush
 3" (76 mm) flush valve with 2" (51 mm) trapway for optimal flushing performance

- 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- Generous 9" x 8" (229 x 203 mm) water surface area
- Color-matched trip lever is supplied
- Limited lifetime warranty on chinaware, limited 2-year warranty on all mechanical parts, and limited 1-year warranty on seat which is purchased separately

Nominal Dimensions:

29-3/4 in x 17-15/16 in x 29-15/16 in (755 mm x 455 mm x 760 mm)



Description	Net Wt	SKU	Color	List Price
Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Chair-Heigh Elongated Toilet Less Seat	t	250AA104.020	White	330
Separate Components:				
Colony®3 Chair-Height Elongated Bowl	49 lb 22.4 kg	3437A101.020	White	223
Colony®3 1.28 gpf/4.8 Lpf Toilet Tank	27 lb 12.4 kg	4425A104.020	White	107
Colony/Evolution2/Colony®3 Toilet Tank Cover	7 lb 3.3 kg	735131-400.020	White	81
Left-Hand 30 Degree Plastic Toilet Trip Lever	0 lb 0.0 kg -	⊳047192-0020A	Polished Chrome	30
	0.0 kg =	⊳047192-0200A	White	25
Optional Components:				
Transitional Slow-Close Elongated Toilet Seat	2 lb 1.3 kg	5503A00B.020	White	57



Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency toilet (HET), ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
 Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- $\bullet\,3"$ (76 mm) flush valve with 2" (51 mm) trapway for optimal flushing performance
- 12" (305 mm) rough-in Generous 9" x 8" (229 x 203 mm) water surface area Color-matched trip lever is supplied
- Limited lifetime warranty on chinaware, limited 2-year warranty on all mechanical parts, and limited 1-year warranty on seat which is purchased separately

Nominal Dimensions:

29-3/4 in x 17-15/16 in x 28-7/16 in (755 mm x 455 mm x 722 mm)



Description	Net Wt	SKU	Color	List Price
Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Elongated Toilet Less Seat		250CA104.020	White	257
Separate Components:				
Colony®3 Standard Height Elongated Bowl	43 lb 19.6 kg	3437C101.020	White	150
Colony®3 1.28 gpf/4.8 Lpf Toilet Tank	27 lb 12.4 kg	4425A104.020	White	107
Colony/Evolution2/Colony®3 Toilet Tank Cover	7 lb 3.3 kg	735131-400.020	White	81
Left-Hand 30 Degree Plastic Toilet Trip Lever	0 lb	⊳047192-0020A	Polished Chrome	30
	0.0 kg	⊳047192-0200A	White	25
Optional Components:				
Transitional Slow-Close Elongated Toilet Seat	2 lb 1.3 kg	5503A00B.020	White	57



Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Round-Front Toilet Less Seat

- Combination bowl and tank, less seat
- High efficiency toilet (HET), ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
 Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- 3" (76 mm) flush valve with 2" (51 mm) trapway for optimal flushing performance
- 12" (305 mm) rough-in
- Generous 9" x 8" (229 x 203 mm) water surface area
- Color-matched trip lever is supplied
- Limited lifetime warranty on chinaware, limited 2-year warranty on all mechanical parts, and limited 1-year warranty on seat which is purchased separately

Nominal Dimensions:

27-13/16 in x 17-15/16 in x 28-7/16 in (706 mm x 455 mm x 722 mm)



Description	Net Wt	SKU	Color	List Price
Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Round-Front Toilet Less Seat	t	250DA104.020	White	214
Separate Components:				
Colony®3 Standard Height Round-Front Bowl	40 lb 18.4 kg	3437D101.020	White	107
Colony®3 1.28 gpf/4.8 Lpf Toilet Tank	27 lb 12.4 kg	4425A104.020	White	107
Colony/Evolution2/Colony®3 Toilet Tank Cover	7 lb 3.3 kg	735131-400.020	White	81
Left-Hand 30 Degree Plastic Toilet Trip Lever	0 lb	⊳047192-0020A	Polished Chrome	30
	0.0 kg -	⊳047192-0200A	White	25
Optional Components:				
Transitional Slow-Close Round-Front Toilet Seat	2 lb 1.2 kg	5503B00B.020	White	51

High Efficiency, Low Consumption - Full Flush (1.6 gpf/6.0 Lpf) - Conserving Flush (1.1 gpf/4.2 Lpf)



Edgemere® Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair-Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, low consumption, full flush (1.6 gpf/6.0 Lpf), conserving flush (1.1 gpf/4.2 Lpf)
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- Chrome top-of-tank push button actuator
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2" (51 mm) fully glazed trapway 9" x 8" (229 x 203 mm) water surface area
- Five-year warranty
- Design coordinates with Edgemere® suite

Nominal Dimensions:

30-3/16 in x 17 in x 31-1/8 in (766 mm x 431 mm x 790 mm)



Description	Net Wt	SKU	Color	List Pric
Edgemere® Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair-Height Elongated Toilet Less Seat		204AA200.020	White	437
Separate Components:				
Edgemere® Chair-Height Elongated Bowl	54 lb 24.7 kg	3519A101.020	White	224
Edgemere® Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf 12 in. Rough Tank	27 lb 12.4 kg	4519A200.020	White	213
Top-of-tank Actuator, Dual Flush	0 lb 0.1 kg	⊳7381092-202.0020A	Polished Chrome	8
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 ka	5257A65MT.020	White	71

Parts Program (Non-Premier) Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency, Low Consumption - Full Flush (1.6 gpf/6.0 Lpf) - Conserving Flush (1.1 gpf/4.2 Lpf)



Edgemere® Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair-Height Round-Front Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, low consumption, full flush (1.6 gpf/6.0 Lpf), conserving flush (1.1 gpf/4.2 Lpf)
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- Chrome top-of-tank push button actuator
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- •2" (51 mm) fully glazed trapway
- •9" x 8" (229 x 203 mm) water surface area
- Five-year warranty
- Design coordinates with Edgemere® suite

Nominal Dimensions:

28-3/16 in x 17 in x 31-1/8 in (715 mm x 431 mm x 790 mm)



Description	Net Wt	SKU	Color	List Pric
Edgemere® Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair-Height Round-Front Toilet Less Seat		204BA200.020	White	358
Separate Components:				
Edgemere® Chair-Height Round-Front Bowl	52 lb 23.6 kg	3519B101.020	White	145
Edgemere® Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf 12 in. Rough Tank	27 lb 12.4 kg	4519A200.020	White	213
Top-of-tank Actuator, Dual Flush	0 lb 0.1 kg	>7381092-202.0020A	Polished Chrome	8
Optional Components:				
Cardiff [™] Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White	65

▷ Parts Program (Non-Premier) Other seat options

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

americanstandard.com List Price Guide 2023-4

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- Chrome trip lever
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2" (51 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area 3" (76 mm) flush valve
- Five-year warranty
- Design coordinates with Edgemere® suite of fixtures

Nominal Dimensions:

30-3/16 in x 17 in x 31-1/8 in (766 mm x 431 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair- Height Elongated Toilet Less Seat		204AA104.020	White	360
Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair- Height Elongated Right-Hand Trip Lever Toilet Less Seat		204AA105.020	White	380
Separate Components:				
Edgemere® Chair-Height Elongated Bowl	54 lb 24.7 kg	3519A101.020	White	224
Edgemere® 1.28 gpf/4.8 Lpf 12 in. Rough Tank	27 lb 12.4 kg	4519A104.020	White	136
Edgemere® 1.28 gpf/4.8 Lpf 12 in. Rough Right- Hand Trip Lever Tank		4519A105.020	White	156
Edgemere® 12 in. Rough Toilet Tank Cover	6 lb 3.0 kg	735214-400.020	White	68
Left-Hand Trip Lever	0 lb	>7381741-200.0020A	Polished Chrome	42
	0.1 kg -	>7381741-200.2430A	Matte Black	50
	-	>7381741-200.2780A	Legacy Bronze	78
		>7381741-200.2950A	Brushed Nickel	59
Right-Hand Trip Lever	0 lb 0.2 kg	>7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

Parts Program (Non-Premier) Other seat options

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Edgemere® - SpaLet® Bundle

High Efficiency, Ultra-Low Consumption (1.28 gpf/4.8 Lpf)



AquaWash® 1.0 SpaLet® Bidet Seat and Edgemere® Chair Height Elongated 1.28 gpf/4.8 Lpf Toilet Combo

- Clean, graceful lines make it ideal for a powder room or a spa-like setting
- Chair height and elongated bowl for greater comfort
- High Efficiency Toilet (HET), ultra-low consumption (4.8 Lpf/1.28 gpf) utilizes 20% less water
- WaterSense® certified for water efficiency
 PowerWash® rim helps clean bowl with each flush
- Non-electric bidet feature with adjustable spray volume
- Independent self-cleaning dual nozzles for effective front and back cleansing
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- Manual Side Lever : Easy to operate

Nominal Dimensions:

30-3/16 in x 17 in x 31-1/8 in (766 mm x 431 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
AquaWash® 1.0 SpaLet® Bidet Seat and Edgemere® Chair Height Elongated 1.28 gpf/4.8 Lpf Toilet Combo		602AA001.020	White	506
Separate Components:				
Edgemere® Chair-Height Elongated Bowl	54 lb 24.7 kg	3519A101.020	White	224
Edgemere® 1.28 gpf/4.8 Lpf 12 in. Rough Tank	27 lb 12.4 kg	4519A104.020	White	136
AquaWash® 1.0 Non-Electric SpaLet® Bidet Seat With Manual Operation	4 lb 2.0 kg	5900A05GT.020	White	146

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Edgemere® - SpaLet® Bundle

High Efficiency, Ultra-Low Consumption (1.28 gpf/4.8 Lpf)



AquaWash® 2.0 SpaLet® Bidet Seat and Edgemere® Chair Height Elongated 1.28 gpf/4.8 Lpf Toilet Combo

- Clean, graceful lines make it ideal for a powder room or a spa-like setting
- Chair height and elongated bowl for greater comfort
- High Efficiency Toilet (HET), ultra-low consumption (4.8 Lpf/1.28 gpf) utilizes 20% less water
- WaterSense® certified for water efficiency
- PowerWash® rim helps clean bowl with each flush
- Independent self-cleaning dual nozzles for effective front and back cleansing
- Instant heating ensures constant availability of warm water
- Heated seat with two adjustable temperature for added comfort
- Adjustable water temperature of two temperature levels
- Soft night light guides you at night

Nominal Dimensions:

30-3/16 in x 17 in x 31-1/8 in (766 mm x 431 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
AquaWash® 2.0 SpaLet® Bidet Seat and Edgemere® Chair Height Elongated 1.28 gpf/4.8 Lpf Toilet Combo		602AA002.020	White	868
Separate Components:				
Edgemere® Chair-Height Elongated Bowl	54 lb 24.7 kg	3519A101.020	White	224
Edgemere® 1.28 gpf/4.8 Lpf 12 in. Rough Tank	27 lb 12.4 kg	4519A104.020	White	136
AquaWash® 2.0 Electric SpaLet® Bidet Seat With Manual Operation	7 lb 3.3 kg	8019A60GPC.020	White	508

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Round-Front Toilet Less Seat

- · Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- · Chrome trip lever
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- •2" (51 mm) fully glazed trapway
- •9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty
- Design coordinates with Edgemere® suite of fixtures

Nominal Dimensions:

28-3/16 in x 17 in x 31-1/8 in (715 mm x 431 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair- Height Round-Front Toilet Less Seat		204BA104.020	White	281
Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair- Height Round-Front Right-Hand Trip Lever Toilet Less Seat		204BA105.020	White	281
Separate Components:				
Edgemere® Chair-Height Round-Front Bowl	52 lb 23.6 kg	3519B101.020	White	145
Edgemere® 1.28 gpf/4.8 Lpf 12 in. Rough Tank	27 lb	4519A104.020	White	136
Edgemere® 1.28 gpf/4.8 Lpf 12 in. Rough Right- Hand Trip Lever Tank	− 12.4 kg −	4519A105.020	White	156
Edgemere® 12 in. Rough Toilet Tank Cover	6 lb 3.0 kg	735214-400.020	White	68
Left-Hand Trip Lever	0 lb	>7381741-200.0020A	Polished Chrome	42
	0.1 kg -	>7381741-200.2430A	Matte Black	50
	_	⊳7381741-200.2780A	Legacy Bronze	78
	_	>7381741-200.2950A	Brushed Nickel	59
Right-Hand Trip Lever	0 lb 0.2 kg	>7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Cardiff [™] Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White	65

Parts Program (Non-Premier)
Other seat options

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

americanstandard.com List Price Guide 2023-4

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- Chrome trip lever
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2" (51 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty
 Design coordinates with Edgemere® suite

Nominal Dimensions:

28-3/16 in x 18-7/8 in x 30-1/4 in (715 mm x 479 mm x 768 mm)



Description	Net Wt	SKU	Color	List Price
Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated 10-Inch Rough Toilet Less Seat		204AB104.020	White	391
Separate Components:				
Edgemere® Chair-Height Elongated Bowl	54 lb 24.7 kg	3519A101.020	White	224
Edgemere® 1.28 gpf/4.8 Lpf 10 in. Rough Tank	27 lb 12.3 kg	4519B104.020	White	167
Edgemere® 10 in. Rough Toilet Tank Cover	8 lb 4.1 kg	735213-400.020	White	66
Left-Hand Trip Lever	0 lb	>7381741-200.0020A	Polished Chrome	42
	0.1 kg -	>7381741-200.2430A	Matte Black	50
	_	>7381741-200.2780A	Legacy Bronze	78
	_	⊳7381741-200.2950A	Brushed Nickel	59
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

Parts Program (Non-Premier) Other seat options

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Round-Front 10-Inch Rough Toilet Less Seat

- · Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- · Chrome trip lever
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- •2" (51 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty
 Design coordinates with Edgemere® suite

Nominal Dimensions:

26-3/16 in x 18-7/8 in x 30-5/16 in (665 mm x 479 mm x 769 mm)



Description	Net Wt	SKU	Color	List Price
Edgemere® Two-Piece 1.28 gpf/4.8 Lpf Chair- Height Round-Front 10 in. Rough Toilet Less Seat		204BB104.020	White	345
Separate Components:				
Edgemere® Chair-Height Round-Front Bowl	52 lb 23.6 kg	3519B101.020	White	145
Edgemere® 1.28 gpf/4.8 Lpf 10 in. Rough Tank	27 lb 12.3 kg	4519B104.020	White	167
Edgemere® 10 in. Rough Toilet Tank Cover	8 lb 4.1 kg	735213-400.020	White	66
Left-Hand Trip Lever	0 lb 0.1 kg	>7381741-200.0020A	Polished Chrome	42
	0.1 kg =	>7381741-200.2430A	Matte Black	50
	_	>7381741-200.2780A	Legacy Bronze	78
	_	⊳7381741-200.2950A	Brushed Nickel	59
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White	65

Parts Program (Non-Premier) Other seat options

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

americanstandard.com List Price Guide 2023-4

H₂Optimum®

Ultra-High Efficiency (1.1 gpf/4.2 Lpf) Toilets



H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Chair Height Elongated Toilet Less Seat

- Siphonic action combination bowl and tank, less seat
- Ultra-High Efficiency Toilet (UHET) 1.1 gpf/4.2 Lpf
 Weets EPA WaterSense® and MaP PREMIUM criteria
 16-1/2" (419 mm) rim height
 12" (305 mm) rough-in
 Euro(Long® Aptimises high Conference

- EverClean® Antimicrobial Surface
 PowerWash® rim helps clean bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- · Chrome trip lever
- Sanitary dam on bowl
- 2" (51 mm) fully glazed trapway
- Two color-matched bolt caps
- Five-year warranty

Nominal Dimensions:

29-3/4 in x 15 in x 31-1/2 in (755 mm x 381 mm x 800 mm)





Description	Net Wt	SKU	Color	List Price
H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Chair Height Elongated Toilet Less Seat		288AA114.020	White	389
H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Chair Height Right-Hand Trip Lever Elongated Toilet Less Seat		288AA115.020	White	413
Separate Components:				
H2Option® and H2Optimum® Chair Height Elongated Bowl	45 lb 20.6 kg	3705216.020	White	249
H2Optimum® 1.1 gpf/4.2 Lpf 12-Inch Rough Tank	30 lb	4133A114.020	White	140
H2Optimum® 1.1 gpf/4.2 Lpf 12-Inch Rough Right- Hand Trip Lever Tank	13.9 kg =	4133A115.020	White	164
H2Option® ADA and H2Optimum® 12-Inch Rough Toilet Tank Cover	8 lb 3.9 kg	735177-400.020	White	91
Right-Hand Trip Lever	0 lb 0.2 kg	>7381232-201.2950A	Brushed Nickel	55
Optional Components:				
Cardiff [™] Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

Parts Program (Non-Premier)

Other seat options

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.



Ultra-High Efficiency (1.1 gpf/4.2 Lpf) Toilet



H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Standard Height Elongated Toilet Less Seat

- Siphonic action combination bowl and tank, less seat
 Ultra-High Efficiency Toilet (UHET) 1.1 gpf/4.2 Lpf
 Meets EPA WaterSense® and MaP PREMIUM criteria
- 12" (305 mm) rough-in
- EverClean® Antimicrobial Surface
- PowerWash® rimhelps clean bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- Chrome trip lever
- Sanitary dam on bowl
- 2" (51 mm) fully glazed trapway
 Two color-matched bolt caps
- Five-year warranty

Nominal Dimensions:

29-3/4 in x 15 in x 30 in (755 mm x 381 mm x 762 mm)





Description	Net Wt	SKU	Color	List Price
H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Standard Height Elongated Toilet Less Seat		288CA114.020	White	353
Separate Components:				
H2Option® and H2Optimum® Standard Height Elongated Bowl	43 lb 19.6 kg	3706216.020	White	213
H2Optimum® 1.1 gpf/4.2 Lpf 12-Inch Rough Tank	30 lb 13.9 kg	4133A114.020	White	140
H2Option® ADA and H2Optimum® 12-Inch Rough Toilet Tank Cover	8 lb 3.9 kg	735177-400.020	White	91
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

Parts Program (Non-Premier) Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

H₂Optimum®

Ultra-High Efficiency (1.1 gpf/4.2 Lpf) Toilet



H2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Standard Height Round Front Toilet Less Seat

- Siphonic action combination bowl and tank, less seat
- Ultra-High Efficiency Toilet (UHET) 1.1 gpf/4.2 Lpf
- Meets EPA WaterSense® and MaP PREMIUM criteria
- 12" (305 mm) rough-in
- EverClean® Ántimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- Chrome trip lever
- Sanitary dam on bowl
- 2" (51 mm) fully glazed trapway
 Two color-matched bolt caps
- Five-year warranty
- Round Front Toilet

Nominal Dimensions:

27-3/4 in x 15 in x 30 in (704 mm x 381 mm x 762 mm)





escription	Net Wt	SKU	Color	List Price
2Optimum® Two-Piece 1.1 gpf/4.2 Lpf Standard eight Round Front Toilet Less Seat		288DA114.020	White	289
eparate Components:				
2Option® and H2Optimum® Standard Height ound Front Bowl	41 lb 19.0 kg	3708216.020	White	149
20ptimum® 1.1 gpf/4.2 Lpf 12-Inch Rough Tank	30 lb 13.9 kg	4133A114.020	White	140
2Option® ADA and H2Optimum® 12-Inch Rough oilet Tank Cover	8 lb 3.9 kg	735177-400.020	White	91
ptional Components:				
ardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White	65
·		5259B65MT.020	White	

Parts Program (Non-Premier) Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.





H2Option® ADA Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Chair Height Elongated Toilet Less Seat

- Siphonic action dual flush combination bowl and tank, less seat
- High efficiency, low consumption, full flush (1.28 gpf/4.8 Lpf), conserving flush (0.92 gpf/3.5 Lpf)
- Meets EPA WaterSense® and MaP PREMIUM criteria
- 16-1/2" (419 mm) rim height
- 12" (305 mm) rough-in
- EverClean® Antimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- · ADA compliant configuration with left-hand trip lever
- Sanitary dam on bowl
- 2" (51 mm) fully glazed trapway
- Two color-matched bolt caps
- Five-year warranty

Nominal Dimensions:

29-3/4 in x 15 in x 31-1/2 in (755 mm x 381 mm x 800 mm)





Description	Net Wt	SKU	Color	List Price
H2Option® ADA Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Chair Height Elongated Toilet Less Seat		2886204.020	White	518
H2Option® ADA Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Chair Height Right-Hand Trip Lever Elongated Toilet Less Seat	-	2886205.020	White	524
Separate Components:				
H2Option® and H2Optimum® Chair Height Elongated Bowl	45 lb 20.6 kg	3705216.020	White	249
H2Option® ADA Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Tank	30 lb 13.9 kg	4133A204.020	White	269
H2Option® ADA Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Right Hand Trip Lever Tank		4133A205.020	White	275
H2Option® ADA and H2Optimum® 12-Inch Rough Toilet Tank Cover	8 lb 3.9 kg	735177-400.020	White	91
Left Hand Trip Lever	0 lb	⊳7381910-201.0020A	Polished Chrome	30
Right-Hand Trip Lever	- 0.2 kg -	⊳7381910-200.0020A	Polished Chrome	30
Optional Components:				
Cardiff [™] Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

Parts Program (Non-Premier)

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.





H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Chair Height Elongated Toilet Less Seat

- Siphonic action dual flush combination bowl and tank, less seat
- High efficiency, low consumption, full flush (1.28 gpf/4.8 Lpf), conserving flush (0.92 gpf/3.5 Lpf)
 Meets EPA WaterSense® and MaP PREMIUM criteria
- 16-1/2" (419 mm) rim height
- 12" (305 mm) rough-in
- EverClean® Ántimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- Chrome plated top-mounted push button actuator
- Sanitary dam on bowl
- 2" (51 mm) fully glazed trapway
 Two color-matched bolt caps
- Five-year warranty

Nominal Dimensions:

29-3/4 in x 1



15 in x 31-1/2 in (755 mm x 381 mm x 80	00 mm)			Centerchy LAPACO REY
1	Net Wt	SKU	Color	List Price
Two-Piece Dual Flush 1.28 gpf/4.8 Lpf		2886218.020	White	510

Description	Net Wt	SKU	Color	List Price
H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Chair Height Elongated Toilet Less Seat	:	2886218.020	White	510
H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Chair Height Elongated Toilet With Liner Less Seat		2886518.020	White	541
Separate Components:				
H2Option® and H2Optimum® Chair Height Elongated Bowl	45 lb 20.6 kg	3705216.020	White	249
H2Option® Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Tank	26 lb 12.2 kg	4133A218.020	White	261
H2Option® Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Lined Tank		4133A518.020	White	292
H2Option® Dual Flush 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735138-400.020	White	77
Top-of-Tank Actuator, Dual Flush	0 lb 0.1 kg	>7381092-201.0020A	Polished Chrome	8
Optional Components:				
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White	71

Parts Program (Non-Premier) Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.





H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Standard Height Elongated Toilet Less Seat

- Siphonic action dual flush combination bowl and tank, less seat
- High efficiency, low consumption, full flush (1.28 gpf/4.8 Lpf), conserving flush (0.92 gpf/3.5 Lpf)
- Meets EPA WaterSense® and MaP PREMIUM criteria
- 12" (305 mm) rough-in
- EverClean® Antimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area

Cardiff™ Slow-Close Elongated Toilet Seat

- Chrome plated top-mounted push button actuator
- Sanitary dam on bowl
- •2" (51 mm) fully glazed trapway
- Two color-matched bolt caps
- Five-year warranty



71

Nominal Dimensions:

29-3/4 in x 15 in x 30 in (755 mm x 381 mm x 762 mm)

Description	Net Wt	SKU	Color	List Price
H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Standard Height Elongated Toilet Less Seat		2887218.020	White	474
H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Standard Height Elongated Toilet With Liner Less Seat	. –	2887518.020	White	505
Separate Components:				
H2Option® and H2Optimum® Standard Height Elongated Bowl	43 lb 19.6 kg	3706216.020	White	213
H2Option® Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Tank	26 lb 12.2 kg	4133A218.020	White	261
H2Option® Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Lined Tank	. –	4133A518.020	White	292
H2Option® Dual Flush 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735138-400.020	White	77
Top-of-Tank Actuator, Dual Flush	0 lb 0.1 kg	⊳7381092-201.0020A	Polished Chrome	8

3 lb

1.5 kg

5257A65MT.020

White

▷ Parts Program (Non-Premier)
 Other seat options
 Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.





H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Standard Height Round Front Toilet Less Seat

- Siphonic action dual flush combination bowl and tank, less seat
- High efficiency, low consumption, full flush (1.28 gpf/4.8 Lpf), conserving flush (0.92 gpf/3.5 Lpf)
- Meets EPA WaterSense® and MaP PREMIUM criteria
- 12" (305 mm) rough-in
- EverClean® Ántimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 9" x 8" (229 x 203 mm) water surface area
- Chrome plated top-mounted push button actuator
- Sanitary dam on bowl
- 2" (51 mm) fully glazed trapway
 Two color-matched bolt caps
- Five-year warranty



Nominal Dimensions:

27-3/4 in x 15 in x 30 in (704 mm x 381 mm x 762 mm)



Description	Net Wt	SKU	Color	List Price
H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Standard Height Round Front Toilet Less Seat	į	2889218.020	White	410
H2Option® Two-Piece Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf Standard Height Round Front Toilet With Liner Less Seat	:	2889518.020	White	441
Separate Components:				
H2Option® and H2Optimum® Standard Height Round Front Bowl	41 lb 19.0 kg	3708216.020	White	149
H2Option® Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Tank	26 lb 12.2 kg	4133A218.020	White	261
H2Option® Dual Flush 1.28 gpf/4.8 Lpf and 0.92 gpf/3.5 Lpf 12-Inch Rough Lined Tank		4133A518.020	White	292
H2Option® Dual Flush 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735138-400.020	White	77
Top-of-Tank Actuator, Dual Flush	0 lb 0.1 kg	>7381092-201.0020A	Polished Chrome	8
Optional Components:				
Cardiff [™] Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White	65

Parts Program (Non-Premier) Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Heritage® VorMax®

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Heritage® VorMax® Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet less Seat

- Two patented flush valves and maximum rinsing power for the cleanest flush*
- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- · Classic American traditional styling
- CleanCurve® rim eliminates rim area where dirt and build-up hide
- 16-1/2" (419 mm) rim height for accessible applications
- 2-1/16" (52 mm) trapway
- Dual injection flush valves
- Chrome trip lever
 Two color-matched bolt caps
- 10-year warranty
- Design coordinates with Retrospect® suite

Nominal Dimensions:

30-1/4 in x 19-3/4 in x 30-13/16 in (768 mm x 501 mm x 782 mm)



Description	Net Wt	SKU	Color	List Price
Heritage® VorMax® Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet less Seat		205AA104.020	White	515
Separate Components:				
Heritage® VorMax® Chair Height Elongated Bowl	58 lb 26.3 kg	3870A101.020	White	262
Heritage VorMax 1.28 gpf/4.8 Lpf 12-Inch Rough Tank Only	31 lb 14.5 kg	4270A104.020	White	253
Heritage Vormax 12-in. Rough-In Toilet Tank Cover	7 lb 3.4 kg	735203-410.020	White	111
Left-Hand Trip Lever	0 lb 0.2 kg	>7381459-200.0020A	Polished Chrome	74
Optional Components:				
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5020A65G.020	White	131
Cadet® 3 Slow-Close Elongated Toilet Seat	4 lb 2.0 kg	5350110.020	White	81

Parts Program (Non-Premier)

^{*}Compared to American Standard Champion toilets.

Portsmouth® Champion® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Portsmouth® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
 High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator[™] flush valve
- 2-3/8" (60 mm) fully-glazed trapway
 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty
- Design coordinates with Portsmouth® suite of fixtures

Nominal Dimensions:

30-1/4 in x 16-5/8 in x 31-1/8 in (768 mm x 422 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
Portsmouth® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat		213AA104.020	White	630
Separate Components:				
Champion® PRO Chair Height Elongated Bowl	57 lb 25.9 kg	3195A101.020	White	303
Portsmouth® Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	30 lb 14.0 kg	4327A104.020	White	327
Portsmouth® Champion® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.5 kg	735202-400.020	White	103
Left-Hand Trip Lever	0 lb	>7381406-200.0020A	Polished Chrome	46
	0.3 kg -	>7381406-200.2240A	Oil Rubbed Bronze	94
	_	⊳7381406-200.2950A	Brushed Nickel	67
Optional Components:				
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5020A65G.020	White	131
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98

Parts Program (Non-Premier) Other seat options

Portsmouth® Champion® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Portsmouth® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet

- · Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface

- 4" (102 mm) piston-action Accelerator™ flush valve
 2-3/8" (60 mm) fully-glazed trapway
 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty
- Design coordinates with Portsmouth suite of fixtures and faucets
- Round Front Toilet Less Seat

Nominal Dimensions:

28-1/4 in x 16-5/8 in x 31-1/8 in (717 mm x 422 mm x 790 mm)



Description	Net Wt	SKU	Color	List Price
Portsmouth® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet		213BA104.020	White	574
Separate Components:				
Champion® PRO Chair Height Round Front Bowl	57 lb 25.9 kg	3195B101.020	White	247
Portsmouth® Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	30 lb 14.0 kg	4327A104.020	White	327
Portsmouth® Champion® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.5 kg	735202-400.020	White	103
Left-Hand Trip Lever	0 lb	⊳7381406-200.0020A	Polished Chrome	46
	0.3 kg -	>7381406-200.2240A	Oil Rubbed Bronze	94
	_	>7381406-200.2950A	Brushed Nickel	67
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Round Front Toilet Seat	3 lb 1.4 kg	5320B65CT.020	White	83

Parts Program (Non-Premier) Other seat options

Portsmouth® Champion® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Portsmouth® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
 High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator[™] flush valve
- 2-3/8" (60 mm) fully-glazed trapway 12" (305 mm) rough-in

- 10-year warranty
 Design coordinates with Portsmouth® suite of fixtures

Nominal Dimensions:

30-1/4 in x 16-5/8 in x 29-3/8 in (768 mm x 422 mm x 746 mm)



Description	Net Wt	SKU	Color	List Price
Portsmouth® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet Less Seat		213CA104.020	White	587
Separate Components:				
Champion® PRO Standard Height Elongated Bowl	55 lb 25.1 kg	3195C101.020	White	260
Portsmouth® Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	30 lb 14.0 kg	4327A104.020	White	327
Portsmouth® Champion® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.5 kg	735202-400.020	White	103
Left-Hand Trip Lever	0 lb	>7381406-200.0020A	Polished Chrome	46
	0.3 kg -	>7381406-200.2240A	Oil Rubbed Bronze	94
	_	⊳7381406-200.2950A	Brushed Nickel	67
Optional Components:				
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5020A65G.020	White	131
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98

Parts Program (Non-Premier) Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Retrospect® Champion® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Retrospect Champion PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet less Seat

- · Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface

- 4" (102 mm) piston-action Accelerator™ flush valve
 2-3/8" (60 mm) fully-glazed trapway
 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty
- Design coordinates with Retrospect® console table and pedestal sink

Nominal Dimensions:

30-1/4 in x 19-3/4 in x 31-1/2 in (768 mm x 501 mm x 800 mm)



Description	Net Wt	SKU	Color	List Price
Retrospect Champion PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet less Seat		212AA104.020	White	620
Separate Components:				
Champion® PRO Chair Height Elongated Bowl	57 lb 25.9 kg	3195A101.020	White	303
Retrospect® Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	32 lb 14.7 kg	4326A104.020	White	317
Retrospect® Champion® PRO 12-Inch Rough Toilet Tank Cover	9 lb 4.2 kg	735201-400.020	White	103
Left-Hand Trip Lever	0 lb	>7381406-200.0020A	Polished Chrome	46
	0.3 kg -	>7381406-200.2240A	Oil Rubbed Bronze	94
	-	>7381406-200.2950A	Brushed Nickel	67
Optional Components:				
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5020A65G.020	White	131
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98

Parts Program (Non-Premier)

Other seat options

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Retrospect® Champion® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Retrospect® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet

- Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator™ flush valve
- 2-3/8" (60 mm) fully-glazed trapway
 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty
- Design coordinates with Retrospect console table and pedestal sink

Nominal Dimensions:

28-1/4 in x 19-3/4 in x 31-1/2 in (717 mm x 501 mm x 800 mm)



Description	Net Wt	SKU	Color	List Price
Retrospect® Champion® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet		212BA104.020	White	564
Separate Components:				
Champion® PRO Chair Height Round Front Bowl	57 lb 25.9 kg	3195B101.020	White	247
Retrospect® Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	32 lb 14.7 kg	4326A104.020	White	317
Retrospect® Champion® PRO 12-Inch Rough Toilet Tank Cover	9 lb 4.2 kg	735201-400.020	White	103
Left-Hand Trip Lever	0 lb	>7381406-200.0020A	Polished Chrome	46
	0.3 kg	>7381406-200.2240A	Oil Rubbed Bronze	94
	-	⊳7381406-200.2950A	Brushed Nickel	67
Optional Components:				
Champion® Slow-Close & Easy Lift-Off Round Front Toilet Seat	3 lb 1.4 kg	5320B65CT.020	White	83

Retrospect® Champion® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Retrospect Champion PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet less Seat

- Combination bowl and tank, less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator™ flush valve 2-3/8" (60 mm) fully-glazed trapway 12" (305 mm) rough-in

- 10-year warranty
- Design coordinates with Retrospect® suite of fixtures and faucets

Nominal Dimensions:

30-1/4 in x 19-3/4 in x 30 in (768 mm x 501 mm x 762 mm)



Description	Net Wt	SKU	Color	List Price
Retrospect Champion PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet less Seat		212CA104.020	White	577
Separate Components:				
Champion® PRO Standard Height Elongated Bowl	55 lb 25.1 kg	3195C101.020	White	260
Retrospect® Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	32 lb 14.7 kg	4326A104.020	White	317
Retrospect® Champion® PRO 12-Inch Rough Toilet Tank Cover	9 lb 4.2 kg	735201-400.020	White	103
Left-Hand Trip Lever	0 lb	>7381406-200.0020A	Polished Chrome	46
	0.3 kg -	⊳7381406-200.2240A	Oil Rubbed Bronze	94
	_	⊳7381406-200.2950A	Brushed Nickel	67
Optional Components:				
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 kg	5020A65G.020	White	131
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98

Parts Program (Non-Premier) Other seat options Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Studio® S Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet
- · Combination bowl and tank, with seat
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl with smooth-sided, concealed trapway
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- Contemporary styling
- PowerWash® rim helps clean bowl with each flush
- 16-1/2" (419 mm) rim height for accessible applications
- 2-1/8" (54 mm) trapway
- 3" (76 mm) flush valve
- Chrome trip lever matches Studio S faucets and accessories
- Includes slow-close seat and cover with easy lift-off feature
 Two color-matched bolt hole covers
- 10-year warranty
- Design coordinates with Studio® S suite

Nominal Dimensions:

28 in x 18-7/8 in x 31 in (711 mm x 479 mm x 787 mm)



Description	Net Wt	SKU	Color	List Price
Studio® S Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat		226AA104.020	White	723
Studio® S Concealed Trapway 1.28 gpf/4.8 Lpf Right-Hand Trip Lever Chair Height Elongated Toilet With Slow Close Seat	-	226AA105.020	White	728
Separate Components:				
Studio® S Concealed Trapway Chair Height Elongated Toilet Bowl With Seat	80 lb 36.3 kg	3712A100.020	White	561
Studio® S Concealed Trapway 1.28 gpf Toilet Tank		4162A104.020	White	162
Studio® S Concealed Trapway 1.28 gpf Toilet Tank With Right-Hand Trip Lever	11.8 kg	4162A105.020	White	167
Studio® S 12-Inch Rough-In Toilet Tank Cover	7 lb 3.2 kg	735230-400.020	White	76
Left-Hand Trip Lever	0 lb	⊳7381920-200.0020A	Polished Chrome	30
	0.2 kg -	⊳7381920-200.2430A	Matte Black	58
	-	>7381920-200.2950A	Brushed Nickel	52

High Efficiency (1.6 gpf/6.0 Lpf) Full FLush - (1.1 gpf/4.2 Lpf) Conserving FlushToilet



Studio® Skirted Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet
- · Combination dual flush bowl and tank, with seat
- Siphon action jetted bowl with smooth-sided, concealed trapway
- 12" (305 mm) rough-in
- · High efficiency, low consumption, full flush (1.6 gpf/6.0 Lpf), conserving flush (1.1 gpf/4.2 Lpf), utilizes 31% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- PowerWash® rimhelps clean bowl with each flush
- 16-1/2" (419 mm) rim height
 2-1/8" (54 mm) fully glazed trapway
- 3" (76 mm) flush valve
- 9" x 8" (229 x 203 mm) water surface area
 Includes slow-close seat and cover with concealed seat ring and easy lift-off feature
- Chrome plated top-mounted push button actuator
- Two color-matched bolt hole covers
- Five-year warranty, one-year warranty on seat
- Design coordinates with Studio® lavatories

Nominal Dimensions:

30-1/4 in x 15-3/4 in x 30-3/4 in (768 mm x 400 mm x 781 mm)



Description	Net Wt	SKU	Color	List Price
Studio® Skirted Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair Height Elongated Toilet With Seat		2794204.020	White	680
Separate Components:				
Studio® Skirted Chair Height Elongated Bowl With Seat	72 lb 33.1 kg	3075120.020	White	517
Studio® Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf 12-Inch Rough Tank	29 lb 13.3 kg	4000204.020	White	163
Studio® Dual Flush 12-Inch Rough Toilet Tank Cover	10 lb 4.5 kg	735168-400.020	White	74
Telescoping Slow-Close Easy Lift-Off Elongated Toilet Seat	4 lb 2.0 kg	5025A65G.020	White	131
Top Mount Dual Flush Push Button	0 lb 0.1 kg	⊳7381203-201.0070A	No Finish	15

Parts Program (Non-Premier)

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.6 gpf/6.0 Lpf) Full FLush - (1.1 gpf/4.2 Lpf) Conserving FlushToilet



Studio Skirted Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair Height Round Front Toilet With Seat

- LXP® (Luxury Performance) toilet
- · Combination dual flush bowl and tank, with seat
- Siphon action jetted bowl with smooth-sided, concealed trapway
- 12" (305 mm) rough-in
- High efficiency, low consumption, full flush (1.6 gpf/6.0 Lpf), conserving flush (1.1 gpf/4.2 Lpf), utilizes 31% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 16-1/2" (419 mm) rim height
- 2-1/8" (54 mm) fully glazed trapway
- 3" (76 mm) flush valve
- 9" x 8" (229 x 203 mm) water surface area
- Includes slow-close seat and cover with concealed seat ring and easy lift-off feature for simple removal and reattachment for cleaning
- Chrome plated top-mounted push button actuator
- Two color-matched bolt hole covers
- Five-year warranty, one-year warranty on seat
- Design coordinates with Studio lavatories

Nominal Dimensions:

28-1/4 in x 15-3/4 in x 30-3/4 in (717 mm x 400 mm x 781 mm)



Description	Net Wt	SKU	Color	List Price
Studio Skirted Two-Piece Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf Chair Height Round Front Toilet With Seat		2795204.020	White	648
Separate Components:				
Studio® Skirted Chair Height Round Front Bowl With Seat	68 lb 31.1 kg	3053120.020	White	485
Studio® Dual Flush 1.6 gpf/6.0 Lpf and 1.1 gpf/4.2 Lpf 12-Inch Rough Tank	29 lb 13.3 kg	4000204.020	White	163
Studio® Dual Flush 12-Inch Rough Toilet Tank Cover	10 lb 4.5 kg	735168-400.020	White	74
Telescoping Slow-Close & Easy Lift-Off Round Front Toilet Seat	4 lb 1.9 kg	5025B65G.020	White	120
Top Mount Dual Flush Push Button	0 lb 0.1 kg	>7381203-201.0070A	No Finish	15

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

 $[\]triangleright$ Parts Program (Non-Premier)

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Town Square® S Skirted Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat

- LXP® (Luxury Performance) toilet
- · Combination bowl and tank, with seat
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl with smooth-sided, concealed trapway
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- · Classic American traditional styling
- PowerWash® rim helps clean bowl with each flush
- 16-1/2" (419 mm) rim height for accessible applications
- 2-1/8" (54 mm) trapway
- 3" (76 mm) flush valve
- Chrome trip lever matches Town Square® S faucets and accessories
- Includes slow-close seat and cover with easy lift-off feature
- Two color-matched bolt hole covers
- 10-year warranty
- Design coordinates with Town Square® S suite

Nominal Dimensions:

30-1/4 in x 16-5/8 in x 31 in (768 mm x 422 mm x 787 mm)



Description	Net Wt	SKU	Color	List Price
Town Square® S Skirted Two-Piece		281AA104.020	White	799
1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat		281AA104.222	Linen	1,001
Separate Components:				
Town Square® S Skirted Chair Height Elongated Bowl With Seat	83 lb	3851A101.020	White	431
	37.7 kg ⁻	3851A101.222	Linen	540
Town Square® S 1.28 gpf/4.8 Lpf 12-Inch Rough	28 lb	4216228.020	White	368
Tank	12.9 kg	4216228.222	Linen	461
Town Square® S 12-Inch Rough Toilet Tank Cover	9 lb 4.3 kg	735219-400.020	White	114
		735219-400.222	Linen	141
Traditional Slow-Close & Easy Lift-Off Elongated	6 lb 3.0 kg	5020A65G.020	White	131
Toilet Seat		5020A65G.222	Linen	162
Left-Hand Trip Lever	0 lb	⊳7381105-0020A	Polished Chrome	44
	0.3 kg -	⊳7381105-0130A	Polished Nickel	58
	_	>7381105-2240A	Oil Rubbed Bronze	109
	-	⊳7381105-2780A	Legacy Bronze	72
	_	⊳7381105-2950A	Brushed Nickel	63

Parts Program (Non-Premier)

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Town Square® S Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat

- LXP® (Luxury Performance) toilet
- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl with exposed trapway
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- EverClean® Antimicrobial Surface
- PowerWash® rim helps clean bowl with each flush
- 16-1/2" (419 mm) rim height for accessible applications
 2-1/8" (54 mm) trapway
- 3" (76 mm) flush valve
- Chrome trip lever supplied
 Includes EZ-Install tools and two color-matched bolt caps
- 10-year warranty
- Design coordinates with Town Square® S suite of fixtures and faucets

Nominal Dimensions:

29-3/4 in x 16-5/8 in x 31 in (755 mm x 422 mm x 787 mm)



Description	Net Wt	SKU	Color	List Price
Description	MELWI	JNU	COIOI	LISTFIIC
Town Square® S Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat		2917228.020	White	641
Separate Components:				
Town Square® S Chair Height Elongated Bowl	60 lb 27.4 kg	3271101.020	White	273
Town Square® S 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	28 lb 12.9 kg	4216228.020	White	368
Town Square® S 12-Inch Rough Toilet Tank Cover	9 lb 4.3 kg	735219-400.020	White	114
Left-Hand Trip Lever	0 lb	⊳7381105-0020A	Polished Chrome	44
	0.3 kg -	⊳7381105-0130A	Polished Nickel	58
	-	⊳7381105-2240A	Oil Rubbed Bronze	109
	-	⊳7381105-2780A	Legacy Bronze	72
	-	⊳7381105-2950A	Brushed Nickel	63
Optional Components:				
Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat	6 lb 3.0 ka	5020A65G.020	White	131

Triangle Cadet® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Triangle Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet

- Combination bowl and tank, less seat
- Provides corner toilet installation solution
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 12" (305 mm) rough-in
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area

Cardiff™ Slow-Close Elongated Toilet Seat

- 3" (76 mm) flush valve
- Color-matched trip lever
- Five-year warranty

Nominal Dimensions:

35-3/16 in x 19-3/8 in x 32-1/16 in (893 mm x 492 mm x 814 mm)



Description	Net Wt	SKU	Color	List Price
Triangle Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet		216AD104.020	White	550
Separate Components:				
Cadet® PRO Chair Height Elongated Toilet Bowl Only	55 lb 25.0 kg	3517A101.020	White	264
* Triangle Cadet® PRO 1.28 gpf /4.8 Lpf Triangle Tank	37 lb 16.8 kg	4189D104.020	White	286
* Triangle Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735143-400.020	White	117
Left-Hand Trip Lever	0 lb 0.0 kg	⊳7381297-200.0200A	White	17
Optional Components:				

3 lb

1.5 kg

5257A65MT.020

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor. Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

White

Parts Program (Non-Premier)

^{*} Tank and tank cover only are Premier

Triangle Cadet® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilet



Triangle Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet

- Combination bowl and tank, less seat
 Provides corner toilet installation solution
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim helps clean bowl with each flush
- · Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 12" (305 mm) rough-in
- 2-1/8" (54 mm) fully glazed trapway
- •9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Color-matched trip lever
- Five-year warranty

Nominal Dimensions:

33-3/16 in x 19-3/8 in x 32-1/16 in (842 mm x 492 mm x 814 mm)



Description	Net Wt	SKU	Color	List Price
Triangle Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet		216BD104.020	White	533
Separate Components:				
Cadet® PRO Chair Height Round Front Bowl	52 lb 23.9 kg	3517B101.020	White	247
*Triangle Cadet® PRO 1.28 gpf /4.8 Lpf Triangle Tank	37 lb 16.8 kg	4189D104.020	White	286
*Triangle Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735143-400.020	White	117
Left-Hand Trip Lever	0 lb 0.0 kg	>7381297-200.0200A	White	17
Optional Components:				
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White	65

Parts Program (Non-Premier)

^{*} Tank and tank cover only are Premier Other seat options



Ultra-High Efficiency (1.0 gpf/3.8 Lpf) Toilets



VorMax® Two-Piece 1.0 gpf/3.8 Lpf Chair Height Elongated Toilet Less Seat

- Two patented flush valves and maximum rinsing power for the cleanest flush*
- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl
 Ultra-high efficiency toilet (UHET) 1.0 gpf/3.8 Lpf
- Meets EPA WaterSense® and MaP Premium criteria
- EverClean® Antimicrobial Surface
- Transitional styling
- CleanCurve® rim eliminates rim area where dirt and build-up hide
- 16-1/2" (419 mm) rim height for accessible applications
- 2-1/16" (52 mm) trapway
- Dual injection flush valves
- Chrome trip leverTwo color-matched bolt caps
- 10-year warranty

Nominal Dimensions:

30-3/16 in x 17-7/8 in x 32-1/4 in (766 mm x 454 mm x 819 mm)





Description	Net Wt	SKU	Color	List Price
VorMax® Two-Piece 1.0 gpf/3.8 Lpf Chair Height Elongated Toilet Less Seat		238AA114.020	White	504
Separate Components:				
VorMax® Chair Height Elongated Bowl	57 lb 25.9 kg	3385A101.020	White	262
VorMax® 1.0 gpf/3.8 Lpf 12-Inch Rough Tank Only	36 lb 16.5 kg	4385A114.020	White	242
VorMax [®] 12-Inch Rough Toilet Tank Cover	8 lb 3.6 kg	735216-400.020	White	111
Left-Hand Trip Lever	0 lb 0.1 kg	>7381740-200.0020A	Polished Chrome	73
		>7381740-200.0130A	Polished Nickel	80
	_	>7381740-200.2780A	Legacy Bronze	107
	_	⊳7381740-200.2950A	Brushed Nickel	86
Optional Components:				
Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat for VorMax® CleanCurve® Style Rims	3 lb 1.7 kg	5055A65C.020	White	108

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Parts Program (Non-Premier)

^{*}Compared to American Standard Champion toilets.



High Efficiency (1.28 gpf/4.8 Lpf) Toilet



VorMax® Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat

- Two patented flush valves and maximum rinsing power for the cleanest flush*
- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Chair Height elongated siphon action bowl
- High efficiency toilet (HET) 1.28 gpf/4.8 Lpf
- Meets EPA WaterSense®
- EverClean® Antimicrobial Surface
- Transitional styling
- CleanCurve® rim eliminates rim area where dirt and build-up hide
- 16-1/2" (419 mm) rim height for accessible applications
- 2-1/16" (52 mm) trapway
- Dual injection flush valves
- Chrome trip lever
 Two color-matched bolt caps
- 10-year warrantyMeets MaP Premium criteria

Nominal Dimensions:

30-3/16 in x 17-7/8 in x 32-1/4 in (766 mm x 454 mm x 819 mm)



Description	Net Wt	SKU	Color	List Price
VorMax® Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat		238AA104.020	White	504
Separate Components:				
VorMax® Chair Height Elongated Bowl	57 lb 25.9 kg	3385A101.020	White	262
VorMax® 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	36 lb 16.7 kg	4385A104.020	White	242
VorMax® 12-Inch Rough Toilet Tank Cover	8 lb 3.6 kg	735216-400.020	White	111
Left-Hand Trip Lever	0 lb	>7381740-200.0020A	Polished Chrome	73
	0.1 kg -	>7381740-200.0130A	Polished Nickel	80
	_	>7381740-200.2780A	Legacy Bronze	107
	_	>7381740-200.2950A	Brushed Nickel	86
Optional Components:				
Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat for VorMax® CleanCurve® Style Rims	3 lb 1.7 kg	5055A65C.020	White	108

Parts Program (Non-Premier)

^{*}Compared to American Standard Champion toilets.





Cadet® Three-Hole Deck Mount Fitting Bidet Bowl

- Integral overflow
- Two color-matched bolt caps

- For through-the-floor outlet
 Design-matched to Cadet® and Champion® toilets
 For deck mount fitting only: flushing rim and vertical cleansing spray
 Suggested bidet fitting (not included): Serin® 2064401.002

Nominal Dimensions:

25-3/4 in x 15-3/8 in x 14-7/8 in (654 mm x 390 mm x 377 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® Three-Hole Deck Mount Fitting Bidet Bowl	42 lb 19.1 kg	5023100.020	White	665
Optional Components:				
Serin® Fixture-Mounted Bidet Fitting	8 lb 4.1 kg	2064401.002	Polished Chrome	766



Cadet® Monoblock Deck Mount Fitting Bidet Bowl

- Integral overflow
- Two color-matched bolt caps
- For through-the-floor outlet
- Design-matched to Cadet® and Champion® toilets

Nominal Dimensions:

25-3/4 in x 15-3/8 in x 14-7/8 in (654 mm x 390 mm x 377 mm)



Description	Net Wt	SKU	Color	List Price
Cadet® Monoblock Deck Mount Fitting Bidet Bowl	42 lb 19.1 kg	5023111.020	White	276
Optional Components:				
Serin® Monoblock Bidet Fitting	5 lb 2.3 kg	2064011.002	Polished Chrome	363

List Price Guide 2023-4 americanstandard.com

Dual Flush (1.32 - 0.92 gpf/4.9 - 3.4 Lpf) Toilet



Advanced Clean® 100 1.32 gpf/4.9 Lpf and 0.92 gpf/3.4 Lpf SpaLet® Bidet Toilet

- Independent self-cleaning dual nozzles for effective front and back cleansing
- Automatic open/slow-close lid and seat for touchless experience
 Warm air dryer with three adjustable temperature reduces the need for toilet paper
- Adjustable, automatic flush setting (off, 2, 6, 10, 15 second delay options)
- Heated seat with five adjustable temperature for added comfort
- · Adjustable water controls: water pressure of six levels plus a massage, oscillation and mild spray feature
- Adjustable water temperature of five temperature levels
- Deodorizer: Air Shield, Room Refresh and Blue Light technology cleans the air in and around the bowl
- Soft night light guides you at night
- External manual flush button
- Nozzle Shutter keeps nozzles clean and hygienic
- Eco-friendly one-touch power save mode
- Intuitive remote control for easy operation
- In-line easy to access water strainer
- ADA compliant
- WaterSense® dual flush 1.32 0.92 gpf /4.9 3.4 Lpf
- Power Stream Flush: Double vortex flush with siphon jet
- Three-year warranty

Nominal Dimensions:

25-1/6 in x 14-3/4 in x 20-5/8 in (639 mm x 374 mm x 523 mm)



Description	Net Wt	SKU	Color	List Price
Advanced Clean® 100 1.32 gpf/4.9 Lpf and 0.92 gpf/3.4 Lpf SpaLet® Bidet Toilet		297AA204-291	Alabaster White	4,568
Separate Components:				
Advanced Clean 100 SpaLet Bidet Toilet Bowl	46 lb 21.1 kg	3970A101-291	Alabaster White	1,112
Advanced Clean 100 SpaLet Bidet Toilet Seat Unit	15 lb 7.1 kg	8017A60GRC-291	Alabaster White	3,456

List Price Guide 2023-4 americanstandard.com



Advanced Clean® 1.0 Electric SpaLet® Bidet Seat With Side Panel Operation

- Independent self-cleaning dual nozzles for effective front and back cleansing
- · Adjustable heated seat: three pre-set and two additional temperature levels for added comfort
- Adjustable water controls: water pressure of three pre-set and two additional levels plus a massage and oscillation spray feature
- Adjustable water temperature of three pre-set and two additional temperature levels
- Active charcoal deodorizer reduces odors in the bowl
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- Nozzle Shutter keeps nozzles clean and hygienic
- Eco-friendly one-touch power save mode
- Intuitive side panel remote control for easy operation
- 6-13/16" (173 mm) seat height
- Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets
 Removable nozzle tips for additional cleaning

Nominal Dimensions:

21-1/8 in x 18-3/8 in x 6-13/16 in (536 mm x 466 mm x 173 mm)



Description	Net Wt	SKU	Color	List Price
Advanced Clean® 1.0 Electric SpaLet® Bidet Seat With Side Panel Operation	9 lb 4.1 kg	8013A80GPC-020	White	562
Separate Components:				
Mounting Kit Advanced Clean Bidet Seats	0 lb 0.2 kg	>760241-200.0070A	No Finish	32



Advanced Clean® 2.0 Electric SpaLet® Bidet Seat With Remote Operation

- Independent self-cleaning dual nozzles for effective front and back cleansing
- Heated seat with five adjustable temperature for added comfort
- · Adjustable water controls: water pressure of six levels plus a massage and oscillation spray feature
- Adjustable water temperature of five temperature levels
- Active charcoal deodorizer reduces odors in the bowl
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- Nozzle shutter keeps nozzles clean and hygienic
- Eco-friendly one-touch power save mode
- Intuitive remote control for easy operation
- 6-13/16" (173 mm) seat height
- Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets
- Removable nozzle tips for additional cleaning

Nominal Dimensions:

21-1/8 in x 17-3/16 in x 6-13/16 in (536 mm x 436 mm x 173 mm)



Description	Net Wt	SKU	Color	List Price
Advanced Clean® 2.0 Electric SpaLet® Bidet Seat With Remote Operation	9 lb 4.4 kg	8012A80GRC-020	White	680
Separate Components:				
Mounting Kit Advanced Clean Bidet Seats	0 lb 0.2 kg	⊳760241-200.0070A	No Finish	32



Advanced Clean® 2.5 Electric SpaLet® Bidet Seat With Remote Operation

- Independent self-cleaning dual nozzles for effective front and back cleansing
- · Instant heating ensures constant availability of warm water
- Warm air dryer with three adjustable temperature reduces the need for toilet paper
- · Heated seat with five adjustable temperature for added comfort
- Adjustable water controls: water pressure of six levels plus a massage and oscillation spray feature
- Adjustable water temperature of five temperature levels
- Active charcoal deodorizer reduces odors in the bowl
- Soft night light guides you at night
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- Nozzle Shutter keeps nozzles clean and hygienic
- Eco-friendly one-touch power save mode
- Intuitive remote control for easy operation
- Slim 5-1/2" (140 mm) seat height
- Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets
- · Removable nozzle tips for additional cleaning

Nominal Dimensions:

21-1/8 in x 17 in x 5-1/2 in (536 mm x 431 mm x 139 mm)



Description	Net Wt	SKU	Color	List Price
Advanced Clean® 2.5 Electric SpaLet® Bidet Seat With Remote Operation	16 lb 7.6 kg	8012A60GRC-020	White	1,096
Separate Components:				
Mounting Kit Advanced Clean Bidet Seats	0 lb 0.2 kg	>760241-200.0070A	No Finish	32



Advanced Clean® 3.0 Electric SpaLet® Bidet Seat With Remote Operation

- Independent self-cleaning dual nozzles for effective front and back cleansing
- Instant heating ensures constant availability of warm water
- Warm air dryer with three adjustable temperature reduces the need for toilet paper
- Heated seat with five adjustable temperature for added comfort
- · Adjustable water controls: water pressure of six levels plus a massage, oscillation and mild spray feature
- Adjustable water temperature of five temperature levels
- Air Shield Deodorizer deodorizes odor in the bowl
- "No Slam" slow-close seat and lid for user
- Pre-mist wets the bowl surface to reduce waste build-up
- One-push removable seat for easier cleaning of the seat and bowl
- Nozzle Shutter keeps nozzles clean and hygienic
- Eco-friendly one-touch power save mode
- Intuitive remote control for easy operation
- Ultra slim 4-1/16" (104 mm) seat height
 Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets
- Removable nozzle tips for additional cleaning

Nominal Dimensions:

21-5/16 in x 16-1/4 in x 4-1/16 in (541 mm x 412 mm x 103 mm)



Description	Net Wt	SKU	Color	List Price
Advanced Clean® 3.0 Electric SpaLet® Bidet Seat With Remote Operation	11 lb 5.3 kg	8018A60GRC-020	White	1,818
Separate Components:				
Mounting Kit	0 lb 0.4 kg	⊳760287-401.0070A	No Finish	138

AquaWash®



AquaWash® Slim Non-Electric SpaLet® Bidet Seat With Manual Operation

- Non-electric bidet feature with adjustable spray volume
- Independent self-cleaning dual nozzles for effective front and back cleansing
- Slim 2-3/16 (55 mm) seat height
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- "Nozzle Shutter" keeps nozzles clean and hygienic
- Removable nozzle tips for additional cleaning
- Ergonomically designed handle for intuitive operation
- Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets

Nominal Dimensions:

19-5/16 in x 14-9/16 in x 2-3/16 in (490 mm x 369 mm x 55 mm)



Description	Net Wt	SKU	Color	List Price
AquaWash® Slim Non-Electric SpaLet® Bidet Seat With Manual Operation	4 lb 2.0 kg	8033A65G.020	White	229
Separate Components:				
AquaWash® Slim Seat Mounting Kit	0 lb 0.1 kg	>760-06-0046.0070A	No Finish	17



AquaWash® 1.0 Non-Electric SpaLet® Bidet Seat With Manual Operation

- Non-electric bidet feature with adjustable spray volume
- Independent self-cleaning dual nozzles for effective front and back cleansing
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- Manual side lever: easy to operate
- •2-7/16" (62 mm) seat height
- Seamless telescoping lid design to conceal the seat ring
- Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets
- · Removable nozzle tips for additional cleaning

Nominal Dimensions:

19-11/16 in x 14-9/16 in x 2-7/16 in (500 mm x 369 mm x 61 mm)



Description	Net Wt	SKU	Color	List Price
AquaWash® 1.0 Non-Electric SpaLet® Bidet Seat With Manual Operation	4 lb 2.0 kg	5900A05GT.020	White	146
Separate Components:				
Mounting Kit Aquawash Spalet Seats	0 lb 0.1 kg	>760242-200.0070A	No Finish	32



AquaWash® 2.0 Electric SpaLet® Bidet Seat With Manual Operation

- Independent self-cleaning dual nozzles for effective front and back cleansing
- Instant heating ensures constant availability of warm water
- · Heated seat with two adjustable temperature for added comfort
- Adjustable water temperature of two temperature levels
- Soft night light guides you at night
- "No Slam" slow-close seat and lid for user convenience
- One-push removable seat for easier cleaning of the seat and bowl
- Manual side lever: easy to operate
 Ultra low 3-¾" (95 mm) seat height
- Seamless telescoping lid design to conceal the seat ring
- Includes mounting hardware, water supply hose and seat
- Fits most conventional elongated toilets
- · Removable nozzle tips for additional cleaning

Nominal Dimensions:

20 in x 14-3/4 in x 3-3/4 in (508 mm x 374 mm x 95 mm)



Description	Net Wt	SKU	Color	List Price
AquaWash® 2.0 Electric SpaLet® Bidet Seat With Manual Operation	7 lb 3.3 kg	8019A60GPC.020	White	508
Separate Components:				
Mounting Kit Aquawash Spalet Seats	0 lb 0.1 kg	⊳760242-200.0070A	No Finish	32



Cadet® 3 Slow-Close Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
- EverClean® Antimicrobial Surface
- · Sanitary lift tab allows user to raise the seat with ease
- Fits most conventional elongated toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Traditional design

Nominal Dimensions:

18-13/16 in x 14-7/16 in x 2-3/16 in (477 mm x 366 mm x 55 mm)

Description	Net Wt	SKU	Color	List Price
Cadet® 3 Slow-Close Elongated Toilet Seat	4 lb	5350110.020	White	81
	2.0 kg	5350110.021	Bone	110
	_	5350110.222	Linen	110
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	>760087-0070A	No Finish	9



Cadet® 3 Slow-Close Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- EverClean® Antimicrobial Surface
- Sanitary lift tab allows user to raise the seat with ease
- Fits most conventional round front toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Traditional design

Nominal Dimensions:

16-11/16 in x 14-3/16 in x 2-1/4 in (423 mm x 360 mm x 57 mm)

Net Wt	SKU	Color	List Price
3 lb	5345110.020	White	79
1.7 Kg	5345110.021	Bone	104
_	5345110.222	Linen	104
0 lb 0.0 kg	⊳760087-0070A	No Finish	9
	3 lb 1.7 kg	3 lb 5345110.020 1.7 kg 5345110.021 5345110.222 0 lb ⊳760087-0070A	3 lb 5345110.020 White 1.7 kg 5345110.021 Bone 5345110.222 Linen 0 lb ⊳760087-0070A No Finish



Cardiff™ Slow-Close Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
- EverClean® Antimicrobial Surface
- Fits most conventional elongated toilets
- Bottom mounting hardware with Quick connect nut included to expedite installation
- Made from Polypropylene Plastic

Nominal Dimensions:

18-11/16 in x 13-7/8 in x 2-1/4 in (474 mm x 352 mm x 57 mm)

Description	Net Wt	SKU	Color	List Price
Cardiff [™] Slow-Close Elongated Toilet Seat	3 lb 1.5 kg -	5257A65MT.020	White	71
		5257A65MT.021	Bone	78
		5257A65MT.222	Linen	78
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	⊳760219-100.0070A	No Finish	6



Cardiff™ Slow-Close Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- EverClean® Antimicrobial Surface
- Fits most conventional round front toilets
- Bottom mounting hardware with Quick connect nut included to expedite installation
- Made from Polypropylene Plastic

Nominal Dimensions:

16-5/8 in x 14-3/16 in x 2-1/4 in (422 mm x 360 mm x 57 mm)

Description	Net Wt	SKU	Color	List Price
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg =	5259B65MT.020	White	65
		5259B65MT.021	Bone	71
		5259B65MT.222	Linen	71
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	>760219-100.0070A	No Finish	6



Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
 Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
 EverClean® Antimicrobial Surface
- Fits most conventional elongated toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Attractive design coordinates with popular bathroom decor

Nominal Dimensions:

18-11/16 in x 14-1/16 in x 2-5/16 in (474 mm x 357 mm x 58 mm)

Description	Net Wt	SKU	Color	List Price
Champion® Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb 1.6 kg	5321A65CT.020	White	98
		5321A65CT.021	Bone	123
	_	5321A65CT.222	Linen	123
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	>760219-100.0070A	No Finish	6



Champion® Slow-Close & Easy Lift-Off Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- EverClean® Antimicrobial Surface
- Fits most conventional round front toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Attractive design coordinates with popular bathroom decor

Nominal Dimensions:

16-13/16 in x 14-5/16 in x 2-5/16 in (427 mm x 363 mm x 58 mm)

Description	Net Wt	SKU	Color	List Price
Champion® Slow-Close & Easy Lift-Off Round Front Toilet Seat	3 lb	5320B65CT.020	White	83
	1.4 kg	5320B65CT.021	Bone	110
		5320B65CT.222	Linen	110
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	⊳760219-100.0070A	No Finish	6

Parts Program (Non-Premier)

americanstandard.com List Price Guide 2023-4




Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat for VorMax® CleanCurve® Style Rims

- "No Slam" slow-close seat and lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- · Sanitary lift tab allows user to raise the seat with ease
- Fits elongated VorMax® CleanCurve® style rim toilets
 Unique bumpers designed for added stability to reduce movement of the seat
- Bottom mounting hardware included
- Made from Polypropylene Plastic
 Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

18-3/16 in x 14-3/4 in x 2 in (461 mm x 374 mm x 50 mm)

Description	Net Wt	SKU	Color	List Price
Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat for VorMax® CleanCurve® Style Rims	3 lb	5055A65C.020	White	108
	1.7 kg	5055A65C.021	Bone	120
		5055A65C.222	Linen	141
Separate Components:				
Seat Mounting Kit	0 lb	⊳760218-101.0210A	Bone	8
	0.1 kg -	>760218-101.2220A	Linen	8



- "No Slam" slow-close seat and lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- · Sanitary lift tab allows user to raise the seat with ease
- · Fits most conventional elongated toilets
- Flat bumpers designed for universal fit
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

18-3/16 in x 14-3/4 in x 2 in (461 mm x 374 mm x 50 mm)

Description	Net Wt	SKU	Color	List Price
Contemporary Slow-Close & Easy Lift-Off Elongated Toilet Seat	3 lb	5055A65PT.020	White	107
	1.7 kg	5055A65PT.021	Bone	114
		5055A65PT.222	Linen	114
Separate Components:				
Seat Mounting Kit	0 lb	>760218-101.0210A	Bone	8
	0.1 kg -	⊳760218-101.2220A	Linen	8



Contemporary Slow-Close & Easy Lift-Off Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- Sanitary lift tab allows user to raise the seat with ease
- Fits most conventional round front toilets
- Flat bumpers designed for universal fit
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

16-15/16 in x 14-3/4 in x 1-15/16 in (430 mm x 374 mm x 49 mm)

Description	Net Wt	SKU	Color	List Price
Contemporary Slow-Close & Easy Lift-Off Round Front Toilet Seat	3 lb	5055B65PT.020	White	99
	1.5 kg - -	5055B65PT.021	Bone	107
		5055B65PT.222	Linen	107
Separate Components:				
Seat Mounting Kit	0 lb	>760218-101.0210A	Bone	8
	0.1 kg -	>760218-101.2220A	Linen	8



Laurel Elongated Wood Toilet Seat

- High-gloss, molded wood seat and cover
 - Color-matched hinges
- Fits most conventional elongated toilets
- Bottom mounting hardware included

Nominal Dimensions:

18-3/4 in x 13-7/8 in x 2-1/2 in (476 mm x 352 mm x 63 mm)

Description	Net Wt	SKU	Color	List Price
Laurel Elongated Wood Toilet Seat	7 lb 3.2 kg	5311012.020	White	53



Telescoping Slow-Close Easy Lift-Off Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- Telescoping cover conceals seat when closed
- Top-mounting transitional styled seat with cover can be installed from top of toilet bowl
- Fits most conventional elongated toilets
 Top and bottom mounting hardware included
- Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

18-9/16 in x 14-5/16 in x 2-1/16 in (471 mm x 363 mm x 52 mm)



Description	Net Wt	SKU	Color	List Price
Telescoping Slow-Close Easy Lift-Off Elongated	4 lb 2.0 kg	5025A65G.020	White	131
Toilet Seat		5025A65G.222	Linen	162
Separate Components:				
Seat Mounting Kit	0 lb	⊳760234-100.0200A	White	21
	0.2 kg	>760234-100.2220A	Linen	21



Telescoping Slow-Close & Easy Lift-Off Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- · Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- Telescoping cover conceals seat when closed
- Top-mounting transitional styled seat with cover can be installed from top of toilet bowl
- Fits most conventional round front toilets
- Top and bottom mounting hardware included
- Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

16-11/16 in x 14-7/16 in x 2-3/16 in (423 mm x 366 mm x 55 mm)



Description	Net Wt	SKU	Color	List Price
Telescoping Slow-Close & Easy Lift-Off Round	4 lb	5025B65G.020	White	120
Front Toilet Seat	1.9 kg	5025B65G.222	Linen	150
Separate Components:				
Seat Mounting Kit	0 lb	>760234-100.0200A	White	21
	0.2 kg -	⊳760234-100.2220A	Linen	21



Traditional Slow-Close & Easy Lift-Off Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
 Ever-Clean® Antimicrobial Surface
- Top-mounting traditional styled seat with cover can be installed from top of toilet bowl
- Fits most conventional elongated toilets
- Top and bottom mounting hardware included
- Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

18-9/16 in x 14-1/8 in x 2-1/4 in (471 mm x 358 mm x 57 mm)



Description	Net Wt	SKU	Color	List Price
Traditional Slow-Close & Easy Lift-Off Elongated	6 lb	5020A65G.020	White	131
Toilet Seat	3.0 kg -	5020A65G.222	Linen	162
Separate Components:				
Seat Mounting Kit	0 lb 0.2 kg -	⊳760234-100.0200A	White	21
		>760234-100.2220A	Linen	21



Traditional Slow-Close & Easy Lift-Off Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- Top-mounting traditional styled seat with cover can be installed from top of toilet bowl
- Fits most conventional round front toilets • Top and bottom mounting hardware included
- Made from Polypropylene Plastic • Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

16-11/16 in x 14-1/8 in x 2-5/16 in (423 mm x 358 mm x 58 mm)



Description	Net Wt	SKU	Color	List Price
Traditional Slow-Close & Easy Lift-Off Round	4 lb	5020B65G.020	White	120
Front Toilet Seat	2.1 kg -	5020B65G.222	Linen	150
Separate Components:				
Seat Mounting Kit	0 lb	>760234-100.0200A	White	21
	0.2 kg	>760234-100.2220A	Linen	21



Transitional Slow-Close Elongated Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Fits most conventional elongated toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic
 Transitional design

Nominal Dimensions:

18-5/8 in x 14-3/16 in x 1-5/8 in (473 mm x 360 mm x 41 mm)



Description	Net Wt	SKU	Color	List Price
Transitional Slow-Close Elongated Toilet Seat	2 lb	5503A00B.020 5503A00B.021	White	57
	1.3 kg		Bone	53
	_	5503A00B.222	Linen	57
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	⊳760225-100.0070A	No Finish	6



Transitional Slow-Close Round-Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Fits most conventional round front toilets
- Bottom mounting hardware included
- Made from Polypropylene Plastic
- Transitional design

Nominal Dimensions:

16-5/8 in x 14-3/16 in x 1-5/8 in (422 mm x 360 mm x 41 mm)



Description	Net Wt	SKU	Color	List Price
Transitional Slow-Close Round-Front Toilet Seat	2 lb	5503B00B.020	White	51
	1.2 kg			
Separate Components:				
Bottom Mount Seat Mounting Kit	0 lb 0.0 kg	>760225-100.0070A	No Finish	6



Transitional Slow-Close & Easy Lift-Off Elongated Toilet Seat

- "No Slam" slow-close seat and lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required
- Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
- EverClean® Antimicrobial Surface
- Top-mounting transitional styled seat with cover can be installed from top of toilet bowl
- Fits most conventional elongated toilets
- Top and bottom mounting hardware included
 Made from Polypropylene Plastic
- Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

18-9/16 in x 14-1/8 in x 2-1/8 in (471 mm x 358 mm x 53 mm)



Description	Net Wt	SKU	Color	List Price
Transitional Slow-Close & Easy Lift-Off Elongated	6 lb 5024A65G.020 3.0 kg 5024A65G.222	5024A65G.020	White	131
Toilet Seat		5024A65G.222	Linen	162
Separate Components:				
Seat Mounting Kit	0 lb	>760234-100.0200A White		21
	0.2 kg -	>760234-100.2220A	Linen	21



Transitional Slow-Close & Easy Lift-Off Round Front Toilet Seat

- "No Slam" slow-close seat & lid for user convenience
- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Required

- Lift to release Easy Clean hinge for easier cleaning of the seat & bowl No Tools Require
 Ever-Tite® locking hinge system, engineered to reduce the seat from shifting side to side
 EverClean® Antimicrobial Surface
 Top-mounting transitional styled seat with cover can be installed from top of toilet bowl
 Fits most conventional round front toilets
 Top and bottom mounting hardware included
 Made from Polypropylene Plastic
 Easy Close, Easy Lift, Easy Clean

Nominal Dimensions:

16-11/16 in x 14-1/8 in x 2-3/16 in (423 mm x 358 mm x 55 mm)



Description	Net Wt	SKU	Color	List Price
Transitional Slow-Close & Easy Lift-Off Round Front Toilet Seat	4 lb 2.1 kg	5024B65G.020	White	120
		5024B65G.222	Linen	150
Separate Components:				
Seat Mounting Kit	0 lb	⊳760234-100.0200A	White	21
	0.2 kg	>760234-100.2220A	Linen	21

Toilet Trip Levers



Top-of-Tank Actuator, Dual Flush

- Dual flush push button actuator, top mount assembly for Boulevard® one-piece toilet
- ABS plastic button
- Plastic arm
- Specify color when ordering
- Kit consists of dual flush actuator and tightening nuts

 1-year warranty

Nominal Dimensions:

3-1/4 in x 1-13/16 in x 4-3/16 in (82 mm x 46 mm x 106 mm)

Description	Net Wt	SKU	Color	List Price
Top-of-Tank Actuator, Dual Flush	0 lb	⊳7381203-200.0020A	Polished Chrome	15
	0.1 kg	Matte Black	132	
	_	⊳7381203-200.2950A	Brushed Nickel	109



Left-Hand Trip Lever

- Left-hand trip lever assembly for Cadet®3
- Plastic lever handle
- Plastic arm
- Specify color when ordering
- Kit consists of handle, nut and arm
- 1-year warranty

Description	Net Wt	SKU	Color	List Price
Left-Hand Trip Lever	0 lb	⊳738903-0020A	Polished Chrome	25
	0.0 kg -	⊳738903-0200A	White	41
	-	⊳738903-2220A	Linen	47
	-	⊳738903-2430A	Matte Black	100
	-	>738903-2950A	Brushed Nickel	35



Left-Hand Trip Lever

- $\bullet \, \text{Left-hand trip lever assembly for Boulevard} ^{\circledcirc} \, \text{one-piece toilet and Cadet} ^{\circledcirc} 3 \,\, 4000.004 \,\, \text{and} \,\, 4000.104 \,\, \text{tanks}$
- Metal lever handle
- Brass arm
- Specify color when ordering
- Kit consists of handle, nut and arm
- 1-year warranty

Description	Net Wt	SKU	Color	List Price	
Left-Hand Trip Lever	0 lb 0.3 kg -	⊳7381064-2240A	Oil Rubbed Bronze	113	
	0.3 kg	⊳7381064-2430A	Matte Black	84	
	-	>7381064-2950A	Brushed Nickel	67	

Toilet Trip Levers



Left-Hand Trip Lever

- Left-hand trip lever for Champion® PRO 4225A tank
- Metal lever handle
- Brass arm
- Specify color when ordering
- Kit consists of handle, nut and arm
- One-year warranty

Nominal Dimensions:

5.3 in x 6.8 in x 3.2 in (134 mm x 172 mm x 81 mm)

Description	Net Wt	SKU	Color	List Price
Left-Hand Trip Lever	0 lb 0.2 kg	>7381232-200.0020A	Polished Chrome	42
	0 lb 0.1 kg	>7381232-200.0130A	Polished Nickel	46
	0 lb	>7381232-200.0200A	White	52
	0.2 kg -	⊳7381232-200.2240A	Oil Rubbed Bronze	103
	0 lb 0.1 kg	>7381232-200.2780A	Legacy Bronze	78
	0 lb 0.2 kg	>7381232-200.2950A	Brushed Nickel	55



Left-Hand Trip Lever

- Left-hand trip lever assembly for Cadet® PRO tanks 4188A and 4188B
 Metal lever handle
 Metal arm

- Specify color when ordering
- Kit consists of handle, nut and arm
- One-year warranty

Nominal Dimensions:

5.7 in x 7.6 in x 2.8 in (144 mm x 193 mm x 71 mm)

Description	Net Wt	SKU	Color	List Price
Left-Hand Trip Lever	0 lb 0.2 kg	>7381231-200.0020A	Polished Chrome	37
	0 lb 0.1 kg	>7381231-200.0130A	Polished Nickel	46
	0 lb	⊳7381231-200.0200A	White	45
	0.2 kg -	⊳7381231-200.0990A	Polished Brass	45
	-	>7381231-200.2240A	Oil Rubbed Bronze	67
	0 lb 0.1 kg	>7381231-200.2780A	Legacy Bronze	108
	0 lb 0.0 kg	⊳7381231-200.2950A	Brushed Nickel	54

Optional Toilet Tanks



Champion® PRO

	Description	Net Wt	SKU	Color	List Price
	Champion® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank with TCLD	31 lb 14.1 kg	4225A064.020	White	280
	Champion® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Lined Tank		4225A154.020	White	314
	Champion® PRO 1.28 gpf/4.8 Lpf Toilet Tank with Tank Cover Locking Device		4225A164.020	White	280
	Champion® PRO 1.28 gpf/4.8 Lpf Toilet Tank with Aquaguard Liner and Tank Cover Locking Device		4225A174.020	White	342



Cadet® PRO

Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Lined Tank	27 lb	4188A054.020	White	231
	12.6 kg	4188A054.021	Bone	287
		4188A054.222	Linen	287
Cadet® PRO 1.6 gpf/6.0 Lpf 12-InchToilet Tank with Tank Cover Locking Device		4188A064.020	White	202
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Toilet Tank with Tank Cover Locking Device and Right Hand Trip Lever		4188A065.020	White	208
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Toilet Tank with Aquaguard Liner and Tank Cover Locking Device		4188A074.020	White	280
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Lined Tank		4188A154.020	White	231
		4188A154.021	Bone	287
		4188A154.222	Linen	287
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Toilet Tank with Aquaguard Liner and Right Hand Trip Lever		4188A155.020	White	275
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Toilet Tank with Tank Cover Locking Device		4188A164.020	White	202
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Toilet Tank with Tank Cover Locking Device and Right Hand Trip Lever		4188A165.020	White	208
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Toilet Tank with Aquaguard Liner and Tank Cover Locking Device		4188A174.020	White	280
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right-Hand Trip Lever Tank	-	4188A105.020	White	157

americanstandard.com List Price Guide 2023-4

List Price Guide 2023-4 americanstandard.com

americanstandard.com List Price Guide 2023-4

List Price Guide 2023-4 americanstandard.com

americanstandard.com List Price Guide 2023-4

List Price Guide 2023-4 americanstandard.com

Notes

Notes

Faucet Style Meets Substance

LIFE.LOVE.HOME

American Standard faucets are engineered to look beautiful and function flawlessly. Our exquisite designs offer innovative conveniences like easy-to-upgrade shower styles, peace-of-mind safety features and simpler-than-ever installation and cleaning.

Superior Engineering Inside and Out

Our ceramic disc valves are maintenance-free, and provide a lifetime of smooth handle control, even in extreme temperature or hard water conditions.



Faucet Lifetime Finishes

American Standard offers a myriad of fine finishes all guaranteed to last a lifetime.*



Matte Black and Legacy Bronze

The rich patina of these popular finishes make a statement in any setting. Meticulously applied for long wear, the smooth, saturated depth of Matte Black and the subtle luster of Legacy Bronze add focal interest and the perfect finishing touch.



^{*}Extended to the original consumer purchaser. See faucet pages for finishes available for each faucet model. Color samples may vary slightly from the actual colors. Not all finishes are available on all products.

Featured NEW Products

LIFE.LOVE.HOME

Colony® PRO Touchless Single-Handle Dual Spray Kitchen Faucet





Cadet® Ovation Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet With Seat



Colony®3 Two-Piece 1.28 gpf/4.8 Lpf Chair-Height Elongated Toilet

Icons

Bathroom Faucets

Faucet Style Meets Substance/Lifetime Finishes

Featured NEW Products

Bathroom Faucets Overview

Flash® Bathtub Faucet Overview

Bathroom Faucet Families Overview

WaterSense® Certified Faucets and Showers

Flash® Shower Rough-In Valves

Freestanding Bathtub Faucets

Bathroom Faucets and Trim Kits

Colony® PRO

Crawford™

Delancey®

Edgemere®

Fluent®

Glenmere™

Reliant 3®

Serin®

Studio® S

Town Square® S

Townsend®

Bathroom Accessories

Bathroom Accessories Overview

Bathroom Accessories

Showering Options

Spectra Versa® Retrofit Shower System

Spectra® Shower Collection

Spectra Versa® Shower System

Spectra® Duo 2-in-1 Hand Showers

Fixed Showerheads/Rain Showerheads

Body Side Sprays

Shower Arms

Hand Showers

Slide Bar Kits, Shower System Trim Kit, Hand Shower Kits

Slide Bars

Shower System Accessories

Tub Spouts

Parts

Drains and P-Trap

Lavatory Faucets

Flash® Rough-In Valves

Cartridges and Rough-In Kits

Faucet Modifications

Warranties

Bathroom Faucets

Bathroom Faucets Overview

Our faucets feature:

- Drip Free Ceramic Disc Valves on 100% of our product offering
- Water Efficient Options WaterSense® certified lavatory faucets and showers
- Lead Free Lavatory Faucets
- Freestanding Bathtub Faucets
- Bathroom Accessories
- Showering Options






Bathroom Faucets

Flash® Bathtub Faucets Overview

- Valve and trim packaged separately
- Install valve prior to trim selection no trim damage during construction
- Integrated hand shower diverter







Bathroom Faucet Families Overview

	Colony® PRO	Crawford™	Delancey [®]	Edgemere®	Fluent®
Widespread	D. C.	71			1
Monoblock			2		
Vessel					
2-Handle Centerset	A F				
Bathtub Faucet	2002	7		7/1/	
Freestanding Bathtub Faucet					
Bath/Shower Trim					
Shower System Trim					
Accessories					

Bathroom Faucet Families Overview

Glenmere™	Reliant 3®	Serin®	Studio® S	Town Square® S	Townsend®
TA			11	11	111
			15.	1111	111/
			The state of the s		
	0				

Bathroom Faucets

WaterSense® Certified Faucets

All American Standard bathroom faucets are WaterSense certified for high performance and water efficiency. Flowing at **1.2 gpm/4.5 L/min**, more efficient than the Environmental Protection Agency's (EPA) strict WaterSense maximum flow rate requirement of **1.5 gpm/5.7 L/min**, all American Standard residential lavatory faucets incorporate pressure-compensating aerators that provide 45% water savings over standard models without sacrificing performance.











This WaterSense label is your confirmation that the product has met the U.S. Environmental Protection Agency (EPA) criteria for exceptional performance while reducing water use by 20% or more.

WaterSense is a voluntary partnership program launched by the U.S. Environmental Protection Agency to designate product and services that conserve water and perform as intended. WaterSense is a registered trade/service mark of the EPA.

Bathroom Faucets

WaterSense® Certified Showers



American Standard offers a variety of WaterSense and CEC certified showering options for high performance and water efficiency. Meeting the Environmental Protection Agency's (EPA) strict maximum flow rate of **2.0 gpm/7.8 L/min,** American Standard's residential showering options provide over 20% water savings versus standard models without sacrificing performance.











This WaterSense label is your confirmation that the product has met the U.S. Environmental Protection Agency (EPA) criteria for exceptional performance while reducing water use by 20% or more.

WaterSense is a voluntary partnership program launched by the U.S. Environmental Protection Agency to designate product and services that conserve water and perform as intended. WaterSense is a registered trade/service mark of the EPA.

Flash® Shower Rough-in Valves


Designed for Faster Installation

Flat Back

Allows the valve to be mounted flush with the cross brace

Cast DZR Brass Body

Offers strong, durable construction



..... Choice of Connections

Provides fast and easy installation without adaptors, reducing leak points

-----Flush Plug

Allows flushing and testing of valve prior to installing cartridge

Stainless Steel Retaining Ring with Flats

Secures flush plug/cartridge in place and eliminates need for screws

Straight Screwdriver Stops

Ensures easy servicing at the valve (on applicable models)

Key Features



Flat Back

- Intuitive flat back feature means you'll achieve a secure and solid mount every time using a 2 x 4 cross brace
- Designed to work in tight spaces



Flush Plug

- The flush plug makes flush-testing simple and fast
- Allows for ability to flush hot and cold lines separately or simultaneously



Stainless Steel Retaining Ring with Flats

- · Secures test cap and cartridge in place
- · Flats make installation and servicing even more convenient
- No screws, no hassles

More Connections to Choose From

(Female Sweat/ Male Thread NPT)

Universal

Connection

RU101/RU101SS Works with:

- 1/2" Copper Pipe
- 1/2" Iron Pipe
- 1/2" CPVC Adaptors
- 1/2" PEX Adaptors



(ASTM F1807)



RU109/RU109SS Works with: Works with:

- Standard **CPVC** Piping
- No additional adaptors needed

PEX Crimp Connection

RU107/RU107SS

- Type PEX A, B and C (Crimp PEX)
- No additional adaptors needed

Cold Expansion PEX Connection

(ASTM F1960)



RU108/RU108SS

- Works with: Type PEX A (Cold Expansion PEX)
- No additional adaptors needed

PEX Crimp Elbow Connection

(ASTM F1807)



RU107E/ RU107ESS

Works with:

- Type PEX A, B and C (Crimp PEX)
- No additional adaptors needed

Cold Expansion **Elbow PEX** Connection

(ASTM F1960)



RU108E/ RU108ESS

Works with:

- Type PEX A (Cold Expansion PEX)
- No additional adaptors needed





RU102/RU102SS

Works with: • 1/2" Pressconnect fittings

Flash® Shower Rough-in Valves

One-Piece Pressure Balance Cartridge with Double Ceramic Technology






Ceramic Discs

- Provides leak-free and smooth handle operation over the life of the valve
- Allows for a wider range of motion and more precise fine-tuning of the temperature
- Unaffected by harsh water conditions and mineral build-up




Ceramic Balancing Spool

- Allows for faster reaction time, reducing the risk of scalding
- Unaffected by harsh water conditions and mineral build-up




Trim Options




Freestanding Bathtub Faucets

Bathroom Faucets





Contemporary Square Freestanding Bathtub Faucet With Lever Handle for Flash® Rough-In Valve



- Personal shower features 59" (1499 mm) long hose with 1.8 gpm/6.8 L/min maximum flow
- Metal lever handle
- Overall height: 44-5/8" (1133 mm)
- Spout reach: 10-3/8" (264 mm)
- · Level adjustable rough
- Metal hand shower
- Shower bracket pivots 60°
- For use with Flash® freestanding tub faucet roughin valve (sold separately)




T184951.002 T184951.295 Polished Chrome **Brushed Nickel**

1,244 1,742



Town Square® S Freestanding Bathtub Faucet With Lever Handle for Flash® Rough-In Valve



- Personal shower features 59" (1499 mm) long hose with 1.8 gpm/6.8 L/min maximum flow
- Metal lever handle
- Overall height: 43-1/2" (1105 mm)
- Spout reach: 8-1/2" (218 mm)
- Metal hand shower
- Shower bracket pivots 60°
- For use with Flash® freestanding tub faucet roughin valve (sold separately)



T455951.002	Polished Chrome	1,384
T455951.013	Polished Nickel	1,938
T455951.278	Legacy Bronze	2,074
T455951.295	Brushed Nickel	1,938






Freestanding Bathtub Faucets

Description


Bathroom Faucets



Cadet® Freestanding Bathtub Faucet With Lever Handle for Flash® Rough-In



- Personal shower features 59" (1499 mm) long hose with 1.8 gpm/6.8 L/min maximum flow
- Metal lever handle
- Overall height: 43" (1094 mm)
- Spout reach: 8-1/8" (206 mm)
- Metal hand shower
- Includes rough-in









- 1/2" (13 mm) copper inlets
- Level adjustable
- Test plugs included
- Must order trim separately

R950 No Finish

230





Flash® Freestanding Bathtub Filler Rough-In Valve With Screwdriver Stops

- Brass construction
- ½" (13 mm) copper inlets Level adjustable
- Test plugs included
- Must order trim separately
- Includes screwdriver stops for easy servicing at the valve

R950SS

No Finish

265





The **Colony PRO Collection** is designed to complement any bathroom. Gently curved spout and lever handles add to its universal appeal and dependability.



Sink



Widespread Faucet 7075800



Monoblock Faucet 7075100



Centerset Faucet 7075000



Centerset Faucet 7075200

Bath



Bathtub Faucets T075920, T075921

Shower



Bath/Shower Trim Kit TU075508

2-Handle Shower Trim Kit TU075508

Accessories



C Series 18" Towel Bar 8337018



C Series 24" Towel Bar 8337024




C Series Towel Ring 8337190



C Series Toilet Paper Holder 8337230



C Series Double Robe Hook 8337210




List Price Guide 2023-4 americanstandard.com

• Water-conserving 1.2 gpm/4.5 L/min pressure-

compensating aerator Metal lever handle · Less pop-up hole and rod

• Less drain


Sink and Bath Faucets



americanstandard.com List Price Guide 2023-4

· Less drain

Sink and Bath Faucets





Colony® PRO 4-Inch Centerset Single-Handle Bathroom Faucet 0.5 gpm/1.9 L/min With Lever Handle



179

- •35 mm ceramic disc valve cartridge with an adjustable Hot Limit Safety Stop
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Metal body with color-matched underbody
- Water-conserving 0.5 gpm/1.9 L/min vandalresistant pressure-compensating spray
- Red/Blue index button
- Metal lever handle
- Brass pop-up drain






Colony® PRO 4-Inch Centerset Single-Handle Bathroom Faucet 0.5 gpm/1.9 L/min With Lever Handle

- 35 mm ceramic disc valve cartridge with an adjustable Hot Limit Safety Stop
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Metal body with color-matched underbody
- Water-conserving 0.5 gpm/1.9 L/min vandalresistant pressure-compensating spray
- Red/Blue index button
- Metal lever handle
- Grid drain




Colony® PRO 4-Inch Centerset Single-Handle Bathroom Faucet 0.5 gpm/1.9 L/min Less Drain With Lever Handle



- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Metal body with color-matched underbody
- Water-conserving 0.5 gpm/1.9 L/min vandalresistant pressure-compensating spray
- Red/Blue index button
- Metal lever handle
- With pop-up hole and rod
- Less drain






Sink and Bath Faucets

	Description		SKU #	Color/Finish	List Price
	Colony® PRO 4-Inch Centerset Single-Handle Bathroom Faucet 0.5 gpm/1.9 L/min Less Drain With Lever Handle • 35 mm ceramic disc valve cartridge with an adjustable Hot Limit Safety Stop • Braided flexible supply hoses with 3/8" (10 mm) compression connectors • Metal body with color-matched underbody • Water-conserving 0.5 gpm/1.9 L/min vandalresistant pressure-compensating spray • Red/Blue index button • Metal lever handle • Less pop-up hole and rod • Less drain	(A) &	7075054.002	Polished Chrome	159
Cordicates (Williams)	Colony® PRO 4-Inch Centerset 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles • 40 mm ceramic disc valve cartridges • ½" (13 mm) male inlet shanks • Metal body with color-matched underbody • Water-conserving 1.2 gpm/4.5 L/min pressure- compensating aerator • Red/Blue index buttons • Metal lever handles • Brass pop-up drain	(Å) (E)	7075200.002 7075200.278 7075200.295	Polished Chrome Legacy Bronze Brushed Nickel	144 216 200
Orderity Own HAT	Colony® PRO 4-Inch Centerset 2-Handle Bathroom Faucet 1.0 gpm/3.8 Lpm With Lever Handles • 40 mm ceramic disc valve cartridges • ½" (13 mm) male inlet shanks • Metal body with color-matched underbody • Water-conserving 1.0 gpm/3.8 L/min pressure-compensating aerator • Red/Blue index buttons • Metal lever handles • With metal drain	(A) (B)	7075200F10.002	Polished Chrome	140
Cortecty INVIGIAL	Colony® PRO 4-Inch Centerset 2-Handle Bathroom Faucet 0.5 gpm/1.9 Lpm With Lever Handles • 40 mm ceramic disc valve cartridges • ½" (13 mm) male inlet shanks • Metal body with color-matched underbody • Water-conserving 0.5 gpm/1.9 L/min pressure- compensating aerator • Red/Blue index buttons • Metal lever handles • With metal drain	(A)(E)	7075F05200.002	Polished Chrome	135
Contects 1990 181	Colony® PRO 4-Inch Centerset 2-Handle Bathroom Faucet 1.2 gpm/4.5 Lpm With Lever Handles • 40 mm ceramic disc valve cartridges • ½" (13 mm) male inlet shanks • Metal body with color-matched underbody • Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator • Red/Blue index buttons • Metal lever handles • 50/50 pop-up drain	(A) &	7075202.002 7075202.278 7075202.295	Polished Chrome Legacy Bronze Brushed Nickel	135 200 188

Sink and Bath Faucets





disc valve cartridges

• 1/2" (13 mm) copper inlets

 Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections


• 14 gpm/52.9 L/min maximum flow rate at 40 psi

•8"-16" (203-406 mm) flexible installation

• Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness

Bath/Shower Trim Kits and Valves







Trim kit with cartridge

Description



Choose rough-in valve with desired connection.





Fully installed Bath/Shower







Colony® PRO 1.75 gpm/6.6 L/min Shower Trim Kit With Water-Saving Showerhead, **Double Ceramic Pressure Balance** Cartridge With Lever Handle



TU075507.002 TU075507.278 TU075507.295

SKU#

Color/Finish **List Price** Polished Chrome 108 Legacy Bronze 148 Brushed Nickel 140





• Includes Double Ceramic pressure balance cartridge

- Water-saving 3-¾" (96 mm) showerhead, 1.75 gpm/6.6 L/min maximum flow
- Shower arm and flange
- Wall escutcheon with Red/Blue indicators
- Metal lever handle
- For use with Flash® shower rough-in valves







ÁDÀ

TU075508.002	Polished Chrome	137
TU075508.278	Legacy Bronze	190
TU075508.295	Brushed Nickel	178



- gpm/6.6 L/min maximum flow
- Shower arm and flange
- Wall escutcheon with Red/Blue indicators
- Metal lever handle
- Slip-On diverter tub spout
- For use with Flash® shower rough-in valves



Colony PRO® Valve Only Trim Kit With **Double Ceramic Pressure Balance Cartridge With Lever Handle**



- Wall escutcheon with Red/Blue indicators
- Metal lever handle
- For use with Flash® shower rough-in valves
- Integrated check valves: engineered to eliminate
- · Adjustable Hot Limit Safety Stop: limits the amount of hot water allowed to mix with cold. Reduces the risk of accidental scalding
- Comfort zone: offers a wider shower range to fine-tune the desired temperature within the useful temperature zone
- Back-to-back capability: hot and cold can be reversed quickly and easily





Bath/Shower Trim Kits and Valves

	Description		SKU #	Color/Finish	List Price
Orders by LAPAGI SET	Colony® PRO Tub and Shower Trim Kit Less Showerhead, Double Ceramic Pressure Balance Cartridge With Lever Handle	Œ	TU075508XH.002	Polished Chrome	135
	Includes Double Ceramic pressure balance cartridge Shower arm and flange, less showerhead Wall escutcheon with Red/Blue indicators Metal lever handle Slip-on diverter tub spout For use with Flash® shower rough-in valves				
	Colony® PRO Shower Trim Kit Less Showerhead, Double Ceramic Pressure Balance Cartridge With Lever Handle	ADA	TU075507XH.002 TU075507XH.278	Polished Chrome Legacy Bronze	106



- Includes Double Ceramic pressure balance cartridge

 Shower arm and flange, less showerhead

 Wall escutcheon with Red/Blue indicators

- Metal lever handle
 For use with Flash® shower rough-in valves

Bath/Shower Trim Kits and Valves

Ociony	1 110		Datil/Silowei	min Nito ai	iu vaives
		Description	SKU #	Color/Finish	List Price
		Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
		 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			(SR)
		Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
		• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits			
		Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
		• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			ŜRÎ.
		Flash® Shower Rough-In Valve With Stub-	RU102SS	No Finish	103
		Outs With Screwdriver Stops • ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
		Flash® Shower Rough-In Valve With PEX	RU107	No Finish	72
		Inlets/Universal Outlets for Crimp Ring System			SR
		• ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			

^{*}When combined with Double Ceramic pressure balance cartridge.

Bath/Shower Trim Kits and Valves


colony The		Datif Officeror Time Nato and Vari			
		Description	SKU #	Color/Finish	List Price
		Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	 1/₂" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 				
		Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
		 ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
		Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125 SR
pre		1½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			
		Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
		 1/₂" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
		Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
	O E	1½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve For use with TU series pressure balance bath/shower trim kits			

^{*}When combined with Double Ceramic pressure balance cartridge.

Bath/Shower Trim Kits and Valves

, i i i i				
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95
	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125
	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets	RU109	No Finish	95
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			Ŝ R Î
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver	RU109SS	No Finish	125
	Stops • ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			(SR)







The transitional style of the **Crawford Collection** brings casual elegance to the bathroom. This impressive design, with a tapered shape and subtle detailing, offers exceptional functionality.



Sink







Widespread Faucet 7612807

Centerset Faucet 7612207

Monoblock Faucet 7612107

Bath



Bathtub Faucet Trim Kit T612900

Shower









Bath/Shower Trim Kits TU612508

Shower Only Trim Kits TU612507

Accessories



24" Towel Bar 7455024



Towel Ring 7455190



Toilet Paper Holder 7455230



Double Robe Hook 7455210

313111313					
	Description		SKU #	Color/Finish	List Price
(3)	Crawford™ 8-Inch Widespread 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With	ADA	7612807.002	Polished Chrome	366
Certificity LAPACI NET	Lever Handles	Œ	7612807.243	Matte Black	477
	Metal construction		7612807.278	Legacy Bronze	440
7	Washerless ceramic disc valve cartridges Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator Metal spout Brass hybrid valves with reinforced flexible hose connections for 6" - 12" (152 - 305 mm) installations Braided flexible supply hoses with 3/8" (10 mm) compression connectors Metal lever handles Metal push pop up drain		7612807.295	Brushed Nickel	440
<u> </u>	Crawford™ 4-Inch Centerset 2-Handle	ÂDÂ	7612207.002	Polished Chrome	163
Overactly MATHOUGH AST	Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles	Œ	7612207.243	Matte Black	212
	Metal construction		7612207.278	Legacy Bronze	195
	Washerless ceramic disc valve cartridges Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator Metal spout Metal lever handles Metal push pop up drain		7612207.295	Brushed Nickel	195
•	Crawford™ Single Hole Single-Handle	ADA	7612107.002	Polished Chrome	255
Contractly LAPACO KET	Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle	Œ	7612107.243	Matte Black	332
	Metal construction		7612107.278	Legacy Bronze	307
	Washerless ceramic disc valve cartridges Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator Metal spout Braided flexible supply hoses with 3/8" (10 mm) compression connectors Metal lever handle Metal push pop up drain		7612107.295	Brushed Nickel	307
	4-Inch Deck Plate		7353101P.002	Polished Chrome	46
	Metal construction Putty plate included		7353101P.013	Polished Nickel	63
	. , ,		7353101P.243	Matte Black	66
			7353101P.278	Legacy Bronze	67
			7353101P.295	Brushed Nickel	63



	Description		SKU#	Color/Finish	List Price
	Crawford™ Bathtub Faucet With Lever Handles for Flash® Rough-In Valve	ADA	T612900.002	Polished Chrome	558
200	Brass construction		T612900.243	Matte Black	725
	Metal lever handles		T612900.278	Legacy Bronze	670
N EB	Less personal shower		T612900.295	Brushed Nickel	670
	Flash® Bathtub Filler Rough-In Valve		R900	No Finish	184
	Brass construction and washerless 1/-turn caramic				^



- Brass construction and washerless ¼-turn ceramic
- Brass construction and washerless ¼-turn ceramic disc valve cartridges
 ½" (13 mm) copper inlets
 Connections to spout can be made via flexible hoses (provided) or ½" (13 mm) copper sweat connections
 14 gpm/52.9 L/min maximum flow rate at 40 psi
 8"-16" (203-406 mm) flexible installation
 Adjustable rough-in: 2-½" (64 mm) maximum deck thickness



HOW TO **ORDER**






Trim kit with cartridge

Description









Fully installed Bath/Shower


Flash® Shower Rough-In Valve












- Includes Double Ceramic pressure balance
- cartridge

 Water-saving showerhead, 1.8 gpm/6.8 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- IPS diverter tub spout
- For use with Flash® shower rough-in valves












Crawford™ 1.8 gpm/6.8 L/min Shower Trim



- Water-saving showerhead, 1.8 gpm/6.8 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves



TU612507.002	Polished Chrome	224
TU612507.243	Matte Black	292
TU612507.278	Legacy Bronze	269
TU612507.295	Brushed Nickel	269

Grawioru		Dail/Siluw	er irim Kits a	iiu vaives
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			SR
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			SR
	Flash [®] Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System	RU107	No Finish	72
	• ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			on.

^{*}When combined with Double Ceramic pressure balance cartridge.

Olawiola		Datily Ollowol	min rate and	vaivoo
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System • ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring	RU107SS	No Finish	103
	Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	Vz" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125
	'½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72 SR
	Vz" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve			



SR

Bath/Shower Trim Kits and Valves





Color/Finish No Finish





- 1/2" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960)
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability

Description

- Includes flush plug with stainless steel ring
 Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits





No Finish







- System • ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960)
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets

- 1/2" (13 mm) CPVC inlets/Universal outlets
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
 For use with TU series pressure balance bath/ shower trim kits

RU109

No Finish

95





- 1/2" (13 mm) CPVC inlets/Universal outlets
- · Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits


RU109SS

No Finish

125








americanstandard.com

List Price Guide 2023-4









americanstandard.com List Price Guide 2023-4

Inspired by the finer points of classic architecture, the **Delancey Collection** from American Standard transforms today's bathroom with its timeless character and enduring elegance. Worthy of the master retreat, impressive in the guest bath, this graceful style is engineered to last a lifetime.



Bathroom Faucets

Sink



Widespread Faucet 7052807



Widespread Faucet 7052827



Monoblock Faucet 7052107



Monoblock Faucet 7052121



Centerset Faucet 7052207

Bath



Bathtub Faucets T052901, T052900

Shower







Bath/Shower Trim Kits



Diverter Valve Trim Kits T052430, T052432



2-Handle Integrated Shower Diverter Trim Kit TU052740

Accessories



Delancey 18" Towel Bar 7052018



Delancey 24" Towel Bar 7052024



Delancey Towel Ring 7052190




Delancey Toilet Paper Holder 7052230



Delancey Double Robe Hook 7052210

Sink and Bath Faucets





- Metal construction
- Putty plate included

2000102P.002	Polished Chrome	50
2000102P.013	Polished Nickel	70
2000102P.278	Legacy Bronze	76
2000102P.295	Brushed Nickel	70



Sink and Bath Faucets



Delancey® 4-Inch Centerset 2-Handle Bathroom Faucet 1.2gpm/4.5 L/min With Lever Handles

Brass construction

Description

- Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Cast brass spout
- Metal lever handles
- Brass push pop-up drain
- Durable metal construction

	SKU #	Color/Finish	List Price
ADA	7052207.002	Polished Chrome	261
Ö	7052207.013	Polished Nickel	364
	7052207.278	Legacy Bronze	389
	7052207.295	Brushed Nickel	364





Delancey® Bathtub Faucet With Lever Handles and Personal Shower for Flash® Rough-In Valve

- Brass construction
- All personal showers feature 5' (152 cm) long hose
- Metal lever handles
- With personal shower
- For use with Flash® bathtub faucet rough-in valve R910

T052901.002	Polished Chrome	485
T052901.013	Polished Nickel	678
T052901.278	Legacy Bronze	726
T052901.295	Brushed Nickel	678

Œ

ADA







Delancey® Bathtub Faucet With Lever Handles for Flash® Rough-In Valve





- Less personal shower
- For use with Flash® bathtub faucet rough-in valve R900







Flash® Bathtub Filler Rough-In Valve With **Personal Shower**

- Brass construction and washerless 1/4-turn ceramic disc valves cartridge
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/59.2 L/min maximum flow rate at 40 psi
- •8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness
- Includes hand shower rough-in







Flash® Bathtub Filler Rough-In Valve

- Brass construction and washerless 1/4-turn ceramic disc valve cartridges
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/52.9 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness

R900 No Finish




184

SR

americanstandard.com List Price Guide 2023-4

Bath/Shower Trim Kits and Valves

HOW TO **ORDER**






Trim kit with cartridge

Description





Œ


ADA







Fully installed Bath/Shower
















- Water-saving 4-function showerhead • Shower arm and flange
- Wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves



















Delancey® 1.8 gpm/6.8 L/min Shower	
Trim Kit With Water-Saving 4-Function	n
Showerhead and Lever Handle	

- Showerhead with 1.8 gpm/6.8 L/min maximum flow
- Water-saving 4-function showerhead
- Shower arm and flange
- Wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves

TU052507.002	Polished Chrom
TU052507.013	Polished Nickel
TU052507.278	Legacy Bronze
	TU052507.013

TU052507.295




248

348 373

348







• Metal lever handle

• For uses with Flash® shower rough-in valves

TU052500.002	Polished Chrome	201
TU052500.013	Polished Nickel	283
TU052500.278	Legacy Bronze	304
TU052500.295	Brushed Nickel	283

Brushed Nickel





Delancey ®		Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			(SR)
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve For use with TU series pressure balance bath/ shower trim kits 			
	Flash® Shower Rough-In Valve With Stub-	RU102	No Finish	72
	Outs • ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			SR



- ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807)
 Cast DZR brass valve body
 Flow rate: 5.1 gpm @ 45 psi*
 Back-to-back capability
 Includes flush plug with stainless steel ring
 Cartridge ships with trim
 For use with TU series pressure balance bath/shower trim kits

- shower trim kits





RU107

No Finish

72

Bath/Shower Trim Kits and Valves

Delalicey		Daiii/Silow	ei iiiiii kits a	iiu vaivos
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72 SR
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/			SR



Delancey ®		Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95 SR
	• ½" (13 mm) PEX cold expansion elbow inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125
POOP	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets	RU109	No Finish	95
	• ½" (13 mm) CPVC inlets/Universal outlets			SR



- ½" (13 mm) CPVC inlets/Universal outlets
 Cast DZR brass valve body
 Flow rate: 5.1 gpm @ 45 psi*
 Back-to-back capability
 Includes flush plug with stainless steel ring
 Cartridge ships with trim
 For use with TU series pressure balance bath/shower trim kits

RU109SS

No Finish


125



Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver Stops

- ½" (13 mm) CPVC inlets/Universal outlets
 Cast DZR brass valve body
 Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability

- Includes flush plug with stainless steel ring
 Includes screwdriver stops for easy servicing at





Bath/Shower Trim Kits and Valves



Delancey® 2-Handle Integrated Shower Diverter Trim Only

- Metal wall escutcheon
- Metal lever handles


Description

- Works with Flash® 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, required and sold separately
- Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521 ships with a 2-way Discrete cartridge
- 2-Way Shared capability requires Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521, plus a 2-Way Shared pressure balance cartidge #M970720-0070A, sold separately
- Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531 ships with a 3-Way Discrete cartridge
- 3-Way Shared capability requires Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531, plus a 3-Way Shared pressure balance cartidge #M970730-0070A, sold separately
- 3-way diverter with shared flow requires cartidge M970730-0070A (sold separately)

SKU #	Color/Finish	List Price
TU052740.002	Polished Chrome	252
TU052740.013	Polished Nickel	353
TU052740.278	Legacy Bronze	378
TU052740.295	Brushed Nickel	353

ÁDA





- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower Diverter Trim
- 1/2" NPT Inlets/Outlets
- Valve ships with a 2-Way Discrete pressure balance cartidge
- 2-Way Shared functionality requires RU521 valve, plus purchase of 2-Way Shared cartridge RP# M970720-0070A, sold separately
- Compatible with Delancey®, Serin®, Studio® S, Town Square® S, Times Square® and Townsend® trims
- Trim sold separately

RU521 No F

No Finish

355





Flash® 2-Way Shared Diverter Cartridge

• For use with RU521 valve

M970720-0070A No

No Finish

79



Flash® 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge

- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower Diverter Trim
- ½" NPT Inlets/Outlets
- Valve ships with a 3-Way Discrete pressure balance cartidge
- 3-Way Shared functionality requires RU531 valve, plus purchase of 3-Way Shared cartridge RP# M970730-0070A, sold separately
- Compatible with Delancey®, Serin®, Studio® S, Town Square® S, Times Square® and Townsend® trims
- Trim sold separately

RU531

No Finish

385





Flash® 3-Way Shared Diverter Cartridge

• For use with RU531 valve

M970730-0070A

No Finish

79



List Price Guide 2023-4

Delancev®

Bath/Shower Trim Kits and Valves

Delancey			Bath/Showe	er irim Kits and	d valves
	Description		SKU#	Color/Finish	List Price
	Delancey® Single-Handle Diverter Valve	ADA	T052430.002	Polished Chrome	117
	Trim Kit With Lever Handle	_	T052430.013	Polished Nickel	162
	 Metal lever handle Less valve (must be purchased separately) 		T052430.278	Legacy Bronze	174
	 For use with rough-in valves R422, R422S, R433 and R433S 		T052430.295	Brushed Nickel	162
	and mose				MAP SR Ø
	Delancey® Single-Handle Diverter Valve	ĄDĄ.	T052432.002	Polished Chrome	117
	Trim Kit With Cross Handle	\circ	T052432.013	Polished Nickel	162
	Metal cross handleLess valve (must be purchased separately)		T052432.278	Legacy Bronze	174
	 For use with rough-in valves R422, R422S, R433 and R433S 		T052432.295	Brushed Nickel	162
					MAP SR Ø
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete Functions		R422	No Finish	231
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				SR] V
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete/1 Shared Function		R422S	No Finish	231
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				SR €
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete Functions		R433	No Finish	262
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 3 outlets (shower or sprays) 1/2" (13 mm) NPT inlets/outlets Trim must be ordered separately				[SR] Û
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete/3 Shared Functions		R433S	No Finish	262
STA	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 3 outlets (shower or provided to the provide				SR Ø



- use applications with prolonged water use

 Controls water flow between 3 outlets (shower or sprays)


 ½" (13 mm) NPT inlets/outlets

 Trim must be ordered separately




Delancey Flash® Pressure Balance Bath/Shower System

Delancey®



Delancey Flash Pressure Balance Shower System



Delancey Flash® Pressure Balance Bath/Shower System

				List Price For Syste
	Description	Qty	SKU #	002
Α	Delancey Flash 2-Handle Integrated Shower Diverter Trim	1	TU052740	252
В	Spectra Fixed® Traditional Showerhead	1	9138073	111
С	Standard Shower Arm	1	1660240	29
D	Traditional Slide Bar Kit	1	1662607	432
Ε	Delancey Tub Spout	1	8888107	99
qui	red Components - Choose From Rough-In Valve 1 or 2 (not shown)			
1	3-Way Discrete (Non-Shared) Functionality – Requires Flash 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge	1	RU531	385
2	3-Way (Shared) Functionality – Requires Flash 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, also requires 3-way shared function cartridge M970730-0070A (sold separately)	1	RU531 + M970730-0070A	385 + 79 = 464
2	Valve with Pressure Balance Valve Cartridge, also requires 3-way shared function cartridge	1 ath/Sho	M970730-0070A	385 + 79 = 464 1,308

Delancey Flash Pressure Balance Shower System

				List Price For System
	Description	Qty	SKU #	002
Α	Delancey Flash 2-Handle Integrated Shower Diverter Trim	1	TU052740	252
В	Spectra Rain® Showerhead	1	9038001	197
С	12" Wall-Mount Right Angle Rain Showerhead Arm	1	1660194	101
D	Traditional Slide Bar Kit	1	1662607	432
equir	red Components - Choose From Rough-In Valve 1 or 2 (not shown)			
1	2-Way Discrete (Non-Shared) Functionality – Requires Flash 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge	1	RU521	355
2	2-Way (Shared) Functionality - Requires Flash 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, also requires 2-way shared function cartridge M970720-0070A (sold separately)	1	RU521 + M970720-0070A	355 + 79 = 434
	2-Way Discrete (Non-Shared) E	ath/Sho	ower System Total	1,337
	, , , ,		ower System Total	1,416

List Price Guide 2023-4 americanstandard.com

2-Way (Shared) Bath/Shower System Total

Accessories

	Description	SKU #	Color/Finish	List Price
	Delancey® 18-Inch Towel Bar	7052018.002	Polished Chrome	76
4	• Brass bar	7052018.013	Polished Nickel	105
	 All metal construction Concealed mounting: no exposed set screws 	7052018.278	Legacy Bronze	113
	Coordinates with Delancey® bath faucet collection Limited lifetime warranty on function and finish	7052018.295	Brushed Nickel	105
				MAP Ø
	Delancey® 24-Inch Towel Bar	7052024.002	Polished Chrome	82
	•Brass bar	7052024.013	Polished Nickel	113
A	•All metal construction •Concealed mounting: no exposed set screws	7052024.278	Legacy Bronze	122
	Coordinates with Delancey® bath faucet collection Limited lifetime warranty on function and finish	7052024.295	Brushed Nickel	113
				MAP Ø
	Delancey® Towel Ring	7052190.002	Polished Chrome	47
	• 7-1/4" (185 mm) diameter ring	7052190.013	Polished Nickel	65
	All metal construction Concealed mounting: no exposed set screws	7052190.278	Legacy Bronze	70
	Coordinates with Delancey® bath faucet collection Bushing on towel ring to prevent scratching and	7052190.295	Brushed Nickel	65
	squeaking • Limited lifetime warranty on function and finish			MAP Ø
	Delancey® Double Robe Hook	7052210.002	Polished Chrome	35
W	All metal construction	7052210.013	Polished Nickel	49
	 Concealed mounting: no exposed set screws Coordinates with Delancey® bath faucet collection 	7052210.278	Legacy Bronze	52
CE P	Easy to install Limited lifetime warranty on function and finish	7052210.295	Brushed Nickel	49
	 Solid metal construction is durable and long- lasting 			MAP Ø
	Delancey® Toilet Paper Holder	7052230.002	Polished Chrome	64
(Ca	All metal construction	7052230.013	Polished Nickel	89
	 Concealed mounting: no exposed set screws Coordinates with Delancey® bath faucet collection 	7052230.278	Legacy Bronze	96
	Easy to install Limited lifetime warranty on function and finish	7052230.295	Brushed Nickel	89
	·			MAP O

americanstandard.com List Price Guide 2023-4

Elevate your bathroom with the stately beauty of the **Edgemere Collection**. This striking style enhances traditional, transitional, and contemporary settings beautifully.



Sink



Widespread Faucet 7018801



Monoblock Faucet 7018101



Centerset Faucet 7018201

Bath



Bathtub Faucets T018901, T018900

Shower







Bath/Shower Trim Kits TU018502, TU018508

Accessories



Edgemere 18" Towel Bar 7018018





Edgemere Towel Ring 7018190



Edgemere Toilet Paper Holder 7018230



Edgemere Double Robe Hook 7018210

americanstandard.com List Price Guide 2023-4

Sink and Bath Faucets





- With personal shower
- For use with Flash® bathtub faucet rough-in valve R910
- Washerless ¼-turn ceramic disc valve cartridges
- Durable brass spout
- Trim kit provides an additional 1" installation adjustability for finished deck





Edgemere® Bathtub Faucet With Lever Handles for Flash® Rough-In Valve



SKU #	Color/Finish	List Price
T018900.002	Polished Chrome	482
T018900.278	Legacy Bronze	722
T018900.295	Brushed Nickel	674





- Brass construction
- Metal lever handles

Description

- · Less personal shower
- For use with Flash® bathtub faucet rough-in valve R900
- Washerless ¼-turn ceramic disc valve cartridges
- Durable brass spout
- Trim kit provides an additional 1" installation adjustability for finished deck

Flash® Bathtub Filler Rough-In Valve With





- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat
- 14 gpm/59.2 L/min maximum flow rate at 40 psi
- •8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness
- Includes hand shower rough-in

Flash® Bathtub Filler Rough-In Valve

- Brass construction and washerless 1/4-turn ceramic disc valve cartridges
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/52.9 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck

R910 No Finish









R900 No Finish











TU018501.002	Polished Chrome	229
TU018501.278	Legacy Bronze	328
TU018501.295	Brushed Nickel	307







- Includes Double Ceramic pressure balance
- 5-¾" (147 mm) showerhead, 2.5 gpm/9.5 L/min maximum flow
- Shower arm and flange
- Wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves











Edgemere® Valve Only Trim With Double **Ceramic Pressure Balance Cartridge With Lever Handle**

- Includes Double Ceramic pressure balance cartridge
- Wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves

TU018500.243	Matte Black
TU018500.278	Legacy Bronze
TU018500.295	Brushed Nickel
	<u></u>









Edgemere® 1.8 gpm/6.8 L/min Tub and Shower Trim Kit With Water-Saving Showerhead, Double Ceramic Pressure **Balance Cartridge With Lever Handle**

- Includes Double Ceramic pressure balance cartridge
- Water-saving 5-3/4" (147 mm) showerhead, 1.8 gpm/6.8 L/min maximum flow
- Shower arm and flange
- Wall escutcheon
- Metal lever handle
- Metal slip-on diverter tub spout
- For use with Flash® shower rough-in valves

Œ	TU018508.002	Polished Chrome
	TU018508.243	Matte Black
	TU018508.278	Legacy Bronze

Brushed Nickel

TU018508.295



253

368

366

345




List Price Guide 2023-4


Bath/Shower Trim Kits and Valves





















Lever Handle

- Includes Double Ceramic pressure balance
- Water-saving 5-%" (147 mm) showerhead, 1.8 gpm/6.8 L/min maximum flow
- Shower arm and flange
- Wall escutcheon

Description

- Metal lever handle
- For use with Flash® shower rough-in valves

Bath/Shower Trim Kits and Valves

Edgemere®		Bath/Show	ver Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			[SR]
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			[SR]
	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System	RU107	No Finish	72
	• ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			



Bath/Shower Trim Kits and Valves

Eagemere		Bath/Show	er Irim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	1½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	 1½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With	RU107ESS	No Finish	125
	Screwdriver Stops for Crimp Ring System • ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion	RU108	No Finish	72
	System • ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver	RU108SS	No Finish	103
	Stops for Cold Expansion System '½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve For use with TU series pressure balance bath/			SR

^{*}When combined with Double Ceramic pressure balance cartridge.

shower trim kits

americanstandard.com List Price Guide 2023-4

Bath/Shower Trim Kits and Valves

Eugemere		Bath/Showe	r irim Kits a	na vaives
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95
	 ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125
	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash [®] Shower Rough-In Valve With CPVC Inlets/Universal Outlets	RU109	No Finish	95
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			[SR]
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver Stops	RU109SS	No Finish	125
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim			

- Cartridge ships with trim
 For use with TU series pressure balance bath/ shower trim kits



Accessories

	Description	SKU #	Color/Finish	List Price
	Edgemere® 18-Inch Towel Bar	7018018.002	Polished Chrome	66
	Brass bar	7018018.243	Matte Black	95
	 All metal construction Concealed mounting: no exposed set screws 	7018018.278	Legacy Bronze	100
To the state of th	Coordinates with Edgemere® bath faucet collection Limited lifetime warranty on function and finish	7018018.295	Brushed Nickel	93
				\mathscr{D}
	Edgemere® 24-Inch Towel Bar	7018024.002	Polished Chrome	74
E E	• Brass bar	7018024.243	Matte Black	108
	All metal construction Concealed mounting: no exposed set screws	7018024.278	Legacy Bronze	108
You	Coordinates with Edgemere® bath faucet collection Limited lifetime warranty on function and finish	7018024.295	Brushed Nickel	101
				\mathscr{D}
	Edgemere® Towel Ring	7018190.002	Polished Chrome	49
6	• 7-1/4" (185 mm) diameter ring	7018190.243	Matte Black	71
-	 All metal construction Concealed mounting: no exposed set screws 	7018190.278	Legacy Bronze	74
	Coordinates with Edgemere® bath faucet collection Limited lifetime warranty on function and finish	7018190.295	Brushed Nickel	68
				\mathscr{Q}
	Edgemere® Double Robe Hook	7018210.002	Polished Chrome	36
off.	All metal construction	7018210.243	Matte Black	52
6	 Concealed mounting: no exposed set screws Coordinates with Edgemere® bath faucet collection 	7018210.278	Legacy Bronze	54
L m	Easy to install Limited lifetime warranty on function and finish	7018210.295	Brushed Nickel	51
	Solid metal construction is durable and long- lasting			\mathscr{D}
	Edgemere® Toilet Paper Holder	7018230.002	Polished Chrome	54
	Pivoting arm	7018230.243	Matte Black	78
	All metal construction Coordinates with Edgemere® bath faucet collection	7018230.278	Legacy Bronze	83
	Easy to install Limited lifetime warranty on function and finish	7018230.295	Brushed Nickel	77
				\mathscr{D}

americanstandard.com List Price Guide 2023-4

Inspired by the continuous movement of water, the **Fluent Collection** adds an easy elegance to your bathroom design. It's the perfect way to bring the beauty of nature indoors.





Widespread Faucet 7186801



Monoblock Faucet 7186101



Centerset Faucet 7186201

Bath



Bathtub Faucets T186901, T186900



Tub Spouts

Shower







Bath/Shower Trim Kits TU186502, TU186508



Diverter Valve Trim Kit



Showerhead 1660604

Accessories



C Series 18" Towel Bar 8337018



C Series 24" Towel Bar 8337024




C Series Towel Ring 8337190



C Series Toilet Paper Holder 8337230



C Series Double Robe Hook 8337210





- Metal construction
- Putty plate included

Universal Deck Plate

2000102P.013	Polished Nicke
2000102P.278	Legacy Bronze
2000102P.295	Brushed Nicke

2000102P.002



50

70

76 70



Fluent® 4-Inch Centerset 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With **Lever Handles**

- Brass construction
- 1/4-turn washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Cast brass spout
- Metal lever handles
- Metal Speed Connect® pop-up drain



7186201.002	Polished Chrome	220
7186201.278	Legacy Bronze	331
7186201.295	Brushed Nickel	308

Polished Chrome





Sink and Bath Faucets



Fluent® Bathtub Faucet With Lever Handles and Personal Shower for Flash® Rough-In Valve




SKU #	Color/Finish	List Price
T186901.002	Polished Chrome	651
T186901.278	Legacy Bronze	977
T186901.295	Brushed Nickel	913



Brass construction

Description

- All personal showers feature 5' (152 cm) long hose
- Metal lever handles
- Personal shower with 1.8 gpm/6.8 L/min maximum flow
- For use with Flash® bathtub faucet rough-in valve R910
- Installs with Flash® rough valve platform





T186900.002 Polished Chrome 465 T186900.295 **Brushed Nickel** 651





for Flash® Rough-In Valve

- Brass construction
- Metal lever handles
- Less personal shower
- For use with Flash® bathtub faucet rough-in valve R900
- Installs with Flash® rough valve platform

Flash® Bathtub Filler Rough-In Valve With **Personal Shower**



No Finish


322



- Brass construction and washerless ¼-turn ceramic disc valves cartridge
- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/59.2 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness
- Includes hand shower rough-in



Flash® Bathtub Filler Rough-In Valve



- 1/2" (13 mm) copper inlets
- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat connections
- 14 gpm/52.9 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
 Adjustable rough-in: 2-½" (64 mm) maximum deck thickness

R900 No Finish









americanstandard.com List Price Guide 2023-4

Bath/Shower Trim Kits and Valves

HOW TO **ORDER**

Choose desired trim kit.





Choose rough-in valve with desired connection.





Fully installed Bath/Shower

Trim kit with cartridge

Description

Flash® Shower Rough-In Valve

Fluent® 2.5 gpm/9.5 L/min Tub and Shower TU186502.002 Polished Chrome Trim Kit With Showerhead, Double Ceramic





- 7" (178 mm) showerhead, 2.5 gpm/9.5 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- Metal slip-on diverter tub spout
- For use with Flash® shower rough-in valves

SKU# Color/Finish **List Price** 268 TU186502.278 Legacy Bronze 386 TU186502.295 **Brushed Nickel** 361







Fluent® 2.5 gpm/9.5 L/min Shower Trim Kit With Double Ceramic Pressure Balance **Cartridge With Lever Handle**



- 7" (178 mm) showerhead, 2.5 gpm/9.5 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves





Polished Chrome **Brushed Nickel**

241 325





Fluent® Valve Only Trim Kit With Double Ceramic Pressure Balance Cartridge With Lever Handle



- Brass wall escutcheon
- Metal lever handle
- For use with Flash® rough-in valves



TU186500.002 TU186500.295 Polished Chrome **Brushed Nickel**

212 284





Bath/Shower Trim Kits and Valves



Fluent® 1.8 gpm/6.8 L/min Tub and Shower Trim Kit With Water-Saving Showerhead, **Double Ceramic Pressure Balance Cartridge With Lever Handle**



SKU# Color/Finish **List Price** TU186508.002 Polished Chrome TU186508.295 **Brushed Nickel**



268




- Includes Double Ceramic pressure balance
- Water-saving 7" (178 mm) showerhead, 1.8 gpm/6.8 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- Metal slip-on diverter tub spout
- For use with Flash® shower rough-in valves






Description









TU186507.002

Polished Chrome 241 325





- Includes Double Ceramic pressure balance
- Water-saving 7" (178 mm) showerhead, 1.8 gpm/6.8 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves



riueiii		Bath/Show	er irim Kits a	na vaives
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR)
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits			an
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With Stub-Outs With Screwdriver Stops • ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring	RU102SS	No Finish	103
	 Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System	RU107	No Finish	72
	• ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			эн

Fluent®		Bath/Show	er Trim Kits a	nd Valves
	Description	SKU#	Color/Finish	List Price
	Flash [®] Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	 ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			24
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
680	• ½" (13 mm) PEX cold expansion inlets/Universal			



- ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960)

 Cast DZR brass valve body
 Flow rate: 5.1 gpm @ 45 psi*
 Back-to-back capability
 Includes flush plug with stainless steel ring
 Includes screwdriver stops for easy servicing at the valve


- For use with TU series pressure balance bath/ shower trim kits


*When combined with Double Ceramic pressure balance cartridge.

Color/Finish

No Finish

List Price






- Universal outlets (ASTM F1960)
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability

Description

- Includes flush plug with stainless steel ring
 Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With **Screwdriver Stops for Cold Expansion**



- Universal outlets (ASTM F1960) · Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets

- 1/2" (13 mm) CPVC inlets/Universal outlets
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver

- 1/2" (13 mm) CPVC inlets/Universal outlets
- · Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability

Stops

- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits



SKU#

RU108E

No Finish

125





95



RU109SS

RU109

No Finish

No Finish

125



Fluent			Bath/Showe	er Trim Kits and	l Valves
	Description		SKU #	Color/Finish	List Price
	Fluent [®] Single-Handle Diverter Valve Trim Kit	ADA	T186430.002 T186430.295	Polished Chrome Brushed Nickel	111 155
	 Metal lever handle Less valve (must be purchased separately) Trim kit for valve bodies R422, R422S, R423 and R423S 		1100430.293	Brusiled Nickel	MAP Ø
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete Functions		R422	No Finish	231
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				[SR] ${\cal Q}$
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete/1 Shared Function		R422S	No Finish	231
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				[SR] ${\cal Q}$
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete Functions		R433	No Finish	262
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 3 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				SR Q
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete/3 Shared Functions		R433S	No Finish	262
	Durable cast brass valve body – excellent for high use applications with prolonged water use				$\widehat{ _{SR }}\mathscr{D}$



- Solutions cast brass valve body excellent for high use applications with prolonged water use


 Controls water flow between 3 outlets (shower or sprays)

 ½" (13 mm) NPT inlets/outlets

 Trim must be ordered separately



Accessories







americanstandard.com List Price Guide 2023-4

Enhanced by classic details, the traditional style of the **Glenmere Collection** will stand the test of time. Designed for durability, reliable performance, and lasting beauty in the busiest bathroom.



List Price Guide 2023-4 americanstandard.com

Sink



Widespread Faucet 7617807



Centerset Faucet 7617207



Monoblock Faucet 7617107

Shower







Bath/Shower Trim Kits

Accessories



24" Towel Bar 7617024



Towel Ring 7617190



Toilet Paper Holder 7617230



Double Robe Hook 7617210

americanstandard.com List Price Guide 2023-4

Sink and Bath Faucets



Glenmere™ 8-Inch Widespread 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles

- Metal construction
- Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Metal spout

Description

- Brass hybrid valves with reinforced flexible hose connections for 6" - 12" (152 - 305 mm) installations
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Metal lever handles
- Metal push pop up drain


	SKU #	Color/Finish	List Price
Œ	7617807.002	Polished Chrome	349
	7617807.243	Matte Black	454
	7617807.278	Legacy Bronze	419
	7617807.295	Brushed Nickel	419





Glenmere™ 4-Inch Centerset 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles

- Metal construction
- Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator
- Metal spout
- Metal lever handles
- Metal push pop up drain







Glenmere™ Single Hole Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle

- Metal construction
- Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Metal spout
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Metal lever handle
- Includes optional deck plate
- Metal push pop up drain

7617107.002	Polished Chrome	243
7617107.243	Matte Black	316
7617107.278	Legacy Bronze	292
7617107.295	Brushed Nickel	292

Œ

Glenmer

Bath/Shower Trim Kits and Valves

HOW TO **ORDER** Choose desired trim kit.





Choose rough-in valve with desired connection.







Fully installed Bath/Shower



Trim kit with cartridge

Description

Flash® Shower Rough-In Valve











Glenmere[™] 1.8 gpm/6.8 L/min Tub and Shower Trim Kit With Water-Saving **Showerhead, Double Ceramic Pressure Balance Cartridge With Lever Handle**

- Includes Double Ceramic pressure balance
- Includes Double Ceramic pressure balance cartridge
 Water-saving showerhead, 1.8 gpm/6.8 L/min maximum flow
 Shower arm and flange
 Metal wall escutcheon
 Metal lever handle
 IDS dijuster the proof.

- IPS diverter tub spout
- For use with Flash® shower rough-in valves



SKU #	Color/Finish	List Price
TU617508.002	Polished Chrome	170
TU617508.243	Matte Black	221
TU617508.278	Legacy Bronze	204
TU617508.295	Brushed Nickel	204

List Price Guide 2023-4 americanstandard.com

Bath/Shower Trim Kits and Valves

Glenmere		Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets • ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body	RU101	No Finish	72
	Flow rate: 5.1 gpm @ 45 pśi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			ŜR Ì
	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System	RU107	No Finish	72
	• ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			[]

alominoro		Datil, Ollow	or mini into a	iiu vaivos
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
in.	• ½" (13 mm) PEX cold expansion inlets/Universal			



- ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960)
 Cast DZR brass valve body
 Flow rate: 5.1 gpm @ 45 psi*
 Back-to-back capability
 Includes flush plug with stainless steel ring
 Includes screwdriver stops for easy servicing at the units

- For use with TU series pressure balance bath/ shower trim kits

*When combined with Double Ceramic pressure balance cartridge.

List Price Guide 2023-4 americanstandard.com


















Color/Finish

No Finish

List Price







- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability

Description

- Includes flush plug with stainless steel ring
 Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With **Screwdriver Stops for Cold Expansion**




- Universal outlets (ASTM F1960) Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets

- 1/2" (13 mm) CPVC inlets/Universal outlets
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver



- · Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability

Stops

- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits



SKU#

RU108E

No Finish

125





95



RU109SS

RU109

No Finish

No Finish

125



$\textbf{Glenmere}^{^{\text{\tiny{TM}}}}$

Bath/Shower Trim Kits and Valves

	Description	SKU #	Color/Finish	List Price
	Glenmere™ 24-inch Towel Bar	7617024.002	Polished Chrome	57
	All metal construction Concealed mounting	7617024.243	Matte Black	84
1	Concealed mounting	7617024.278	Legacy Bronze	75
		7617024.295	Brushed Nickel	65
	Glenmere™ Towel Ring	7617190.002	Polished Chrome	41
	• 7" (178 mm) diameter ring	7617190.243	Matte Black	60
	All metal construction Concealed mounting	7617190.278	Legacy Bronze	54
		7617190.295	Brushed Nickel	47
	Glenmere™ Robe Hook	7617210.002	Polished Chrome	31
	All metal construction	7617210.243	Matte Black	46
	Concealed mounting	7617210.278	Legacy Bronze	42
		7617210.295	Brushed Nickel	36
	Glenmere™ Toilet Paper Holder	7617230.002	Polished Chrome	50
	All metal construction	7617230.243	Matte Black	74
	Concealed mounting	7617230.278	Legacy Bronze	68
		7617230.295	Brushed Nickel	46

americanstandard.com List Price Guide 2023-4

Practical by design, the **Reliant 3 Collection** boasts ergonomic features for enhanced functionality without sacrificing style, and superior engineering for dependable use.



List Price Guide 2023-4 americanstandard.com

Sink



Centerset Faucets

Shower







Bath/Shower Trim Kit TU385502








Bath/Shower Trim Kit TU385508



Valve Only Trim Kit With Decal TU385500WD

Accessories







C Series 24" Towel Bar 8337024



C Series Towel Ring 8337190




C Series Toilet Paper Holder 8337230



C Series Double Robe Hook 8337210

List Price Guide 2023-4 americanstandard.com





- Water-conserving 0.5 gpm/1.9 L/min pressurecompensating aerator
- 47 mm ceramic disc valve cartridge with an adjustable Hot Limit Safety Stop
- Cast brass waterway
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Red/Blue index button included
- Indexed Red/Blue metal lever handle
- Metal Speed Connect® pop-up drain



Reliant 3® 4-Inch Centerset Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle



7385007.002

SKU#

Color/Finish

Polished Chrome

List Price 177



 Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator

- 47 mm ceramic disc valve cartridge with an adjustable Hot Limit Safety Stop
- Cast brass waterway with flexible supply hoses
 Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Red/Blue index button included
- Indexed Red/Blue metal lever handle
- Less drain

Description

- Less pop-up rod
- With pop-up hole



7385004.002 7385004.295 Polished Chrome

Brushed Nickel

247

177





Reliant 3® 4-Inch Centerset Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With **Lever Handle**

- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- 47 mm ceramic disc valve cartridge with an adjustable Hot Limit Safety Stop
- Cast brass waterway with flexible supply hoses
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Red/Blue index button included
- Indexed Red/Blue metal lever handle
- · Less drain
- Less pop-up rod
- Less pop-up hole



7385058.002

Polished Chrome

199




Reliant 3® 4-Inch Centerset Single-Handle Bathroom Faucet 0.5 gpm/1.9 L/min With **Lever Handle**

- Water-conserving 0.5 gpm/1.9 L/min pressurecompensating aerator spray
- 47 mm ceramic disc valve cartridge with adjustable Hot Limit Safety Stop
- All metal construction
- Vandal-resistant non aerator spray
- Cast brass waterway
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Red/Blue index button included
- Indexed Red/Blue metal lever handle
- Metal Speed Connect® pop-up drain



Reliant 3® 4-Inch Centerset Single-Handle Bathroom Faucet 0.5 gpm/1.9 L/min With **Lever Handle**



- 47 mm ceramic disc valve cartridge with adjustable Hot Limit Safety Stop
- All metal construction
- · Vandal-resistant non aerator spray
- Cast brass waterway
- Braided flexible supply hoses with 3/8" (10 mm) compression connectors
- Red/Blue index button included
- Indexed Red/Blue metal lever handle
- Grid drain
- Less pop-up hole





americanstandard.com

	Description		SKU #	Color/Finish	List Price
	Reliant 3® 4-Inch Centerset Single-Handle Bathroom Faucet 0.5 gpm/1.9 L/min With Lever Handle • Water-conserving 0.5 gpm/1.9 L/min pressure-	ADA GE	7385050.002	Polished Chrome	180
	compensating aerator spray 47 mm ceramic disc valve cartridge with an adjustable Hot Limit Safety Stop Cast brass waterway with flexible supply hoses Vandal-resistant non-aerator spray Braided flexible supply hoses with 3/8" (10 mm) compression connectors Indexed Red/Blue metal lever handle Less drain Less pop-up hole				
Ordersty Larvid XXT	Reliant 3® 4-Inch Centerset Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle	ADA	7385045.295	Brushed Nickel	331
	Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator 47 mm ceramic disc valve cartridge with adjustable Hot Limit Safety Stop All metal construction Cast brass waterway 3/8" (10 mm) copper supplies with ½" (13 mm) male adapters Metal lever handle Red/Blue index button included Metal Speed Connect® pop-up drain				
Consector Consector Listraci Mat	Reliant 3® 4-Inch Centerset Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle	ADA	7385047.002	Polished Chrome	214
	Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator spray 47 mm ceramic disc valve cartridge with adjustable Hot Limit Safety Stop All metal construction Cast brass waterway 3/8" (10 mm) copper supplies with ½" (13 mm) male adapters Metal lever handle Red/Blue index button included				

- Less Drain
 Less pop-up hole



List Price Guide 2023-4 americanstandard.com

Bath/Shower Trim Kits and Valves

HOW TO **ORDER**

Choose desired trim kit.



Description



Choose rough-in valve with desired connection.









Fully installed Bath/Shower

Trim kit with cartridge

Flash® Showe	r Rougi	h-In ˈ	Val	V
--------------	---------	--------	-----	---

Reliant 3® 2.5 gpm/9.5 L/min Tub and	TU
Shower Trim Kit With Showerhead, Double	TI
Caramia Progrupa Palanca Cartridge With	11






- "Easy Clean" 4-1/2" (115 mm) showerhead, 2.5 gpm/9.5 L/min maximum flow
- Shower arm and flange
- Metal wall escutcheon
- Slip-on diverter tub spout
- For use with Flash® shower rough-in valves

SKU #	Color/Finish	List Price
TU385502.002	Polished Chrome	195
TU385502.295	Brushed Nickel	262




Reliant 3® 2.5 gpm/9.5 L/min Shower Trim Kit With Showerhead, Double Ceramic **Pressure Balance Cartridge With Lever**





- "Easy Clean" 4-1/2" (115 mm) showerhead, 2.5 • Shower arm and flange
- Metal wall escutcheon
- Metal lever handle
 For use with Flash® shower rough-in valves




TU385501.295

Polished Chrome **Brushed Nickel**

156 205



Reliant 3® Valve Only Trim Kit With Double **Ceramic Pressure Balance Cartridge With Lever Handle**



- Metal wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves



TU385500.002 TU385500.295 Polished Chrome **Brushed Nickel**

109 142







TU385508.002

Polished Chrome

195









Reliant 3® 1.75 gpm/6.6 L/min Tub and **Shower Trim Kit With Double Ceramic Pressure Balance Cartridge With Lever** Handle

- Includes Double Ceramic pressure balance cartridge
- Water-saving 3-¾" (96 mm) 1.75 gpm/6.6 L/min maximum flow
- Shower arm and flange
- Metal wall escutcheon
- Metal lever handle
- Slip-on diverter tub spout
- For use with Flash® shower rough-in valves

americanstandard.com List Price Guide 2023-4

nonant o		Datil/Silowe	i iiiiii Mito ai	iu vaives
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			[SR]
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits			an
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			SR
	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring	RU107	No Finish	72
	System • ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR





Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System

- ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960)
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- For use with TU series pressure balance bath/ shower trim kits

*When combined with Double Ceramic pressure balance cartridge.

americanstandard.com List Price Guide 2023-4


RU108SS

No Finish


103

SR





Reliant 3[®] Accessories



americanstandard.com List Price Guide 2023-4

Lending stoic confidence to a modern setting, the **Serin Collection** features an arched faucet and substantial lever handles for a look that is as expressive as it is enduring.



List Price Guide 2023-4 americanstandard.com

Sink



Widespread Faucet 2064801



Widespread Faucet 2064831



Monoblock Faucet 2064101



Vessel Faucet 2064152



Wall-Mount Faucet 2064451

Bath



Contemporary Freestanding Bathtub Faucet T064951





Fixed Mounted Bidet Fitting 2064401



Monoblock Bidet Fitting 2064011

Shower







Bath/Shower Trim Kit TU064508



Slip-on Diverter

Tub Spout 8888087

2-Handle Integrated Shower Diverter Trim TU064740

Accessories



C Series 18" Towel Bar 8337018



C Series 24" Towel Bar 8337024



C Series Towel Ring 8337190



C Series Toilet Paper Holder 8337230



C Series Double Robe Hook 8337210

americanstandard.com List Price Guide 2023-4

Sink and Bath Faucets

Serin® 2-Handle 8-Inch Widespread



2064801.002

SKU#


Polished Chrome

Color/Finish

List Price 448







- Brass construction
- Washerless ceramic disc valve cartridge
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Brass sprout

Description

- · Cast brass valve bodies with flexible hose connections for 6"-12" (152-305 mm) installations
- Metal lever handles.
- Metal Speed Connect® pop-up drain




2064831.002

Polished Chrome

448







- Brass construction
- Washerless ceramic disc valve cartridge
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Brass sprout
- Cast brass valve bodies with flexible hose connections for 6"-12" (152-305 mm) installations
- Metal lever handles
- Metal Speed Connect® pop-up drain



2064831.295

Brushed Nickel

628





Serin® Single Hole Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handle



- Washerless ceramic disc valve cartidges
- Water-conserving 1.2 gpm/4.5 L/min pressure-
- compensating aerator
- Cast brass spout
- Braided flexible hoses with 3/8" (10mm) compression connectors
- Adjustable Hot Limit Safety Stop
- Red/Blue index buttons included
- Metal lever handle
- Metal Speed Connect® pop-drain



2064101.002 2064101.295 Polished Chrome **Brushed Nickel**

343

481







Serin® Single Hole Single-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever **Handle Less Drain**



2064LDH101.002 Polished Chrome 319



- Brass construction
- Washerless ceramic disc valve cartidges • Water-conserving 1.0 gpm/3.8 L/min pressurecompensating aerator
- Cast brass spout
- Braided flexible hoses with 3/8" (10mm) compression connectors
- Adjustable Hot Limit Safety Stop
- Red/Blue index buttons included
- Metal lever handle
- · Less pop-up drain and hole

Serin®





Serin® Single Hole Single-Handle Vessel Sink Faucet 1.2 gpm/4.5 L/min With Lever Handle




2064152.002

Polished Chrome

412





- Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Cast brass spout
- Braided flexible hoses with 3/8" (10 mm) compression connectors
- Red/Blue index buttons included
- Metal lever handle
- Grid drain





2064151.002

Polished Chrome

378





Serin® Single Hole Single-Handle Vessel Sink Faucet 1.2 gpm/4.5 L/min With Lever Handle



- Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Cast brass spout
- Braided flexible hoses with 3/8" (10 mm) compression connectors
- Red/Blue index buttons included
- Metal lever handle
- Less drain





Polished Chrome

448







Serin® 2-Handle Wall Mount Faucet 1.2 gpm/4.5 L/min With Lever Handles

- Brass construction
- · Washerless ceramic disc valve cartridges
- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Brass spout
- Cast brass valve body
- Metal lever handles
- Grid drain



2064451.002



Sink and Bath Faucets



Serin® Single-Handle Wall Mount Faucet 1.2 gpm/4.5 L/min With Lever Handles



Brass construction

- Washerless ceramic disc valve cartridge
- Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator
- Brass sprout

Description

- · Cast brass valve body
- Metal lever handles
- Grid drain



SKU#

2064461.002

T064951.295

T064951.002 Polished Chrome 1,187 T064951.243 Matte Black 1,780

Brushed Nickel





Contemporary Round Freestanding Bathtub Filler With Lever Handle Faucet for Flash® Rough-In Valve

- Brass construction and ¼-turn washerless ceramic disc valve cartridge
- Personal shower features 59" (1499 mm) long hose with 1.8 gpm/6.8 L/min maximum flow
- Metal lever handle
- Overall height: 44-¾" (1137 mm)
 Spout reach: 11-¼" (286 mm)
- Metal hand shower
- Shower bracket pivots 60°
 For use with Flash® freestanding tub faucet roughin valve (sold separately)





- ½" (13 mm) copper inlets
- Level adjustable
- Test plugs included
- · Must order trim separately

R950

No Finish

230





Flash® Freestanding Bathtub Filler Rough-In Valve With Screwdriver Stops

- Brass construction
- 1/2" (13 mm) copper inlets
- Level adjustable
- Test plugs included
- Must order trim separately
- Includes screwdriver stops for easy servicing at the valve

R950SS

No Finish

265



List Price Guide 2023-4

americanstandard.com

Serin®

Bath/Shower Trim Kits and Valves



Choose desired trim kit.





Choose rough-in valve with desired connection.








Fully installed Bath/Shower

Trim kit with cartridge

Description

Flash® Shower Rough-In Valve







TU064508.002 TU064508.295


Color/Finish **List Price** Polished Chrome **Brushed Nickel**



402

549





- Water-saving 4-¾" (120mm) 3-function showerhead, 1.75 gpm/6.6 L/min maximum flow
- Shower arm and flange
- · Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves





Serin® 1.75 gpm/6.6 L/min Tub and Shower Trim Kit With Water-Saving 3-Function **Shower Head, Double Ceramic Pressure Balance Cartridge With Lever Handle**




TU064507.002

Polished Chrome

356







- Inculdes Double Ceramic pressure balance cartridge
- Water-saving 4-¾" (120mm) 3-function showerhead, 1.75 gpm/6.6 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves









TU064500.002 TU064500.295 Polished Chrome **Brushed Nickel**

264

356



- Includes Double Ceramic pressure balance cartridge
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves





americanstandard.com

Serin		Bath/Show	er Irim Kits a	nd valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			SR
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			(SR)
	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System	RU107	No Finish	72
	• ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			24

Serin		Bath/Shower Trim Kits and Valve				
	Description	SKU#	Color/Finish	List Price		
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103		
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits					
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 (SR)		
	 ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 					
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125		
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits					
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72		
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits					
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver	RU108SS	No Finish	103		
	Stops for Cold Expansion System • ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/ shower trim kits			(SR)		

^{*}When combined with Double Ceramic pressure balance cartridge.

americanstandard.com List Price Guide 2023-4






- the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits



Color/Finish **List Price** Description T064WDXH602.002 Polished Chrome 405 Serin® Tub and Shower Trim Kit, Double

Ceramic Pressure Balance Cartridge With Lever Handle



- Shower arm and flange
- Brass wall escutcheon with built-in diverter
- Metal lever handle
- Brass tub spout
- Red/Blue indicator ring
- For use with rough-in valve R116SS
- Brass wall escutcheon with built-in diverter





Temperature Control Rough-In Valve With Integral Diverter


- Ceramic disc valve provides a lifetime of smooth handle operation and drip-free performance
- Hot Limit Safety Stop protects from accidental scalding
- Durable brass construction
- Limited lifetime warranty on function and finish

R116SS

No Finish

184





- Cast brass valve bodies
- Washerless ceramic disc valve cartridges
- Vacuum breaker
- Metal lever handle
- Metal Speed Connect® pop-up drain



2064401.002

Polished Chrome

766





- Cast brass spout
- Braided flexible hoses with 3/8" (10 mm) compression connectors
- Metal lever handle
- Metal Speed Connect® pop-up drain



2064011.002

Polished Chrome

363





ÁDA

americanstandard.com

Sellli			Dalli/Siluwei	IIIII KILS ali	u vaives
	Description		SKU #	Color/Finish	List Price
	Serin [®] 2-Handle Integrated Shower Diverter Trim Only	ADA	TU064740.002	Polished Chrome	264
	•		TU064740.295	Brushed Nickel	370
	Metal wall escutcheon Metal lever handles Works with Flash® 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, required and sold separately Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521 ships with a 2-way Discrete cartridge 2-Way Shared capability requires Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521, plus a 2-Way Shared pressure balance cartidge #M970720-0070A, sold separately Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531 ships with a 3-Way Discrete cartridge 3-Way Shared capability requires Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531, plus a 3-Way Shared pressure balance cartidge #M970730-0070A, sold separately 3-way diverter with shared flow requires cartidge M970730-0070A (sold separately) Flash® 2-Way Integrated Shower Diverter		DI ISO1	No Finish	MAP Q
	Rough-In Valve with Pressure Balance Valve Cartridge		RU521	No Finish	355
	 Made of casted DZR brass to resist corrosion For use with Flash® 2-Handle Integrated Shower Diverter Trim ½" NPT Inlets/Outlets Valve ships with a 2-Way Discrete pressure balance cartidge 2-Way Shared functionality requires RU521 valve, plus purchase of 2-Way Shared cartridge RP# M970720-0070A, sold separately Compatible with Delancey®, Serin®, Studio® S, Town Square® S, Times Square® and Townsend® trims Trim sold separately 				SH S
	Flash® 2-Way Shared Diverter Cartridge		M970720-0070A	No Finish	79
	● For use with RU521 valve				
	Flash® 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance		RU531	No Finish	385
	• Made of casted DZR brass to resist corrosion • For use with Flash® 2-Handle Integrated Shower Diverter Trim • ½" NPT Inlets/Outlets • Valve ships with a 3-Way Discrete pressure balance cartidge • 3-Way Shared functionality requires RU531 valve, plus purchase of 3-Way Shared cartridge RP# M970730-0070A, sold separately • Compatible with Delancey®, Serin®, Studio® S, Town Square® S, Times Square® and Townsend® trims • Trim sold separately				MAP Ø
	Flash® 3-Way Shared Diverter Cartridge		M970730-0070A	No Finish	79



• For use with RU531 valve

Serin			Bath/Showe	i Valves	
	Description		SKU #	Color/Finish	List Price
	Serin® Single-Handle Diverter Valve Trim Kit • Metal lever handle • Less valve (must be purchased separately) • For use with rough-in valves R422, R422S, R433 and R433S • Controls water flow between 2 or 3 outlets (shower or sprays)	(A)	T064430.002 T064430.295	Polished Chrome Brushed Nickel	118 163 MAP Q
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete Functions • Durable cast brass valve body – excellent for high use applications with prolonged water use • Controls water flow between 2 outlets (shower or sprays) • ½" (13 mm) NPT inlets/outlets • Trim must be ordered separately		R422	No Finish	231
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete/1 Shared Function • Durable cast brass valve body – excellent for high use applications with prolonged water use • Controls water flow between 2 outlets (shower or sprays) • ½" (13 mm) NPT inlets/outlets • Trim must be ordered separately		R422S	No Finish	231
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete Functions • Durable cast brass valve body – excellent for high use applications with prolonged water use • Controls water flow between 3 outlets (shower or sprays) • ½" (13 mm) NPT inlets/outlets • Trim must be ordered separately		R433	No Finish	262
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete/3 Shared Functions • Durable cast brass valve body – excellent for high use applications with prolonged water use • Controls water flow between 3 outlets (shower or sprays)		R433S	No Finish	262




- √2" (13 mm) NPT inlets/outlets
 Trim must be ordered separately




List Price Guide 2023-4 americanstandard.com

Serin Flash® Pressure Balance Bath/Shower System



Serin Flash Pressure Balance Shower System



Serin Pressure Balance Bath/Shower System

				LIST PRICE FOR SYSTE
	DESCRIPTION	QTY	SKU #	002
Α	Serin Flash 2-Handle Integrated Shower Diverter Trim	1	TU064740	264
В	10" Modern Rain Showerhead	1	1660683	296
)	12" Wall-Mount Right Angle Shower Arm	1	1660194	101
)	3-Function Modern Slide Bar Kit	1	1662647	312
E	Serin Tub Spout	1	8888421	130
quir	red Components - Choose From Rough-In Valve 1 or 2 (not shown)			
1	3-Way Discrete (Non-Shared) Functionality – Requires Flash 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge	1	RU531	385
2	3-Way (Shared) Functionality – Requires Flash 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, also requires 3-way shared function cartridge M970730-0070A (sold separately)	1	RU531 + M970730-0070A	385 + 79 = 464
,	3-Way Discrete (Non-Shared) B	ath/Sho	ower System Total	1,488
	3-Way (Shared) Bath/Shower System Total			


Serin Pressure Balance Shower System

				LIST PRICE FOR SYSTEM
	DESCRIPTION	QTY	SKU #	002
Α	Serin Flash 2-Handle Integrated Shower Diverter Trim	1	TU064740	249
В	10" Modern Rain Showerhead	1	1660683	296
С	12" Wall-Mount Right Angle Shower Arm	1	1660194	101
D	3-Function Modern Slide Bar Kit	1	1662647	312
Requir	ed Components - Choose From Rough-In Valve 1 or 2 (not shown)			
1	2-Way Discrete (Non-Shared) Functionality – Requires Flash 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge	1	RU521	355
2	2-Way (Shared) Functionality – Requires Flash 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, also requires 2-way shared function cartridge M970720-0070A (sold separately)	1	RU521 + M970720-0070A	355 + 79 = 434
	2-Way Discrete (Non-Shared) E	ath/Sho	ower System Total	1,313
2-Way (Shared) Bath/Shower System Total				1,392

List Price Guide 2023-4 americanstandard.com

Serin[®]

Accessories





Studio® S

Bathroom Faucets

The urban-inspired **Studio S Collection** is defined by soft contours, superior performance, and lasting durability. It's the perfect fusion of style and function for today's modern bathroom.



List Price Guide 2023-4 americanstandard.com

Studio® S

Bathroom Faucets

Sink



Widespread Faucet 7105857

Widespread Faucet 7105801



Vessel Faucet 7105172



Monoblock Faucet 7105121

Bath



Bathtub Faucets T105900, T105901



Contemporary Freestanding Bathtub Faucet T064951



Tub Spouts

Shower







Bath/Shower Trim Kits TU105508



Diverter Trim Kit T105430



2-Handle Integrated Shower Diverter Trim TU105740

Accessories



Studio S 18" Towel Bar 7105018





Studio S Towel Ring 7105190



Studio S Toilet Paper Holder 7105230



Studio S Double Robe Hook 7105210

americanstandard.com

Studio S			•	Sink and Bath	rauceis
	Description		SKU #	Color/Finish	List Price
(1940) 161	Studio® S Widespread Low Spout 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles • Brass construction and washerless ceramic disc valve • Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator • Valve bodies with integrated flexible hose connections for 6"-12" (152-305 mm) installation • Metal lever handles • Brass push pop-up drain	(A) &	7105857.002 7105857.243 7105857.295 7105857.GN0	Polished Chrome Matte Black Brushed Nickel Polished Chrome	496 744 695
Orderty 1993 BY	Studio® S Widespread Low Spout 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Knob Handles Brass construction and washerless ceramic disc valve Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator Valve bodies with integrated flexible hose connections for 6"-12" (152-305 mm) installation Metal knob handles Brass push pop-up drain	Œ	7105877.002 7105877.243 7105877.295	Polished Chrome Matte Black Brushed Nickel	496 744 695 MAP
Distinctly (MYMS 8.5)	Studio® S 8-Inch Widespread 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Lever Handles Brass construction and washerless ceramic disc valve Water-conserving 1.2 gpm/4.5 L/min pressure-compensating aerator Valve bodies with integrated flexible hose connections for 6"-12" (152-305 mm) installation Metal lever handles Brass Push Pop-Up Drain	(A)	7105801.002 7105801.243 7105801.295	Polished Chrome Matte Black Brushed Nickel	496 744 695
Contractly 1999 851	Studio® S 8-Inch Widespread 2-Handle Bathroom Faucet 1.2 gpm/4.5 L/min With Knob Handles Brass construction and washerless ceramic disc valve Water-conserving 1.2 gpm/4.5 L/min pressure- compensating aerator Valve bodies with integrated flexible hose connections for 6"-12" (152-305 mm) installation Metal knob handles Brass Push Pop-Up Drain	E	7105821.002 7105821.243 7105821.295	Polished Chrome Matte Black Brushed Nickel	496 744 695
Contractly to 1995 181	Studio® S Single Hole Single-Handle Bathroom Faucet 1.2 gpm/ 4.5 L/min With Lever Handle Brass construction and washerless ceramic disc valve cartridge Water-conserving 1.2 gpm/4.5 L/min pressure- compensating aerator Braided flexible hoses with 3/8" (10 mm) compression connectors Metal lever handle Brass push pop-up drain	(DA)	7105121.002 7105121.243 7105121.295	Polished Chrome Matte Black Brushed Nickel	345 516 410

List Price Guide 2023-4 americanstandard.com


Studio® S

Sink and Bath Faucets






Studio® S Single Hole Single-Handle Vessel Sink Faucet 1.2 gpm/4.5 L/min With Lever Handle



- Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator
- Braided flexible hoses with 3/8" (10 mm) compression connectors
- Metal Lever Handle
- Metal grid drain

Description







Universal Deck Plate

- Metal construction
- Putty plate included





68 OP







- Metal lever handles
- Personal shower with 1.8 gpm/6.8 L/min maximum
- Personal showers feature 5' (152 cm) long hose
- For use with Flash® bathtub faucet rough-in valve R910
- Valve sold separately



T105901.295

T105900.243

Matte Black **Brushed Nickel**

Polished Chrome



602

903



ÁDĄ



T105900.295 **Brushed Nickel**



422

633





Studio® S Bathtub Faucet With Lever Handles for Flash® Rough-In Valve

- Brass construction Metal lever handles
- Less personal shower
- For use with Flash® bathtub faucet rough-in valve
- Valve sold separately



R910

No Finish

Matte Black

322



Flash® Bathtub Filler Rough-In Valve With **Personal Shower**

- Brass construction and washerless 1/4-turn ceramic disc valves cartridge
- 1/2" (13 mm) copper inlets
- · Connections to spout can be made via flexible hoses (provided) or ½" (13 mm) copper sweat connections
- 14 gpm/59.2 L/min maximum flow rate at 40 psi 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-½" (64 mm) maximum deck
- Includes hand shower rough-in



americanstandard.com

List Price Guide 2023-4

Color/Finish

No Finish



Flash® Bathtub Filler Rough-In Valve

- Brass construction and washerless 1/4-turn ceramic disc valve cartridges
- ½" (13 mm) copper inlets

Description

- Connections to spout can be made via flexible hoses (provided) or ½" (13 mm) copper sweat connections
- 14 gpm/52.9 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
- Adjustable rough-in: 2-1/2" (64 mm) maximum deck thickness





SKU#

R900

Polished Chrome Matte Black

1,187 1,780

List Price

184

SR

T064951.295

Brushed Nickel

1,662




Contemporary Round Freestanding Bathtub Filler With Lever Handle Faucet for Flash® Rough-In Valve

- Brass construction and 1/4-turn washerless ceramic disc valve cartridge
- Personal shower features 59" (1499 mm) long hose with 1.8 gpm/6.8 L/min maximum flow
- Metal lever handle
- Overall height: 44-3/4" (1137 mm)
- Spout reach: 11-1/4" (286 mm)
- Metal hand shower
- Shower bracket pivots 60°
- For use with Flash® freestanding tub faucet roughin valve (sold separately)





- Level adjustable



Test plugs included


Must order trim separately

R950

No Finish

230





- Brass construction
- 1/2" (13 mm) copper inlets
- Level adjustable
- Test plugs included
- · Must order trim separately
- Includes screwdriver stops for easy servicing at

R950SS

No Finish

265



List Price Guide 2023-4

americanstandard.com

Studio® S

HOW TO **ORDER**

Choose desired trim kit.



Description



Choose rough-in valve with desired connection.








Fully installed Bath/Shower

Flash® Shower Rough-In Valve



Studio® S 1.8 gpm/6.8 L/min Tub and Shower Trim Kit With Rain Showerhead, **Double Ceramic Pressure Balance**





- gpm/6.8 L/min maximum flow • 12" (300 mm) shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- Slip-on diverter tub spout
- For use with Flash® shower rough-in valves



SKU #	Color/Finish	List Pri
TU105508.002	Polished Chrome	385
TU105508.243	Matte Black	564
TU105508.295	Brushed Nickel	526





















- Includes Double Ceramic pressure balance cartridge
- Water-saving 8" (200 mm) rain showerhead, 1.8 gpm/6.8 L/min maximum flow
- 12" (300 mm) shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves



TU105507.002	Polished Chrome
TU105507.243	Matte Black
TU105507.295	Brushed Nickel



342

501

467

Studio® S Valve Only Trim Kit With Double **Ceramic Pressure Balance Cartridge With Lever Handle**



- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves



TU105500.002	Polished Chrome	254
TU105500.243	Matte Black	367
TU105500.295	Brushed Nickel	342





americanstandard.com

Bath/Shower Trim Kits and Valves

Studio	J		Daul/Siluw	ei iiiiii kiis a	iiu vaives
		Description	SKU #	Color/Finish	List Price
		Flash [®] Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
		 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			[SR]
		Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
		 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve For use with TU series pressure balance bath/ shower trim kits 			
		Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
		 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			SR
		Flash® Shower Rough-In Valve With Stub-Outs With Screwdriver Stops • ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at	RU102SS	No Finish	103
		the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			
		Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System	RU107	No Finish	72
		 ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			

Studio® S

Bath/Shower Trim Kits and Valves

otualo o		Datil/ Ollow	GI IIIIII MILO A	iiu vaivos
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	 ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With	RU107ESS	No Finish	125
	Screwdriver Stops for Crimp Ring System '½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
	 ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve			



americanstandard.com List Price Guide 2023-4

• For use with TU series pressure balance bath/ shower trim kits

SKU#

RU108E

RU108ESS

Color/Finish

No Finish

No Finish

List Price

125

SR



Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold **Expansion System**

- 1/2" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960)
- Cast DZR brass valve body

Description

- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With **Screwdriver Stops for Cold Expansion System**

- 1/2" (13 mm) PEX cold expansion elbow inlets/
- Universal outlets (ASTM F1960) Cast DZR brass valve body

- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability

Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets

- 1/2" (13 mm) CPVC inlets/Universal outlets
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits

RU109

No Finish

95





Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver Stops

- 1/2" (13 mm) CPVC inlets/Universal outlets
- Cast DZR brass valve body
- Flow rate: 5.1 gpm @ 45 psi*
- Back-to-back capability
- Includes flush plug with stainless steel ring
- Includes screwdriver stops for easy servicing at the valve
- Cartridge ships with trim
- For use with TU series pressure balance bath/ shower trim kits







125



Studio® S

Description Studio® S 2-Handle Integrated Shower





Metal lever handles
Works with Flash® 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, required and sold separately

• Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521 ships with a 2-way Discrete cartridge

• 2-Way Shared capability requires Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521, plus a 2-Way Shared pressure balance cartidge #M970720-0070A, sold separately

• Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531 ships with a 3-Way Discrete cartridge

 3-Way Shared capability requires Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531, plus a 3-Way Shared pressure balance cartidge #M970730-0070A, sold separately

· 3-way diverter with shared flow requires cartidge M970730-0070A (sold separately)

SKU #	Color/Finish	List Price
TU105740.002	Polished Chrome	261
TU105740.243	Matte Black	392
TU105740.295	Brushed Nickel	364

ÁDA

Bath/Shower Trim Kits and Valves





Flash® 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge



• For use with Flash® 2-Handle Integrated Shower

• 1/2" NPT Inlets/Outlets

 Valve ships with a 2-Way Discrete pressure balance cartidge

• 2-Way Shared functionality requires RU521 valve, plus purchase of 2-Way Shared cartridge RP# M970720-0070A, sold separately
• Compatible with Delancey®, Serin®, Studio® S,

Town Square® S, Times Square® and Townsend® trims

Trim sold separately

RU521 No Finish





355



Flash® 2-Way Shared Diverter Cartridge

For use with BU521 valve

M970720-0070A

No Finish

79



Flash® 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge

• Made of casted DZR brass to resist corrosion

• For use with Flash® 2-Handle Integrated Shower **Diverter Trim**

• 1/2" NPT Inlets/Outlets

• Valve ships with a 3-Way Discrete pressure balance cartidge

• 3-Way Shared functionality requires RU531 valve, plus purchase of 3-Way Shared cartridge RP# M970730-0070A, sold separately

 Compatible with Delancey®, Serin®, Studio® S, Town Square® S, Times Square® and Townsend®

Trim sold separately

RU531 No Finish



385



Flash® 3-Way Shared Diverter Cartridge

• For use with RU531 valve

M970730-0070A

No Finish

79



Rath/Shower Trim Kits and Valves

Studio [®] S			Bath/Showe	er Trim Kits an	d Valves
	Description		SKU#	Color/Finish	List Price
	Studio® S Single-Handle Diverter Valve	ÁDA	T105430.002	Polished Chrome	119
	Trim Kit	$\overline{}$	T105430.243	Matte Black	180
	 Metal lever handle Removable plaster guard Valve sold separately 		T105430.295	Brushed Nickel	165 MAP SR 0
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete Functions • Durable cast brass valve body – excellent for high use applications with prolonged water use • Controls water flow between 2 outlets (shower or sprays) • ½" (13 mm) NPT inlets/outlets • Trim must be ordered separately		R422	No Finish	231 (SR)
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete/1 Shared Function • Durable cast brass valve body – excellent for high use applications with prolonged water use • Controls water flow between 2 outlets (shower or sprays) • ½" (13 mm) NPT inlets/outlets • Trim must be ordered separately		R422S	No Finish	231
	 3-Way In-Wall Diverter Rough-In Valve With 3 Discrete Functions Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 3 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately 		R433	No Finish	262
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete/3 Shared Functions • Durable cast brass valve body – excellent for high use applications with prolonged water use • Controls water flow between 3 outlets (shower or		R433S	No Finish	262




- sprays)

 ½" (13 mm) NPT inlets/outlets


 Trim must be ordered separately

Studio S Flash® Pressure Balance Bath/Shower System

Studio® S



Studio S Flash Pressure Balance Shower System



Studio S Pressure Balance Bath/Shower System


				LIST PRICE F	OR SYSTE		
	DESCRIPTION	QTY	SKU #	002	295		
Α	Studio S Flash 2-Handle Integrated Shower Diverter Trim	1	TU105740	261	364		
В	10" Modern Rain Showerhead	1	1660683	296	443		
С	12" Wall-Mount Right Angle Shower Arm	1	1660194	101	152		
D	Spectra Handheld® Slide Bar Kit	1	1660774	247	334		
Е	Studio S Tub Spout	1	8888316	93	130		
qui	red Components - Choose From Rough-In Valve 1 or 2 (not shown)						
1	3-Way Discrete (Non-Shared) Functionality – Requires Flash 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge	1	RU531	38	35		
2	3-Way (Shared) Functionality – Requires Flash 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, also requires 3-way shared function cartridge M970730-0070A (sold separately)	1	RU531 + M970730-0070A	385 + 7	385 + 79 = 464		
	3-Way Discrete (Non-Shared) Ba	ath/Sho	ower System Total	1,383	1,808		

Studio S Pressure Balance Shower System

				LIST PRICE F	OR SYSTEM
	DESCRIPTION	QTY	SKU #	002	295
Α	Studio S Flash 2-Handle Integrated Shower Diverter Trim	1	TU105740	261	364
В	10" Modern Rain Showerhead	1	1660683	296	443
С	12" Wall-Mount Right Angle Shower Arm	1	1660194	101	152
D	Spectra Handheld Slide Bar Kit	1	1660774	247	334
Requir	red Components – Choose From Rough-In Valve 1 or 2 (not shown)				
1	2-Way Discrete (Non-Shared) Functionality – Requires Flash 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge	1	RU521	35	55
2	2-Way (Shared) Functionality - Requires Flash 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, also requires 2-way shared function cartridge M970720-0070A (sold separately)	1	RU521 + M970720-0070A	355 + 79 = 434	
	2-Way Discrete (Non-Shared) E	Bath/Sho	ower System Total	1,260	1,648
			ower System Total	1,339	1,727

americanstandard.com List Price Guide 2023-4

Studio® S Accessories





americanstandard.com List Price Guide 2023-4

Add an element of design drama to your bathroom with the **Town Square S Collection**. Rich, architectural lines reflect traditional elegance, superior craftsmanship, and lasting beauty.



Sink



Widespread Faucet 7455807801



Monoblock Faucet 7455107



Centerset Faucet 7455207



Wall Mount Faucet 7455451

Bath



Bathtub Faucets T455900, T455901



Freestanding Bathtub Faucet T455951

Shower







Bath/Shower Trim Kits TU455502, TU455508



2-Handle Integrated Shower Diverter Trim Kit TU455740



Diverter Valve Trim Kit T455430



Fixed Showerhead 1660516

Accessories



Town Square S 18" Towel Bar 7455018





Town Square S Towel Ring 7455190



Town Square S Toilet Paper Holder 7455230



Town Square S Double Robe Hook 7455210


americanstandard.com

Sink and Bath Faucets






Faucet 1.2 gpm/4.5 L/min With Lever Handles




Water-conserving 1.2 gpm/4.5 L/min pressurecompensating aerator

- Braided flexible hoses with 3/8" (10 mm) compression connections
- Metal lever handles
- Grid drain









Flash® Bathtub Filler Rough-In Valve

• Includes hand shower rough-in


hoses (provided) or ½" (13 mm) copper sweat connections
•14 gpm/59.2 L/min maximum flow rate at 40 psi
•8"-16" (203-406 mm) flexible installation
•Adjustable rough-in: 2-½" (64 mm) maximum deck

- Brass construction and washerless ¼-turn ceramic disc valve cartridges
- 1/2" (13 mm) copper inlets

thickness


 Connections to spout can be made via flexible hoses (provided) or ½" (13 mm) copper sweat connections R900 No Finish





americanstandard.com

Sink and Bath Faucets





In Valve

- Brass construction
- $\bullet\,1\!\!/_{\!2}"$ (13 mm) copper inlets
- Level adjustable
- Test plugs included
- Must order trim separately

Flash® Freestanding Bathtub Filler Rough-In Valve With Screwdriver Stops

- Brass construction
- 1/2" (13 mm) copper inlets
- · Level adjustable
- Test plugs included
- · Must order trim separately
- Includes screwdriver stops for easy servicing at the valve

R950SS

No Finish

265

SR






List Price Guide 2023-4

americanstandard.com

Bath/Shower Trim Kits and Valves

HOW TO ORDER







Choose rough-in valve with desired connection.



ADA

ÁDÀ



Fully installed Bath/Shower





	Showerhead, Double Ceramic Pressure Balance Cartridge With Lever Handle
	 Includes Double Ceramic pressure balance cartridge
1 200000	• 6-1/4" (160 mm) single function showerhead 2.5

Description

Town Square® S 2.5 gpm/9.5 L/min Tub and Shower Trim Kit With Single Function

- function showerhead 2.5 gpm/9.5 L/min maximum flow
- Brass shower arm
- Metal wall escutcheon
- Metal lever handle
- Metal slip-on diverter tub spout
- For use with Flash® shower rough-in valves, sold separately

SKU #	GOIOI/FIIIISII	LIST FILL
TU455502.002	Polished Chrome	477
TU455502.013	Polished Nickel	654
TU455502.278	Legacy Bronze	701
TU455502.295	Brushed Nickel	654

Color/Finish




Liet Drice











- Brass shower arm
- Metal wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves, sold separately

TU455501.0	002 P	olished Chrome	384
TU455501.0	013 Po	olished Nickel	525
TU455501.	278 Le	egacy Bronze	561
TU455501.	295 B	rushed Nickel	525









- Metal lever handle
- For use with Flash® shower rough-in valves, sold separately


TU455500.002	Polished Chrome	267
TU455500.013	Polished Nickel	360
TU455500.278	Legacy Bronze	384
TU455500.295	Brushed Nickel	360





americanstandard.com List Price Guide 2023-4

Bath/Shower Trim Kits and Valves











Town Square® S 1.75 gpm/6.8 L/min Shower Trim Kit With Water-Saving Showerhead, **Double Ceramic Pressure Balance**



- cartridge • Water-saving 6-1/4" (160 mm) single function showerhead, 1.8 gpm/6.8 L/min maximum flow
- Brass shower arm
- Metal wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves, sold





List Price

477

654

701

654

		MAP SRI Ø
TU455507.002	Polished Chrome	384
TU455507.013	Polished Nickel	525
TU455507.278	Legacy Bronze	561
TU455507.295	Brushed Nickel	525
		MAP SR Ø

Bath/Shower Trim Kits and Valves

own Square [®]	5	Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	 ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			SR
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver	RU101SS	No Finish	103
	Stops • ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters			SR
	Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi*			
	 Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at 			
	*For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			SR
	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops	RU102SS	No Finish	103
	 ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			SR
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring System	RU107	No Finish	72



- ½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807)
 Cast DZR brass valve body
 Flow rate: 5.1 gpm @ 45 psi*
 Back-to-back capability
 Includes flush plug with stainless steel ring
 Cartridge ships with trim
 For use with TU series pressure balance bath/ shower trim kits

*When combined with Double Ceramic pressure balance cartridge.

americanstandard.com List Price Guide 2023-4

Bath/Shower Trim Kits and Valves

Town Square 5		Bath/Snower Irim Kits and Valves		
	Description	SKU#	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/			
	shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
FIGT	 ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125
	 ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
	• ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver	RU108SS	No Finish	103
	Stops for Cold Expansion System • ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/shower trim kits			[SR]

^{*}When combined with Double Ceramic pressure balance cartridge.

Town Square® S		Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95 SR
	 ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125
	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets	RU109	No Finish	95
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring			(SR)




- Cartridge ships with trim
 For use with TU series pressure balance bath/shower trim kits

RU109SS No Finish Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver



125





americanstandard.com List Price Guide 2023-4

Bath/Shower Trim Kits and Valves



Town Square® S 2-Handle Integrated **Shower Diverter Trim Only**

- Metal wall escutcheon
- Metal lever handles

Description

- Works with Flash® 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, required and sold separately
- Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521 ships with a 2-way Discrete cartridge
- 2-Way Shared capability requires Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521, plus a 2-Way Shared pressure balance cartidge #M970720-0070A, sold separately
- Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531 ships with a 3-Way Discrete cartridge
- 3-Way Shared capability requires Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531, plus a 3-Way Shared pressure balance cartidge #M970730-0070A, sold separately
- 3-way diverter with shared flow requires cartidge M970730-0070A (sold separately)

SKU #	Color/Finish	List Price
TU455740.002	Polished Chrome	271
TU455740.013	Polished Nickel	379
TU455740.278	Legacy Bronze	404
TU455740.295	Brushed Nickel	379





Flash® 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge

- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower
- 1/2" NPT Inlets/Outlets
- Valve ships with a 2-Way Discrete pressure balance
- 2-Way Shared functionality requires RU521 valve, plus purchase of 2-Way Shared cartridge RP# M970720-0070A, sold separately

 • Compatible with Delancey®, Serin®, Studio® S,
- Town Square® S, Times Square® and Townsend®
- Trim sold separately



ÁDA

No Finish

355





Flash® 2-Way Shared Diverter Cartridge

• For use with RU521 valve

M970720-0070A

No Finish

79



Flash® 3-Way Integrated Shower Diverter **Rough-In Valve with Pressure Balance** Valve Cartridge

- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower **Diverter Trim**
- ½" NPT Inlets/Outlets
- Valve ships with a 3-Way Discrete pressure balance cartidge
- 3-Way Shared functionality requires RU531 valve, plus purchase of 3-Way Shared cartridge RP# M970730-0070A, sold separately
- Compatible with Delancey®, Serin®, Studio® S, Town Square® S, Times Square® and Townsend® trims
- Trim sold separately

RU531

No Finish

385 MAP O



Flash® 3-Way Shared Diverter Cartridge

• For use with RU531 valve

M970730-0070A

No Finish

79



List Price Guide 2023-4




Town Square® S Single-Handle Diverter Valve Trim Kit



· Less valve

Description

- · Valve must be purchased separately
- For use with rough-in valves R422, R422S, R433







2-Way In-Wall Diverter Rough-In Valve With 2 Discrete Functions

- Durable cast brass valve body excellent for high use applications with prolonged water use
- Controls water flow between 2 outlets (shower or
- ½" (13 mm) NPT inlets/outlets
- Trim must be ordered separately

2-Way In-Wall Diverter Rough-In Valve With 2 Discrete/1 Shared Function

- Durable cast brass valve body excellent for high use applications with prolonged water use
- Controls water flow between 2 outlets (shower or
- ½" (13 mm) NPT inlets/outlets
- Trim must be ordered separately

3-Way In-Wall Diverter Rough-In Valve With 3 Discrete Functions

- Durable cast brass valve body excellent for high use applications with prolonged water use
- · Controls water flow between 3 outlets (shower or sprays)
- 1/2" (13 mm) NPT inlets/outlets

- Trim must be ordered separately

3 Discrete/3 Shared Functions

- use applications with prolonged water use
- · Controls water flow between 3 outlets (shower or
- 1/2" (13 mm) NPT inlets/outlets
- Trim must be ordered separately

R422

R422S

R433

No Finish

No Finish

No Finish

231





262

231



R433S No Finish





americanstandard.com List Price Guide 2023-4

Accessories

iowii oquaio c	,		7000	3301103
	Description	SKU #	Color/Finish	List Price
	Town Square® S 18-Inch Towel Bar	7455018.002	Polished Chrome	70
	• Brass bar	7455018.013	Polished Nickel	96
	All metal construction Concealed mounting: no exposed set screws	7455018.278	Legacy Bronze	104
	 Coordinates with Town Square® S bath faucet collection 	7455018.295	Brushed Nickel	96
	Limited lifetime warranty on function and finish			MAP Ø
	Town Square® S 24-Inch Towel Bar	7455024.002	Polished Chrome	76
FA.	Brass bar	7455024.013	Polished Nickel	105
	All metal construction Concealed mounting: no exposed set screws	7455024.278	Legacy Bronze	112
	Coordinates with Town Square® S bath faucet collection	7455024.295	Brushed Nickel	105
	Limited lifetime warranty on function and finish			MAP Ø
	Town Square® S Towel Ring	7455190.002	Polished Chrome	45
	Part of the coordinated Town Square S® collection	7455190.013	Polished Nickel	61
	Concealed mounting with no exposed screws for a seamless appearance	7455190.278	Legacy Bronze	66
	Bushing on towel ring to prevent scratching and squeaking	7455190.295	Brushed Nickel	61
	Easy to install 7" (178 mm) diameter ring Limited lifetime warranty on function and finish			MAP Ø
	Town Square® S Double Robe Hook	7455210.002	Polished Chrome	32
	All metal construction	7455210.013	Polished Nickel	45
	Concealed mounting: no exposed set screws Coordinates with Town Square S® bath faucet	7455210.278	Legacy Bronze	45
Le	collection • Easy to install	7455210.295	Brushed Nickel	45
	Limited lifetime warranty on function and finish Solid metal construction is durable and long-lasting			MAP Ø
	Town Square® S Toilet Paper Holder	7455230.002	Polished Chrome	57
6	All metal construction	7455230.013	Polished Nickel	80
	Concealed mounting: no exposed set screws Coordinates with Town Square® S bath faucet	7455230.278	Legacy Bronze	86
	collection • Easy to install	7455230.295	Brushed Nickel	80
	Limited lifetime warranty on function and finish			MAP Ø
	Town Square® S 24-Inch Train Rack	7455260.002	Polished Chrome	496
15.	•24" (600 mm) length	7455260.013	Polished Nickel	695
1	All metal construction Concealed mounting: no exposed set screws	7455260.278	Legacy Bronze	744
	Coordinates with Town Square® S bath faucet collection	7455260.295	Brushed Nickel	695
	Limited lifetime warranty on function and finish			MAP Ø



americanstandard.com List Price Guide 2023-4

Inspired by vintage industrial design, the **Townsend Collection** lends character to your bathroom, displaying a sense of hand-forged craftsmanship and unparalleled beauty.



Sink



Widespread Faucet 7353801

Widespread Faucet 7353841

Monoblock Faucet 7353101

Bath



Bathtub Faucets T353901, T353900



Tub Spouts

Shower







Bath/Shower Trim Kits TU353502



2-Handle Integrated Shower Diverter Trim Kit TU353740



Showerhead 1660509

Accessories



Townsend 18" Towel Bar 7353018



Townsend 24" Towel Bar 7353024



Townsend Towel Ring 7353190




Townsend Toilet Paper Holder 7353230



Townsend Double Robe Hook 7353210

Sink and Bath Faucets





- Metal lever handle
- Brass push pop-up drain



4-Inch Deck Plate

- Metal construction
- Putty plate included

7353101P.002	Polished Chrome	46
7353101P.013	Polished Nickel	63
7353101P.243	Matte Black	66
7353101P.278	Legacy Bronze	67
7353101P.295	Brushed Nickel	63



S

Townsend®				Sink and Bath	Faucets
	Description		SKU #	Color/Finish	List Price
	Townsend® Bathtub Faucet With Lever Handles and Personal Shower for Flash®	3	T353901.002	Polished Chrome	744
	Rough-In Valve		T353901.013	Polished Nickel	1,042
	Brass construction		T353901.243	Matte Black	1,079
	All personal showers feature 5' (152 cm) long hose Metal lever handles		T353901.278	Legacy Bronze	1,116
	 Personal shower features 1.8 gpm/6.8 L/min maximum flow 		T353901.295	Brushed Nickel	1,042
	 For use with Flash® bathtub faucet rough-in valve R910 Valve sold separately 				MAP SR Ø
	Townsend® Bathtub Faucet With Lever Handles for Flash® Rough-In Valve	ADA	T353900.002	Polished Chrome	559
	Brass construction		T353900.013	Polished Nickel	782
	Metal lever handles Less personal shower		T353900.278	Legacy Bronze	836
	 For use with Flash® bathtub faucet rough-in valve 		T353900.295	Brushed Nickel	782
TALI	R900 • Valve sold separately				MAP SR Ø
	Flash® Bathtub Filler Rough-In Valve With Personal Shower		R910	No Finish	322
	Brass construction and washerless ¼-turn ceramic disc valves cartridge ½" (13 mm) copper inlets Connections to spout can be made via flexible hoses (provided) or ½" (13 mm) copper sweat connections				SR



Flash® Bathtub Filler Rough-In Valve

thickness
• Includes hand shower rough-in

• Brass construction and washerless 1/4-turn ceramic disc valve cartridges
• ½" (13 mm) copper inlets

• 14 gpm/59.2 L/min maximum flow rate at 40 psi • 8"-16" (203-406 mm) flexible installation • Adjustable rough-in: 2-1/2" (64 mm) maximum deck

- Connections to spout can be made via flexible hoses (provided) or 1/2" (13 mm) copper sweat
- 14 gpm/52.9 L/min maximum flow rate at 40 psi
- 8"-16" (203-406 mm) flexible installation
 Adjustable rough-in: 2-½" (64 mm) maximum deck thickness





R900



Bath/Shower Trim Kits and Valves

HOW TO **ORDER** Choose desired trim kit.



Choose rough-in valve with desired connection.

ADA

ÁDÀ







Fully installed Bath/Shower

Trim kit with cartridge

Description

Flash® Shower Rough-In Valve

Townsend® 2.5 gpm/9.5L/min Tub and Shower Trim Kit With Rain Showerhead, **Double Ceramic Pressure Balance**



- •6" (152 mm) showerhead, 2.5gpm/9.5 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- Slip-on diverter tub sprout
- For use with Flash® shower rough-in valves

SKU# Color/Finish **List Price** TU353502.002 Polished Chrome 342 TU353502.013 Polished Nickel 467 TU353502.278 499 Legacy Bronze TU353502.295 **Brushed Nickel** 467











- cartridge • 6" (152 mm) showerhead, 2.5gpm/9.5 L/min maximum flow
- Shower arm and flange
- · Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves











Townsend® Valve Only Trim Kit With Double **Ceramic Pressure Balance Cartridge and** Lever Handle



- Brass wall escutcheon
- Metal lever handle
- Less valve
- For use with Flash® shower rough-in valves

TU353500.002	Polished Chrome	239
TU353500.013	Polished Nickel	322
TU353500.243	Matte Black	347
TU353500.278	Legacy Bronze	342
TU353500.295	Brushed Nickel	322







List Price Guide 2023-4

Bath/Shower Trim Kits and Valves










- Water-saving showerhead 1.75gpm/ 6.6 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle

Description

- Slip-on diverter tub sprout
- For use with Flash® shower rough-in valves
















- Water-saving showerhead 1.75gpm/ 6.6 L/min maximum flow
- Shower arm and flange
- Brass wall escutcheon
- Metal lever handle
- For use with Flash® shower rough-in valves



TU353507.002	Polished Chrome	305
TU353507.013	Polished Nickel	413
TU353507.243	Matte Black	443
TU353507.278	Legacy Bronze	443
TU353507.295	Brushed Nickel	413









Iownsend		Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets	RU101	No Finish	72
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			(SR)
	Flash® Shower Rough-In Valve With Universal Inlets/Outlets With Screwdriver Stops	RU101SS	No Finish	103
	• ½" (13 mm) male NPT/Sweat inlets/outlets accept ½" copper, ½" iron pipe, PEX or CPVC adapters • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With Stub- Outs	RU102	No Finish	72
	• ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			SR
ın	Flash® Shower Rough-In Valve With Stub- Outs With Screwdriver Stops • ½" (13 mm) Stub-out inlets/outlets accept ½" press-connect fittings	RU102SS	No Finish	103
	Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Includes screwdriver stops for easy servicing at the valve Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Crimp Ring	RU107	No Finish	72
	System '½" (3 mm) PEX crimp inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits			SR

Townsend®		Bath/Show	er Trim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107SS	No Finish	103
	• ½" (13 mm) PEX crimp inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Crimp Ring System	RU107E	No Finish	95 SR
rie?	 ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets With Screwdriver Stops for Crimp Ring System	RU107ESS	No Finish	125 SR
	• ½" (13 mm) PEX crimp elbow inlets/Universal outlets (ASTM F1807) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/shower trim kits			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets for Cold Expansion System	RU108	No Finish	72
	 '½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960) Cast DZR brass valve body Flow rate: 5.1 gpm @ 45 psi* Back-to-back capability Includes flush plug with stainless steel ring Cartridge ships with trim For use with TU series pressure balance bath/ shower trim kits 			
	Flash® Shower Rough-In Valve With PEX Inlets/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108SS	No Finish	103



Stops for Cold Expansion System

- ½" (13 mm) PEX cold expansion inlets/Universal outlets (ASTM F1960)
 Cast DZR brass valve body
 Flow rate: 5.1 gpm @ 45 psi*
 Back-to-back capability
 Includes flush plug with stainless steel ring
 Includes screwdriver stops for easy servicing at the valve
- For use with TU series pressure balance bath/ shower trim kits

*When combined with Double Ceramic pressure balance cartridge.

iownsena		Bath/Show	er Irim Kits a	nd Valves
	Description	SKU #	Color/Finish	List Price
	Flash® Shower Rough-In Valve With PEX Inlet Elbows/Universal Outlets for Cold Expansion System	RU108E	No Finish	95 SR
	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With PRX Inlet Elbows/Universal Outlets With Screwdriver Stops for Cold Expansion System	RU108ESS	No Finish	125
	• ½" (13 mm) PEX cold expansion elbow inlets/ Universal outlets (ASTM F1960) • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at the valve • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits			
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets • ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Cartridge ships with trim • For use with TU series pressure balance bath/ shower trim kits	RU109	No Finish	95 \$\$R
	Flash® Shower Rough-In Valve With CPVC Inlets/Universal Outlets With Screwdriver Stops	RU109SS	No Finish	125
	• ½" (13 mm) CPVC inlets/Universal outlets • Cast DZR brass valve body • Flow rate: 5.1 gpm @ 45 psi* • Back-to-back capability • Includes flush plug with stainless steel ring • Includes screwdriver stops for easy servicing at			



- Includes screwdriver stops for easy servicing at the valve
 Cartridge ships with trim
 For use with TU series pressure balance bath/shower trim kits

Townsend®2-Handle Integrated Shower **Diverter Trim Only**

- Metal wall escutcheon

Description

- Metal lever handles
 Works with Flash® 2-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge, required and sold separately
- Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521 ships with a 2-way Discrete cartridge
- 2-Way Shared capability requires Flash® 2-Way Integrated Shower Diverter Rough-In Valve RU521, plus a 2-Way Shared pressure balance cartidge #M970720-0070A, sold separately
- Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531 ships with a 3-Way Discrete cartridge
- 3-Way Shared capability requires Flash® 3-Way Integrated Shower Diverter Rough-In Valve RU531, plus a 3-Way Shared pressure balance cartidge #M970730-0070A, sold separately
- 3-way diverter with shared flow requires cartidge M970730-0070A (sold separately)

SKU#	Color/Finish	List Price
TU353740.002	Polished Chrome	261
TU353740.013	Polished Nickel	364
TU353740.243	Matte Black	378
TU353740.278	Legacy Bronze	390
TU353740.295	Brushed Nickel	364

ÁDÀ





- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower Diverter Trim
- 1/2" NPT Inlets/Outlets
- Valve ships with a 2-Way Discrete pressure balance cartidge
- 2-Way Shared functionality requires RU521 valve, plus purchase of 2-Way Shared cartridge RP# M970720-0070A, sold separately
 • Compatible with Delancey®, Serin®, Studio® S,
- Town Square® S, Times Square® and Townsend® trims
- Trim sold separately









Flash® 2-Way Shared Diverter Cartridge

• For use with RU521 valve

M970720-0070A No Finish 79



Flash® 3-Way Integrated Shower Diverter Rough-In Valve with Pressure Balance Valve Cartridge

- Made of casted DZR brass to resist corrosion
- For use with Flash® 2-Handle Integrated Shower **Diverter Trim**
- 1/2" NPT Inlets/Outlets
- Valve ships with a 3-Way Discrete pressure balance cartidge
- 3-Way Shared functionality requires RU531 valve, plus purchase of 3-Way Shared cartridge RP# M970730-0070A, sold separately
- Compatible with Delancey®, Serin®, Studio® S, Town Square® S, Times Square® and Townsend® trims
- Trim sold separately

RU531 385 No Finish





Flash® 3-Way Shared Diverter Cartridge

• For use with RU531 valve

M970730-0070A

No Finish

79



americanstandard.com

TOWNISCITA			Datil/Ollowel	iiiii Nito ain	u vaivos
	Description		SKU #	Color/Finish	List Price
	Townsend® Single-Handle Diverter Valve	ÁDĄ	T353430.002	Polished Chrome	119
	Irim Kit		T353430.013	Polished Nickel	165
	Metal lever handleLess valve (must be purchased separately)		T353430.278	Legacy Bronze	178
	 For use with rough-in valves R422, R422S, R433 and R433S 		T353430.295	Brushed Nickel	165
					MAP SR Ø
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete Functions		R422	No Finish	231
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				SR Ø
	2-Way In-Wall Diverter Rough-In Valve With 2 Discrete/1 Shared Function		R422S	No Finish	231
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 2 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				SR Q
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete Functions		R433	No Finish	262
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 3 outlets (shower or sprays) ½" (13 mm) NPT inlets/outlets Trim must be ordered separately				SR Q
	3-Way In-Wall Diverter Rough-In Valve With 3 Discrete/3 Shared Functions		R433S	No Finish	262
	Durable cast brass valve body – excellent for high use applications with prolonged water use Controls water flow between 3 outlets (shower or				SR Ø



- Controls water flow between 3 outlets (shower or sprays)
 ½" (13 mm) NPT inlets/outlets
 Trim must be ordered separately



	Description	SKU #	Color/Finish	List Price
	Townsend® 18-Inch Towel Bar	7353018.002	Polished Chrome	76
	• Brass bar	7353018.013	Polished Nickel	104
	All metal construction Concealed mounting: no exposed set screws	7353018.243	Matte Black	110
	Coordinates with Townsend® bath faucet collection Limited lifetime warranty on function and finish	7353018.278	Legacy Bronze	112
	- Elimited incline warranty on function and imish	7353018.295	Brushed Nickel	104
				MAP Ø
	Townsend® 24-Inch Towel Bar	7353024.002	Polished Chrome	81
	• Brass bar	7353024.013	Polished Nickel	112
	All metal construction Concealed mounting: no exposed set screws	7353024.243	Matte Black	117
	Coordinates with Townsend® bath faucet collection Limited lifetime warranty on function and finish	7353024.278	Legacy Bronze	120
		7353024.295	Brushed Nickel	112
				MAP Ø
	Townsend® Towel Ring	7353190.002	Polished Chrome	50
(No.	Part of the coordinated Townsend® collection	7353190.013	Polished Nickel	70
	 Concealed mounting with no exposed screws for a seamless appearance 	7353190.243	Matte Black	72
/	Bushing on towel ring to prevent scratching and	7353190.278	Legacy Bronze	76
	squeaking • Easy to install	7353190.295	Brushed Nickel	70
	6-7/8" (175 mm) diameter ring Limited lifetime warranty on function and finish			MAP Ø
	Townsend® Double Robe Hook	7353210.002	Polished Chrome	35
_17	All metal construction	7353210.013	Polished Nickel	49
	Concealed mounting: no exposed set screws Coordinates with Townsend® bath faucet collection	7353210.243	Matte Black	51
600	Easy to install Limited lifetime warranty on function and finish	7353210.278	Legacy Bronze	52
	 Solid metal construction is durable and long- 	7353210.295	Brushed Nickel	49
	lasting			MAP Ø
	Townsend® 24-Inch Double Towel Bar	7353224.002	Polished Chrome	149
	• Brass bar	7353224.013	Polished Nickel	210
7	All metal construction Concealed mounting: no exposed set screws	7353224.243	Matte Black	216
	Coordinates with Townsend® bath faucet collection Limited lifetime warranty on function and finish	7353224.278	Legacy Bronze	225
		7353224.295	Brushed Nickel	210
				MAP Ø
	Townsend® Toilet Paper Holder	7353230.002	Polished Chrome	60
	Pivoting arm	7353230.013	Polished Nickel	84
	All metal construction Coordinates with Townsend® bath faucet collection	7353230.243	Matte Black	88
	Easy to install Limited lifetime warranty on function and finish	7353230.278	Legacy Bronze	89
	- Emmed medine warranty on fundaon and imish	7353230.295	Brushed Nickel	84
				MAP Ø

Bathroom Accessories

Every bathroom deserves accessories that offer functionality and the perfect finishing touch. These essential pieces are designed with attention to detail, reflecting the nuances of our collections and adding distinction to this personal space.



Bathroom Accessories

Bathroom Accessories Overview

CONTEMPORARY

Studio® S

Studio S



Studio S Towel Ring 7105190

Studio S Double Robe Hook 7105210

TRADITIONAL

Delancey®

Delancey





Delancey Towel Ring 7052190

Delancey Double Robe Hook 7052210

Glenmere™

Glenmere



Glenmere Towel Ring 7617190

Glenmere Robe Hook 7617210

Town Square® S

Crawford, Town Square S





Town Square S Towel Ring 7455190

Town Square S Robe Hook 7455210

TRANSITIONAL

Colony PRO®, Fluent®, Reliant 3®

C Series



C Series Towel Ring 8337190

C Series Double Robe Hook 8337210

Edgemere® Edgemere



Edgemere Towel Ring 7018190

Edgemere Robe Hook 7018210

Townsend®

Townsend



Townsend Towel Ring 7353190

Townsend Double Robe Hook 7353210

$Studio^{\tiny{\circledR}}\,S$

Contemporary Bathroom Accessories

	Description	SKU #	Color/Finish	List Price
	Studio® S 18-Inch Towel Bar	7105018.002	Polished Chrome	65
W_	Brass bar	7105018.243	Matte Black	100
	 All metal construction Concealed mounting: no exposed set screws 	7105018.295	Brushed Nickel	90
	Coordinates with Studio® S bath faucet collection Limited lifetime warranty on function and finish			MAP Ø
	Studio® S 24-Inch Towel Bar	7105024.002	Polished Chrome	68
6	Brass bar	7105024.243	Matte Black	106
	•All metal construction •Concealed mounting: no exposed set screws	7105024.295	Brushed Nickel	96
	Coordinates with Studio® S bath faucet collection Limited lifetime warranty on function and finish			MAP Ø
	Studio® S Towel Ring	7105190.002	Polished Chrome	41
	Coordinates with Studio® S bath faucet collection	7105190.243	Matte Black	63
	Concealed mounting with no exposed screws for a seamless appearance	7105190.295	Brushed Nickel	57
	Easy to install Limited lifetime warranty on function and finish			MAP Ø
	Studio® S Double Robe Hook	7105210.002	Polished Chrome	31
n	• Solid metal construction is durable and long-	7105210.243	Matte Black	47
(F.	lasting • Concealed mounting: no exposed set screws	7105210.295	Brushed Nickel	43
	Coordinates with Studio® S bath faucet collection Easy to install Limited lifetime warranty on function and finish			MAP Ø
	Studio® S 24-Inch Double Towel Bar	7105224.002	Polished Chrome	137
0	Brass bar	7105224.243	Matte Black	205
	•All metal construction •Concealed mounting: no exposed set screws	7105224.295	Brushed Nickel	192
	Coordinates with Studio® S bath faucet collection Limited lifetime warranty on function and finish			MAP Ø
	Studio® S Toilet Paper Holder	7105230.002	Polished Chrome	52
63	All metal construction	7105230.243	Matte Black	82
	Concealed mounting: no exposed set screws Coordinates with Studio® S bath faucet collection Easy to install	7105230.295	Brushed Nickel	74
	Limited lifetime warranty on function and finish			MAP Ø

Delancey®

Traditional Bathroom Accessories

	Description	SKU#	Color/Finish	List Price
	Delancey® 18-Inch Towel Bar	7052018.002	Polished Chrome	76
4	• Brass bar	7052018.013	Polished Nickel	105
	All metal construction	7052018.278	Legacy Bronze	113
	Concealed mounting: no exposed set screws Coordinates with Delancey® bath faucet collection	7052018.295	Brushed Nickel	105
	Limited lifetime warranty on function and finish			MAP Q
	Delancey® 24-Inch Towel Bar	7052024.002	Polished Chrome	82
	• Brass bar	7052024.013	Polished Nickel	113
· ·	All metal construction	7052024.278	Legacy Bronze	122
	Concealed mounting: no exposed set screws Coordinates with Delancey® bath faucet collection	7052024.295	Brushed Nickel	113
	 Limited lifetime warranty on function and finish 			MAP Ø
	Delancey® Towel Ring	7052190.002	Polished Chrome	47
	• 7-1/4" (185 mm) diameter ring	7052190.013	Polished Nickel	65
	 All metal construction Concealed mounting: no exposed set screws 	7052190.278	Legacy Bronze	70
	Coordinates with Delancey® bath faucet collection Bushing on towel ring to prevent scratching and	7052190.295	Brushed Nickel	65
	squeaking • Limited lifetime warranty on function and finish			MAP Q
	Delancey® Double Robe Hook	7052210.002	Polished Chrome	35
W	All metal construction	7052210.013	Polished Nickel	49
	 Concealed mounting: no exposed set screws Coordinates with Delancey® bath faucet collection 	7052210.278	Legacy Bronze	52
CELF	Easy to install Limited lifetime warranty on function and finish	7052210.295	Brushed Nickel	49
	 Solid metal construction is durable and long- lasting 			MAP Q
	Delancey® Toilet Paper Holder	7052230.002	Polished Chrome	64
a constant	All metal construction	7052230.013	Polished Nickel	89
	 Concealed mounting: no exposed set screws Coordinates with Delancey® bath faucet collection 	7052230.278	Legacy Bronze	96
	Easy to install Limited lifetime warranty on function and finish	7052230.295	Brushed Nickel	89
	Limited inetime warranty on function and limiting			

$\textbf{Glenmere}^{^{\text{\tiny{TM}}}}$

Traditional Bathroom Accessories

	Description	SKU #	Color/Finish	List Price
	Glenmere™ 24-inch Towel Bar	7617024.002	Polished Chrome	57
8	All metal construction	7617024.243	Matte Black	84
	Concealed mounting	7617024.278	Legacy Bronze	75
		7617024.295	Brushed Nickel	65
	Glenmere [™] Towel Ring	7617190.002	Polished Chrome	41
	• 7" (178 mm) diameter ring	7617190.243	Matte Black	60
	All metal construction Concealed mounting	7617190.278	Legacy Bronze	54
		7617190.295	Brushed Nickel	47
	Glenmere™ Robe Hook	7617210.002	Polished Chrome	31
	All metal construction Concealed mounting	7617210.243	Matte Black	46
	Contours mounting	7617210.278	Legacy Bronze	42
		7617210.295	Brushed Nickel	36
	Glenmere™ Toilet Paper Holder	7617230.002	Polished Chrome	50
	• All metal construction	7617230.243	Matte Black	74
	Concealed mounting	7617230.278	Legacy Bronze	68
		7617230.295	Brushed Nickel	46

Town Square® S

Traditional Bathroom Accessories

Tomin oqual o		maantionai i		0001100
	Description	SKU#	Color/Finish	List Price
	Town Square® S 18-Inch Towel Bar	7455018.002	Polished Chrome	70
	Brass bar	7455018.013	Polished Nickel	96
	All metal construction Concealed mounting: no exposed set screws	7455018.278	Legacy Bronze	104
	 Coordinates with Town Square® S bath faucet 	7455018.295	Brushed Nickel	96
	collection •Limited lifetime warranty on function and finish			MAP Ø
	Town Square® S 24-Inch Towel Bar	7455024.002	Polished Chrome	76
	• Brass bar	7455024.013	Polished Nickel	105
	All metal construction Concealed mounting: no exposed set screws	7455024.278	Legacy Bronze	112
	Coordinates with Town Square® S bath faucet collection	7455024.295	Brushed Nickel	105
	Limited lifetime warranty on function and finish			MAP 60
	Town Square® S Towel Ring	7455190.002	Polished Chrome	45
	 Part of the coordinated Town Square S[®] collection 	7455190.013	Polished Nickel	61
	 Concealed mounting with no exposed screws for a seamless appearance 	7455190.278	Legacy Bronze	66
	Bushing on towel ring to prevent scratching and squeaking	7455190.295	Brushed Nickel	61
	Easy to install 7" (178 mm) diameter ring			MAP (0)
	Limited lifetime warranty on function and finish			V 63
	Town Square® S Double Robe Hook	7455210.002	Polished Chrome	32
	All metal construction	7455210.013	Polished Nickel	45
	 Concealed mounting: no exposed set screws Coordinates with Town Square S[®] bath faucet 	7455210.278	Legacy Bronze	45
60	collection • Easy to install	7455210.295	Brushed Nickel	45
	Limited lifetime warranty on function and finish Solid metal construction is durable and long-lasting			MAP Ø
	Town Square® S Toilet Paper Holder	7455230.002	Polished Chrome	57
10.	All metal construction	7455230.013	Polished Nickel	80
	Concealed mounting: no exposed set screws Coordinates with Town Square® S bath faucet	7455230.278	Legacy Bronze	86
	collection	7455230.295	Brushed Nickel	80
	Easy to install Limited lifetime warranty on function and finish			MAP Ø
	Town Square® S 24-Inch Train Rack	7455260.002	Polished Chrome	496
16.	•24" (600 mm) length	7455260.013	Polished Nickel	695
100	All metal construction Concealed mounting: no exposed set screws	7455260.278	Legacy Bronze	744
	 Coordinates with Town Square® S bath faucet 	7455260.295	Brushed Nickel	695
	collection • Limited lifetime warranty on function and finish			MAD 66
				MAP Ø

C Series

Transitional Bathroom Accessories

	Description	SKU #	Color/Finish	List Price
	C Series 18-Inch Towel Bar	8337018.002	Polished Chrome	66
	Brass bar	8337018.013	Polished Nickel	92
	All metal construction	8337018.278	Legacy Bronze	100
	Concealed mounting: no exposed set screws Easy to install	8337018.295	Brushed Nickel	92
	Limited lifetime warranty on function and finish	8557016.295	Diusiled Nickei	92
				MAP Ø
	C Series 24-Inch Towel Bar	8337024.002	Polished Chrome	70
	Brass bar	8337024.013	Polished Nickel	98
	All metal construction Concealed mounting: no exposed set screws	8337024.278	Legacy Bronze	104
	Easy to install Limited lifetime warranty on function and finish	8337024.295	Brushed Nickel	98
				MAP
	C Series Towel Ring	8337190.002	Polished Chrome	41
	Concealed mounting with no exposed screws for a	8337190.013	Polished Nickel	57
	seamless appearance Bushing on towel ring to prevent scratching and	8337190.278	Legacy Bronze	61
	squeaking • Easy to install	8337190.295	Brushed Nickel	57
	7" (178 mm) diameter ring Limited lifetime warranty on function and finish			MAP Ø
	C Series Double Robe Hook	8337210.002	Polished Chrome	31
A TI	All metal construction	8337210.013	Polished Nickel	43
	Concealed mounting: no exposed set screws Easy to install	8337210.278	Legacy Bronze	43
	Limited lifetime warranty on function and finish Solid metal construction is durable and long-	8337210.295	Brushed Nickel	43
	lasting			$^{MAP} \mathscr{Q}$
	C Series Toilet Paper Holder	8337230.002	Polished Chrome	53
	All metal construction	8337230.013	Polished Nickel	76
	Concealed mounting: no exposed set screws Easy to install	8337230.278	Legacy Bronze	82
	Limited lifetime warranty on function and finish	8337230.295	Brushed Nickel	76
				$^{ extsf{MAP}} \mathscr{Q}$

Edgemere®

Transitional Bathroom Accessories

Lagomoro		nanomonar		0001100
	Description	SKU#	Color/Finish	List Price
	Edgemere® 18-Inch Towel Bar	7018018.002	Polished Chrome	66
	Brass bar	7018018.243	Matte Black	95
	 All metal construction Concealed mounting: no exposed set screws 	7018018.278	Legacy Bronze	100
To the state of th	Coordinates with Edgemere® bath faucet collection Limited lifetime warranty on function and finish	7018018.295	Brushed Nickel	93 Ø
	Edgemere® 24-Inch Towel Bar	7018024.002	Polished Chrome	74
E E	Brass bar All metal construction	7018024.243	Matte Black	108
	 Concealed mounting: no exposed set screws 	7018024.278	Legacy Bronze	108
To	 Coordinates with Edgemere® bath faucet collection Limited lifetime warranty on function and finish 	7018024.295	Brushed Nickel	101
				${\mathscr D}$
	Edgemere® Towel Ring	7018190.002	Polished Chrome	49
6	• 7-1/4" (185 mm) diameter ring	7018190.243	Matte Black	71
	 All metal construction Concealed mounting: no exposed set screws 	7018190.278	Legacy Bronze	74
	Coordinates with Edgemere® bath faucet collection Limited lifetime warranty on function and finish	7018190.295	Brushed Nickel	68 D
	Edgemere® Double Robe Hook	7018210.002	Polished Chrome	36
	All metal construction	7018210.243	Matte Black	52
8	 Concealed mounting: no exposed set screws Coordinates with Edgemere® bath faucet collection 	7018210.278	Legacy Bronze	54
6 TO	Easy to install Limited lifetime warranty on function and finish	7018210.295	Brushed Nickel	51
9	Solid metal construction is durable and long- lasting			\mathscr{Q}
	Edgemere® Toilet Paper Holder	7018230.002	Polished Chrome	54
6	Pivoting arm	7018230.243	Matte Black	78
C T	All metal construction Coordinates with Edgemere® bath faucet collection	7018230.278	Legacy Bronze	83
10	Easy to install Limited lifetime warranty on function and finish	7018230.295	Brushed Nickel	77
	Emilion motimo warranty on function and fillion			

Townsend®

Transitional Bathroom Accessories

	Townsend® 18-Inch Towel Bar	7353018.002	Polished Chrome	76
6	Brass bar	7353018.013	Polished Nickel	104
	All metal construction Concealed mounting: no exposed set screws	7353018.243	Matte Black	110
	Coordinates with Townsend® bath faucet collection Limited lifetime warranty on function and finish	7353018.278	Legacy Bronze	112
	• Elimited metime warranty of function and limsh	7353018.295	Brushed Nickel	104
				MAP Ø
	Townsend® 24-Inch Towel Bar	7353024.002	Polished Chrome	81
	Brass bar	7353024.013	Polished Nickel	112
	• All metal construction • Concealed mounting: no exposed set screws	7353024.243	Matte Black	117
	Coordinates with Townsend® bath faucet collection Limited lifetime warranty on function and finish	7353024.278	Legacy Bronze	120
	Emiliou mounto warranty on fanotion and innon	7353024.295	Brushed Nickel	112
				MAP Ø
	Townsend® Towel Ring	7353190.002	Polished Chrome	50
	Part of the coordinated Townsend® collection	7353190.013	Polished Nickel	70
[III]	 Concealed mounting with no exposed screws for a seamless appearance 	7353190.243	Matte Black	72
/	Bushing on towel ring to prevent scratching and squeaking	7353190.278	Legacy Bronze	76
V /	Easy to install	7353190.295	Brushed Nickel	70
	6-7/8" (175 mm) diameter ring Limited lifetime warranty on function and finish			MAP Ø
	Townsend® Double Robe Hook	7353210.002	Polished Chrome	35
(3)	All metal construction	7353210.013	Polished Nickel	49
	Concealed mounting: no exposed set screws Coordinates with Townsend® bath faucet collection	7353210.243	Matte Black	51
60	Easy to install Limited lifetime warranty on function and finish	7353210.278	Legacy Bronze	52
	 Solid metal construction is durable and long- 	7353210.295	Brushed Nickel	49
	lasting			MAP Ø
	Townsend® 24-Inch Double Towel Bar	7353224.002	Polished Chrome	149
	• Brass bar	7353224.013	Polished Nickel	210
	All metal construction Concealed mounting: no exposed set screws	7353224.243	Matte Black	216
	Coordinates with Townsend® bath faucet collection Limited lifetime warranty on function and finish	7353224.278	Legacy Bronze	225
	,	7353224.295	Brushed Nickel	210
				MAP Ø
	Townsend® Toilet Paper Holder	7353230.002	Polished Chrome	60
	Pivoting arm	7353230.013	Polished Nickel	84
	All metal construction Coordinates with Townsend® bath faucet collection	7353230.243	Matte Black	88
	Easy to install Limited lifetime warranty on function and finish	7353230.278	Legacy Bronze	89
	- Ennited meanie warranty on fundaon and imish	7353230.295	Brushed Nickel	84
				MAP 60

Notes

Transform your shower into an experience. The **Spectra Versa® Retrofit Shower System** allows you to use your existing shower valve, so there is no need to drill or alter your plumbing. Spectra Versa is a great option for that quick shower overhaul you've been planning.



Spectra Versa® Retrofit Shower System

30-Minute Makeover From Everyday Shower to Personal Spa Experience

Transform your shower into an experience, in minutes. Spectra Versa Retrofit allows you to use your existing shower valve, so there is no need to drill or alter your plumbing. Spectra Versa is a great option for that quick shower overhaul you've been planning.



Easy to InstallSpectra Versa Retrofit eliminates the need to drill holes and damage tiles



AquaToggle™ Easily switch between four spray functions with one hand



Easy Glide HolderAdjust height and angle of hand shower for personal preference



Push-Button
Diverter
Switch between
showerhead and hand
shower for use alone
or together

3-Function



Spectra® Shower Collection

Technology and Flexibility for Showering Perfection

The full Spectra Shower Portfolio offers flexibility along with total control. Technically advanced, functionally flexible and easy to install, you can choose the Spectra Showering System that will accommodate every member of the family, in the perfect style and finish.

Spectra Technology



Spectra eTouch®


Mount the waterproof remote anywhere in the shower. Simply click to experience and change the four spray patterns.




Spectra Touch®

Adjust the shower spray with a simple touch. Tap the outer ring of the 7"showerhead to change the four-function spray patterns.


Spectra Spray Patterns




DrenchFull body coverage




SensitiveGentle, soothing coverage



JetTargeted coverage



MassagePulsating coverage



PowerWash® Sweeping coverage

Color/Finish

Matte Black

Legacy Bronze

Brushed Nickel

Polished Chrome

690	
591	
\mathscr{Q}	

List Price

500

725







Spectra Versa® 24-Inch 4-Function 1.8 gpm/6.8 L/min Shower System With Rain Showerhead

Description

- System includes 11" Rain showerhead, 4-function hand shower, 25" slide bar with Easy Glide, pushbutton diverter, 15" shower arm, 69" metal shower hose, adhesive tape and screws
- Easy installation for retrofit, renovation or new construction eliminates drilling or damage to tile
- Enjoy using showerhead and hand shower, alone or together
- Hand shower features Drench, PowerWash, Sensitive, and Massage spray functions
- Push-button diverter easily switches between water outlets or combines both
- Maintains flow rate of 1.8 gallons per minute even when using both showerhead and handshower
- Rubber nozzles wipe clean with your fingertip

Spectra Versa® 24-Inch 4-Function 1.8 gpm/6.8 L/min Hand Shower Kit





- Enjoy using showerhead and hand shower, alone
- Hand shower features Drench, PowerWash, Sensitive, and Massage spray functions
- Push-button diverter easily switches between water outlets or combines both
- Maintains flow rate of 1.8 gallons per minute even when using both showerhead and handshower
- Rubber nozzles wipe clean with your fingertip

9038824.002

SKU#

œ

9038804.002

9038804.243

9038804.278

9038804.295

Polished Chrome

411





Spectra Versa® 5-Inch Showerhead Arm Extension


- Raises Rain shower head 5" to fully experience a drenching sensation
- Simple solution for taller members of the household
- Easy installation on slide bar
- Available in three finishes to match Spectra Versa®

9035888.002	Polished Chrome	5
9035888.278	Legacy Bronze	84
9035888.295	Brushed Nickel	72









Description



Œ

9038834.002

SKU#



Color/Finish

List Price 466

D


- System includes 7" four-spray showerhead, hand shower, push-button diverter, slide bar with Easy Glide tab, 69" metal shower hose, adhesive tape and screws
- Easy installation for retrofit, renovation or new construction eliminates drilling or damage to tile
- Enjoy using showerhead and hand shower, alone or together
- Hand shower features Drench, PowerWash, Sensitive, and Massage spray functions
- Push-button diverter easily switches between water outlets or combines both
- Maintains flow rate of 1.8 gallons per minute even when using both showerhead and handshower
- Rubber nozzles wipe clean with your fingertip

2-in-1 Hand Showers

Showering Options



Spectra® Duo 1.8 gpm/6.8 L/min 2-in-1 **Hand Shower**




- 4-function hand shower adjusts from drench to sensitive to PowerWash® to massage
- AquaToggle[™] easily changes sprays for hand shower
- DivertPaddle[™] allows for an easy switch between spray heads
- Pressure-compensating flow control device
- Includes check valve

Description

- Includes 59" (1499 mm) metal hose
- Limited lifetime warranty
- 1.8 gpm/6.8 L/min maximum flow rate

SKU#	Color/Finish	List Price
9038254.002	Polished Chrome	173
9038254.013	Polished Nickel	234
9038254.243	Matte Black	250
9038254.278	Legacy Bronze	247
9038254.295	Brushed Nickel	234







- 4-functions adjust from drench to sensitive to jet to massage
- Pressure-compensating flow control device
- · Showerhead only
- 3 AA batteries included for showerhead
- 1.8 gpm/6.8 L/min maximum flow
- 5-year limited warranty
- · Easy Clean Spray Nozzles simplify the cleaning process for your showerhead

9138073.002 9138073.013

9138073.278

9138073.295

Polished Chrome Polished Nickel Legacy Bronze

Brushed Nickel



111

137

148

137








Spectra® Fixed Traditional 7-1/4-Inch 1.8 gpm/6.8 L/min Water-Saving Fixed **Showerhead**

- 7-1/4" (184 mm) easy clean showerhead
- 4-functions adjust from drench to sensitive to jet to massage
- Pressure-compensating flow control device
- · Showerhead only
- 1.8 gpm/6.8 L/min maximum flow
- Limited lifetime warranty
- · Beautiful finishes that are scratch and tarnish





- 6-1/4" (160 mm) single function showerhead
- Showerhead only
- Pressure-compensationg flow control device
- 2.5 gpm/9.5 L/min maximum flow rate
- Drenching single-function shower flow
- Easy to clean spray nozzles won't clog
- Pressure-compensating flow control device

ADA	1660516.002	Polished Chrome	93
9	1660516.013	Polished Nickel	130
	1660516.278	Legacy Bronze	141
	1660516.295	Brushed Nickel	130





americanstandard.com



Town Square® S 6-1/4-Inch 1.8 gpm/6.8 L/ min Fixed Showerhead

Œ

Description

- Easy to clean 6-1/4" (160 mm) single function showerhead
- Showerhead only
- Pressure-compensationg flow control device
- 1.8 gpm/6.8 L/min maximum flow rate
- Saves 30% more water when compared to a standard 2.5 gpm showerhead
- Easy to clean spray nozzles won't clog
- CEC compliant product

SKU #	Color/Finish	List Pric
1660515.002	Polished Chrome	93
1660515.013	Polished Nickel	130
1660515.278	Legacy Bronze	141
1660515.295	Brushed Nickel	130





Townsend® 6-Inch 1.8 gpm/6.8 L/min Water-Saving Fixed Showerhead

- Easy to clean 6" (152 mm) diameter head
- Showerhead only
- Pressure-compensating flow control device
- 1.8 gpm/6.8 L/min maximum flow rate
- Saves 30% more water when compared to a standard 2.5 gpm showerhead
- Architecturally inspired design coordinates perfectly with the rest of the Townsend Collection
- Easy to clean spray nozzles won't clog
- · WaterSense Certified to help save water
- 1.8 gallons per minute (1.8 gpm/6.8 L/min.) maximum flow rate
- 6-1/8" showerhead
- Showerhead only
- Pressure-compensating flow control device

Œ	1660509.002	Polished Chrome	106
	1660509.013	Polished Nickel	151
	1660509.243	Matte Black	130
	1660509.278	Legacy Bronze	162
	1660509.295	Brushed Nickel	151





Fluent® 7-Inch 2.5 gpm/9.5 L/min Fixed **Showerhead**

- Easy to clean
- 7" (178 mm) diameter head
- Showerhead only
- Pressure-compensating flow control device
- •2.5 gpm/9.5 L/min maximum flow rate

1660604.002

Polished Chrome







Hydrofocus® 4-1/2-Inch 2.0 gpm/7.6 L/min Water-Saving Fixed Showerhead

- 4-1/2" (114 mm) diameter easy clean showerhead
- Adjusts from massage to full/massage combination to full spray to hydrofocus concentrating spray to hydrofocus/full combination to pause
- Pressure-compensating flow control device
- Showerhead only
- 2.0 gpm/7.6 L/min maximum flow
- 5 spray patterns to select the type of spray best suited to your needs
- Pressure-compensating flow control device provides a consistent flow over a wide pressure



1660206.002 1660206.295 Polished Chrome **Brushed Nickel**

76

57





3-Function 4-3/4-Inch 1.8 gpm/6.8 L/min Water-Saving Showerhead

- Showerhead only
- 4-3/4" (121 mm) diameter easy clean showerhead
- Adjusts from gentle rain to hard rain to massage
- Pressure-compensating flow control device
- 1.75 gpm/6.6L/min. flow restrictor



1660652.002 1660652.295 Polished Chrome **Brushed Nickel**

171

113




List Price Guide 2023-4

americanstandard.com

1660613.002

Polished Chrome








- FloWise[™] 3-function showerhead with 2.0 gpm/7.6 L/min maximum flow
- Showerhead only

Description

- Up to 40% water savings
- Three spray settings: Turbine spray at 1.5 gpm maximum flow rate, Full spray at 2.0 gpm maximum flow rate, and Combination spray at 2.0 gpm maximum flow rate
- Auto return feature defaults to 1.5 gpm ultra watersaving mode
- Angle adjustable
- Pressure-compensating flow control device





1660813.002

Polished Chrome

- FloWise[™] 3-function showerhead with 2.0 gpm/7.6 L/min maximum flow
- Showerhead only
- Up to 40% water savings
- Three spray settings: Turbine spray at 1.5 gpm maximum flow rate, Full spray at 2.0 gpm maximum flow rate, and Combination spray at 2.0 gpm maximum flow rate
- Auto return feature defaults to 1.5 gpm ultra watersaving mode
- Angle adjustable
- Pressure-compensating flow control device
- Auto return feature defaults at 1.5 gpm



1660813.224

Oil Rubbed Bronze

133





FloWise™ Transitional 2.0 gpm/7.6 L/min Water-Saving Fixed Showerhead





- Up to 40% water savings
- Three spray settings: Turbine spray at 1.5 gpm maximum flow rate, Full spray at 2.0 gpm maximum flow rate, and Combination spray at 2.0
- gpm maximum flow rate
 Auto return feature defaults to 1.5 gpm ultra watersaving mode
- Angle adjustable
- Pressure-compensating flow control device



1660717.002

Polished Chrome

87





FloWise™ Traditional 2.0 gpm/7.6 L/min Water-Saving Fixed Showerhead

- FloWise[™] 3-function showerhead with 2.0 gpm/7.6 L/min maximum flow
- Up to 40% water savings
- Three spray settings: Turbine spray at 1.5 gpm maximum flow rate, full spray at 2.0 gpm maximum flow rate, and combination spray at 2.0 gpm maximum flow rate
- · Auto return feature defaults to 1.5 gpm ultra watersaving mode
- Angle adjustable
- Pressure-compensating flow control device



1660113.002 1660113.224

Polished Chrome

Oil Rubbed Bronze

125





Showering Options

Flowise™ Square 1.5 gpm/5.7 L/min Water-



1660811.002

SKU#

Polished Chrome

Color/Finish

List Price






Saving Fixed Showerhead

- FloWise[™] single function showerhead with 1.5 gpm/5.7 L/min maximum flow Showerhead only

Description

- 40% water savings
- Turbine spray at maximum 1.5 gpm flow rate
- Angle adjustable
- Pressure-compensating flow control device
 FloWise™ showerheads use our exclusive turbine technology to deliver an invigorating shower experience while saving water. These innovative heads can save a family up to 8,000 gallons of





1660710.002

Polished Chrome





FloWise[™] single function showerhead with 1.5

- gpm/5.7 L/min maximum flow
- Showerhead only
- 40% water savings
- Turbine spray at maximum 1.5 gpm flow rate
- Angle adjustable
- Pressure-compensating flow control device
- FloWise[™] showerheads use our exclusive turbine technology to deliver an invigorating shower experience while saving water. These innovative heads can save a family up to 8,000 gallons of





Spectra® Rain 11-Inch 1.8 gpm/6.8 L/min Water-Saving Rain Showerhead

- Showerhead only
- 11" (280 mm) easy clean showerhead
- Single function drench spray
- Pressure-compensating flow control device
- 2.5 gpm/9.5 L/min maximum flow rate
- Drenching shower spray that mimics the feeling
- Easy to clean spray nozzles
- Beautiful finishes that are scratch and tarnish



9038001.002	Polished Chrome
9038001.243	Matte Black
9038001.278	Legacy Bronze
9038001.295	Brushed Nickel



197

286 271

247



Modern 10-Inch 2.5 gpm/9.5 L/min Rain **Showerhead**

- Showerhead only
- · Easy clean showerhead
- Sleek, thin profile
- Brass construction
- Pressure-compensating flow control device
- 2.5 gpm/9.5 L/min maximum flow rate
- 10" Diameter
- Drenching Rain Water Flow

1660683.0	02

1660683.243 1660683.295 Polished Chrome Matte Black

Brushed Nickel



296



Studio® S 8-Inch 2.5 gpm/9.5 L/min Rain **Showerhead**

- Showerhead only
- · Easy clean showerhead
- · Sleek, thin profile
- Pressure-compensating flow control device
- 2.5 gpm/9.5 L/min maximum flow rate
- · Easy clean shower head for simple removal of calcium and lime build up
- Brass construction










Fixed Showerheads

Showering Options







Square 8-Inch 1.8 gpm/6.8 L/min Water-Saving Rain Showerhead



- · Easy clean showerhead
- · Sleek, thin profile
- Pressure-compensating flow control device
- 1.8 gpm/6.8 L/min maximum flow





Body Side Sprays

Showering Options

Color/Finish

Matte Black

Brushed Nickel

Polished Chrome



Extender Round Body Spray

- Extender body sprays with 1.5 gpm/5.7 L/min maximum flow
- Flush mount

Description

- · Easy to clean spray face
- Spray face automatically extends when water is turned on and retracts when water is off
- Three functions: widespray, massage and combination
- Includes exclusive rough-in that must be installed during rough-in installation and before the wall is closed
- Angle adjustable. Spray position adjusts up to 15° in any direction
- 1-piece installation with no loose parts to lose or reassemble on site



SKU#

1660130.002

1660130.243

1660130.295



List Price

177

257

265



Extender Square Body Spray

- Extender body sprays with 1.5 gpm/5.7 L/min maximum flow
- Flush mount
- Easy to clean spray face
- Spray face automatically extends when water is turned on and retracts when water is off
- Three functions: widespray, massage and combination
- Includes exclusive rough-in that must be installed during rough-in installation and before the wall is closed
- Angle adjustable. Spray position adjusts up to 15° in any direction
- 1-piece installation with no loose parts to lose or reassemble on site

104

Shower Arms

Showering Options

Snower Arms			Snowering	Options
	Description	SKU#	Color/Finish	List Price
	5-Inch Wall Mount Standard Showerhead	1660240.002	Polished Chrome	29
	Arm	1660240.013	Polished Nickel	38
	 Fits virtually all showerheads Available in other finishes matching your other 	1660240.243	Matte Black	43
	fittings	1660240.278	Legacy Bronze	45
		1660240.295	Brushed Nickel	38
				\mathscr{D}
	5-Inch Wall Mount Modern Showerhead	1660241.002	Polished Chrome	30
	Arm	1660241.013	Polished Nickel	38
	Brass Construction ½" NPT Thread	1660241.243	Matte Black	45
	• For use with 1660.681, 1660.683, 1660.688	1660241.278	Legacy Bronze	45
		1660241.295	Brushed Nickel	41
				\mathscr{D}
	Townsend® Showerhead Arm and Flange	1660245.002	Polished Chrome	30
	Standard shower arm with design matching	1660245.013	Polished Nickel	41
E	Townsend showerhead arm Recommend to be paired with the townsend	1660245.243	Matte Black	43
	collection • Multiple finishes available to match showerheads	1660245.278	Legacy Bronze	45
	and trims	1660245.295	Brushed Nickel	41
				\mathscr{D}
	3-Inch Ceiling Mount Rain Showerhead	1660103.002	Polished Chrome	32
	Arm	1660103.013	Polished Nickel	46
	Brass construction ½" NPT Thread	1660103.243	Matte Black	47
	 Ceiling mount shower arm 	1660103.278	Legacy Bronze	52
ш		1660103.295	Brushed Nickel	46
				\mathscr{D}
	6-Inch Ceiling Mount Rain Showerhead	1660186.002	Polished Chrome	46
	Arm	1660186.013	Polished Nickel	63
	 Durable brass construction is ideal for prolonged contact with water 	1660186.243	Matte Black	66
	 Standard ½ in. NPT works with many different showerheads 	1660186.278	Legacy Bronze	95
	Available in other finishes matching your other fittings	1660186.295	Brushed Nickel	63
W	• Easy to install			\mathscr{D}
	Rain 12-Inch Ceiling Mount Rain	1660190.002	Polished Chrome	70
	Showerhead Arm	1660190.013	Polished Nickel	104
	 Extendable shower arm for ceiling application Durable brass construction is ideal for prolonged 	1660190.243	Matte Black	102
	contact with water • Standard ½ in. NPT works with many different	1660190.278	Legacy Bronze	127



- Standard ½ in. NPT works with many different showerheads
 Easy to install
 Available in other finishes matching your other fittings
 Extendable shower arm for ceiling application
 ½" ceiling flange

List Price Guide 2023-4 americanstandard.com

1660190.295

Brushed Nickel

Shower Arms

Showering Options

	Description	SKU #	Color/Finish	List Price
	Rain 12-Inch Wall Mount Right Angle Rain	1660194.002	Polished Chrome	101
	Showerhead Arm	1660194.013	Polished Nickel	152
a a	 Extendable shower arm for wall mount application Standard ½ in. NPT works with many different 	1660194.243	Matte Black	146
	showerheads • Right angle bend	1660194.278	Legacy Bronze	187
	Fits virtually all showerheads Available in other finishes matching your other	1660194.295	Brushed Nickel	152
	fittings			\mathscr{Q}
	18-Inch Wall Mount Right Angle	1660118.002	Polished Chrome	127
	Showerhead Arm	1660118.013	Polished Nickel	177
	Durable brass construction is ideal for prolonged contact with water	1660118.243	Matte Black	184
	Standard ½ in. NPT works with many different showerheads	1660118.295	Brushed Nickel	177
	Available in other finishes matching your other fittings			\mathscr{Q}
	Rain 12-Inch Wall Mount Shepherd's Hook	1660198.002	Polished Chrome	103
	Rain Showerhead Arm	1660198.295	Brushed Nickel	154
	Curved showerhead arm to use with rain showerheads where ceiling mounted showerhead arms are not available Color matching finish			\mathscr{D}






Spectra® Handheld 1.8 gpm/6.8 L/min 5-Inch 4-Function Hand Shower

- Hand shower only requires hose and wall connection
- 5" (127 mm) easy clean spray face
- 4-function sprays: drench, sensitive, PowerWash® and massage
- Pressure-compensating flow control device
- Includes check valve

Description

• 1.8 gpm/6.8 L/min maximum flow rate







Modern 2.5 gpm/9.5 L/min 3-Function **Hand Shower**

- · Hand shower only requires hose and wall connection
- Variable spray adjusts from a conventional spray to a gentle aerated flow to a massage action
- Easy to clean spray face
- Pressure-compensating flow control device
- Includes check valve
- 2.5 gpm/9.5 L/min maximum flow rate


1660510.002

Polished Chrome

143







- Pressure-compensating flow control device
- Easy Clean Spray Nozzles: Allows for easy cleaning of lime and calcium build up
- Includes check valve
- 2.5 gpm/9.5 Lpm maximum flow rate



Polished Chrome


65







1.5 gpm/5.7 Lpf 3-Function Hand Shower With Pause Feature



• Pressure-compensating flow control device

- Easy Clean Spray Nozzles: Allows for easy cleaning of lime and calcium build up
- Includes check valve
- 1.5 gpm/5.7 Lpm maximum flow rate



1660766.002

Polished Chrome

65







HydroFocus® 2.0 gpm/7.6 L/min 4-1/2-Inch 5-Function Hand Shower

- Hand shower only requires hose and wall connection
- 4-1/2" (114 mm) easy clean face
- Adjusts from massage to full/massage combination to full spray to hydrofocus concentrating spray to hydrofocus/full combination to pause
- Pressure-compensating flow control device
- Includes check valve
- 2.0 gpm/5.6 L/min maximum flow rate
- Pressure Compensating Flow Control Device provides a consistent flow over a wide pressure
- · Variety of 5 Spray Patterns allows each user to select the type of spray best suited to their needs

1660207.002

1660207.295

Polished Chrome **Brushed Nickel**



88

117



SKU# Color/Finish **List Price** Description 1660506.002 Polished Chrome Minimalist 2.5 gpm/9.5 L/min Single 136

Function Hand Shower

- Single function
- Easy to clean spray face Includes check valve
- •2.5 gpm/9.5 L/min maximum flow rate
- Brass handle





Minimalist 1.8 gpm/6.8 L/min Single **Function Water-Saving Hand Shower**

- Hand shower only requires hose and wall connection
- Single function
- Easy to clean spray face
- Includes check valve
- 1.8 gpm/6.8 L/min maximum flow










Square Minimalist 1.8 gpm/6.8 L/min Single **Function Water-Saving Hand Shower**



- Single function
- Easy to clean spray face
- · Adjusts from gentle rain to hard rain to massage
- Includes check valve
- 1.8 gpm/6.8 L/min maximum flow
- Full spray pattern
- No-clog nozzles
- Does not include shower hose or holder
- California Energy Commission certified













Spectra® Handheld 1.8 gpm/6.8 L/min 30-Inch 4-Function Slide Bar Kit

- 4-function Spectra® Handheld (9038154)
- Hose (8888035)

Description

- Wall supply (8888037)
 30" (762 mm) round slide bar (1660730)
 Double check valves
 1.8 gpm/6.8 L/min maximum flow rate

- Spectra® hand shower
- 59" (1500 mm) shower hose

	SKU #	Color/Finish	List Price
Œ	1660774.002	Polished Chrome	247
	1660774.243	Matte Black	358
	1660774.278	Legacy Bronze	347
	1660774.295	Brushed Nickel	334



Traditional 1.8 gpm/6.8 L/min Single **Function Slide Bar Kit**



- Traditional slide bar (1660773)
- 60" shower hose (8888035)
- Wall supply (8888037)
- Double check valves
- 1.8 gpm/6.8 L/min maximum flow rate
- Water-saving: WaterSense® certified
- Pressure-compensating flow control device:
 Provides consistent flow over a wide pressure
- Lightweight, ergonomic design: For a sure grip even with wet, soapy hands
- Simple height adjustment: Allows positioning of the personal shower anywhere along the bar



1662607.002

Polished Chrome

432





Serin® 2.5 gpm/9.5 L/min 3-Function Slide Bar Kit

- 3-function adjustable hand shower (1660510)
- Hose (8888035)
- Wall supply (8888037)
- Slide bar

- Double check valves
 2.5 gpm/9.5 L/min hand showers
 Lightweight, ergonomic design: For a sure grip even with wet, soapy hands
- Simple spray pattern adjustment
- Simple height adjustment for slide bar





2064724.002 2064724.295 Polished Chrome **Brushed Nickel**

369 553



SKU#

TU662221.002





1.8 gpm/6.8 L/min 30-Inch 3-Function Slide

- 3-function hand shower 4" (102 mm) diameter (1660147)
- Hose (8888035)

- Round brass wall supply
 Includes double check valves
 30" (762 mm) round shower slide bar with shower bracket with round escutcheon
- 1.8 gpm/6.8 L/min maximum flow rate
- A wall supply with 1/2" (13 mm) NPT female inlet
- 1/2" (13 mm) NPSM male outlet
- •59" (1500 mm) shower hose

Shower System Kits





- For Flash® shower rough-in valves with choice of connections (sold separately)
- Includes 3-function hand shower with pause feature
- Pause Feature: Non-positive shut-off button on handle reduces flow to a trickle to meet ADA requirement
- 36" slide bar

Description

- Metal wall escutcheon with metal lever handle. Red/blue indicator ring
- 2.5 gpm/9.5 Lpm maximum flow rate



Showering Options

Color/Finish

Polished Chrome



List Price

345


List Price Guide 2023-4

Hand Shower Kits

Showering Options













- Shower arm bracket (8888096)

- Includes check valve
 1.8 gpm/6.8 L/min maximum flow
 AquaToggle™ easily changes sprays for hand shower
- Features a lightweight, ergonomic design for a sure grip even with wet, soapy hands
- Shower bracket attaches to all standard shower

SKU# Color/Finish **List Price** Description 1660730.002 Polished Chrome 99 **Round 30-Inch Shower Slide Bar ADA** 1660730.013 Polished Nickel Adjustable gliding bracket for personal showers 123 Adjustable shower holder 1660730.243 Matte Black 143 Slide bars for hands free showering Adjustable setting for any height Legacy Bronze 1660730.278 136 Available in four different finishes 1660730.295 **Brushed Nickel** 123 1660773.002 Polished Chrome 174 **Traditional 30-Inch Shower Slide Bar** · Adjustable bracket for personal showers 1660773.013 Polished Nickel 242 · Adjustable shower holder can be set at any height Legacy Bronze 1660773.278 261 or position along the bar and angles up to 45 1660773.295 242 **Brushed Nickel** Polished Chrome 144 1660225.002 Standard 24-Inch Shower Slide Bar 215 1660225.295 **Brushed Nickel** · Adjustable bracket for personal showers · Adjustable shower holder can be set at any height or position along the bar and angles up to 45 degrees Polished Chrome 1660236.002 156 Standard 36-Inch Shower Slide Bar · Adjustable bracket for personal showers · Adjustable shower holder can be set at any height or position along the bar and angles up to 45 degrees

Color/Finish

Polished Chrome

List Price

Square 30-Inch Shower Slide Bar

- Adjustable bracket for personal showers
- Matching square wall brackets
 Durable brass construction is ideal for prolonged contact with water
- Standard ½" (13 mm) NPT works with many different showerheads

- Right angle bend
 Fits virtually all showerheads
 Available in other finishes matching your other fittings

Round 30-Inch Shower Slide Bar

Adjustable bracket for personal showers

Round wall flange

1660330.002

SKU#

1660230.002

Polished Chrome


183





Shower System Accessories

Showering Options



Shower System Accessories

Showering Options

Description	SKU #	Color/Finish	List Price
Round Wall Supply	8888068.002	Polished Chrome	61
• ½" (13 mm) female thread NPT	8888068.243	Matte Black	92
 ½" (13 mm) NPSM male hose thread Includes check valve 	8888068.295	Brushed Nickel	86
 Round wall supply Pattern can be changed with the flick of the thumb: 2.0 gpm/7.6 L/min flow restrictor 			\mathscr{Q}
Square Wall Supply	8888069.002	Polished Chrome	88
• ½" (13 mm) female thread NPT	8888069.013	Polished Nickel	125
 1/₂" (13 mm) NPSM male hose thread Includes check valve 	8888069.295	Brushed Nickel	125
Square brass elbow			\mathscr{Q}
Wall Supply Bracket	8888038.002	Polished Chrome	85
• ½" (13 mm) female thread NPT	8888038.295	Brushed Nickel	127
 1/s" (13 mm) NPSM male hose thread Includes check valve Integral bracket holds the hand shower at a convenient angle 			\mathscr{D}

opouto				onomorning .	- p
	Description		SKU #	Color/Finish	List Price
	Delancey® 8-1/8-Inch Slip-On Diverter Tub	Œ	8888105.002	Polished Chrome	109
	Spout		8888105.013	Polished Nickel	154
(A	 For ½" (13 mm) copper pipe 8-1/8" (207 mm) length to center of spout outlet 		8888105.278	Legacy Bronze	165
	Slip-On connection All metal construction		8888105.295	Brushed Nickel	154
					$oxed{MAP}\mathcal{Q}$
	Delancey® 8-1/8-Inch IPS Diverter Tub	3	8888104.002	Polished Chrome	109
	Spout		8888104.013	Polished Nickel	154
0	 For ½" (13 mm) IPS connection 8-1/8" (207 mm) length to center of spout outlet 		8888104.278	Legacy Bronze	165
	IPS connection All metal construction		8888104.295	Brushed Nickel	154
	7.11.10.10				MAP Ø
	Delancey® 8-1/8-Inch Slip-On Non-Diverter		8888107.002	Polished Chrome	99
	Tub Spout		8888107.013	Polished Nickel	138
	 For ½" (13 mm) copper pipe 8-1/8" (207 mm) length to center of spout outlet 		8888107.278	Legacy Bronze	148
	Slip-On connection All metal construction		8888107.295	Brushed Nickel	138
				7.295 Brushed Nickel	MAP Ø
	Delancey® 8-1/8-Inch IPS Non-Diverter Tub		8888106.002	Polished Chrome	99
	Spout		8888106.013	Polished Nickel	138
	 For ½" (13 mm) IPS connection 8-1/8" (207 mm) length to center of spout outlet 		8888106.278	Legacy Bronze	148
	IPS connectionAll metal construction		8888106.295	Brushed Nickel	138
					MAP ${\mathscr Q}$
	Deluxe 4-Inch Diverter Tub Spout		8888055.002	Polished Chrome	49
	 ½" (13 mm) IPS connection 4" length to center of stream straightener All metal construction 		8888055.295	Brushed Nickel	68
	Deluxe 5-1/8-Inch Diverter Tub Spout		8888022.002	Polished Chrome	114
	• ½" (13 mm) IPS connection • 5-1/8" length to center of stream straightener • All metal construction				MAP Ø
	Fluent® 6-1/2-Inch Slip-On Diverter Tub Spout		8888009.002	Polished Chrome	98
	• For ½" (13 mm) copper pipe • 6-½" (165 mm) length to center of spout outlet				MAP \mathcal{D}


List Price Guide 2023-4

Tub Spouts

Showering Options

iud Spouts			Showering (Uptions
	Description	SKU#	Color/Finish	List Price
	Serin® 6-3/4-Inch Brass Tub Spout	8888421.002	Polished Chrome	130
	• ½" (13 mm) IPS connection • 6-¾" (171 mm) length to center of spout outlet • All metal construction			MAP Ø
	Serin® 4-7/8-Inch Slip-On Diverter Tub Spout	8888087.002	Polished Chrome	100
	For ½" (13 mm) copper pipe 4-7/8" (124 mm) length to center of spout outlet All metal construction			MAP D
	Slip-On Non-Diverter Tub Spout	8888056.002	Polished Chrome	38
	 For ½" (13 mm) copper pipe All metal construction 			
	4-Inch Slip-On Diverter Tub Spout	8888026.002	Polished Chrome	38
100	 For ½" (13 mm) copper pipe All metal construction 			
	Studio® S 6-Inch Slip-On Diverter Tub	8888318.002	Polished Chrome	100
	Spout	8888318.243	Matte Black	149
E -	 For ½" (13 mm) copper pipe 6" (152 mm) length to center of spout outlet Metal construction 	8888318.295	Brushed Nickel	139 MAP Ø
	Studio® S 6-Inch IPS Diverter Tub Spout	8888319.002	Polished Chrome	100
	• ½" (13 mm) IPS connection	8888319.243	Matte Black	149
	 6" (152 mm) length to center of spout outlet Metal construction 	8888319.295	Brushed Nickel	139
				MAP Ø
	Studio® S 6-Inch Slip-On Non-Diverter Tub	8888316.002	Polished Chrome	93
	Spout	8888316.243	Matte Black	140
65	 For ½" (13 mm) copper pipe 6" (152 mm) length to center of spout outlet 	8888316.295	Brushed Nickel	130
	Metal construction			MAP Ø
	Studio® S 6-Inch IPS Non-Diverter Tub	8888317.002	Polished Chrome	93
	Spout	8888317.243	Matte Black	140
60	 ½" (13 mm) IPS connection 6" (152 mm) length to center of spout outlet 	8888317.295	Brushed Nickel	130
-10	Metal construction			MAP Ø

	Description	SKU #	Color/Finish	List Price
	Town Square® S 6-3/4-Inch Slip-On	8888109.002	Polished Chrome	125
	Diverter lub Spout	8888109.013	Polished Nickel	175
	 For ½" (13 mm) copper pipe 6-¾" (171 mm) length to center of outlet 	8888109.278	Legacy Bronze	188
.5	All metal construction	8888109.295	Brushed Nickel	175
			Polished Nickel Legacy Bronze Brushed Nickel Polished Chrome Polished Nickel Legacy Bronze Brushed Nickel Polished Nickel Legacy Bronze Brushed Nickel Legacy Bronze Brushed Nickel	MAP Ø
	Town Square® S 6-3/4-Inch IPS Diverter	8888108.002	Polished Chrome	125
		8888108.013	Polished Nickel	175
	12" (13 mm) IPS connection 6-%" (171 mm) length to center of outlet	8888108.278	Legacy Bronze	188
1	All metal construction	8888108.295	Brushed Nickel	175
			R88108.013 Polished Nickel	MAP Ø
	Town Square® S 6-3/4-Inch Slip-On Non-	8888111.002	Polished Chrome	112
	·	8888111.013	Polished Nickel	157
	 For ½" (13 mm) copper pipe 6-¾" (171 mm) length to center of outlet 	8888111.278	Legacy Bronze	170
	• All metal construction	8888111.295	Brushed Nickel	157
				MAP Ø
	Town Square® S 6-3/4-Inch IPS Non-	8888110.002	Polished Chrome	112
	Diverter Tub Spout	8888110.013	Polished Nickel	157
	• 6-¾" (171 mm) length to center of outlet	8888110.278	Legacy Bronze	170
	Tub Spout 1.2" (13 mm) IPS connection 1.6-¾" (171 mm) length to center of outlet 1.4" (171 mm) length to center of outlet 1.5 All metal construction 1.5 All metal cons	8888110.295	Brushed Nickel	157
			MAP Ø	
		8888093.002	Polished Chrome	96
	·	8888093.013	Polished Nickel	135
	• 6-1/2" (165 mm) length to center of spout outlet	8888093.243	Matte Black	140
Bar	All metal construction	8888093.278	Legacy Bronze	144
		8888093.295	Brushed Nickel	135
				MAP Ø
	Townsend® 6-1/2-Inch IPS Diverter Tub	8888098.002	Polished Chrome	96
	Spout	8888098.013	Polished Nickel	135
	• ½" (13 mm) IPS connection • 6-½" (165 mm) length to center of spout outlet • All metal construction	8888098.278	Legacy Bronze	144
200		8888098.295	Brushed Nickel	135
				MAP Ø



Drains and P-Traps

Parts

	Description		SKU #	Color/Finish	List Price
	Push Pop-up Drain With Overflow	ADA	8888095.002	Polished Chrome	58
	• 1-1/4" (32 mm) tailpiece		8888095.013	Polished Nickel	82
			8888095.278	Legacy Bronze	87
			8888095.295	Brushed Nickel	82
					${\mathscr Q}$
	Push Pop-up Drain Without Overflow	ĄDĄ	8888112.002	Polished Chrome	58
6	• 1-1/4" (32 mm) tailpiece	9	8888112.013	Polished Nickel	82
			8888112.278	Legacy Bronze	87
			8888112.295	Brushed Nickel	82
					${\mathscr Q}$
	Drain Tailpiece		8888113.002	Polished Chrome	32
	• 1-1/4" (32 mm) diameter		8888113.013	Polished Nickel	33
	Compatible with all American Standard drains		8888113.278	Legacy Bronze	35
9			8888113.295	Brushed Nickel	33 <i>Q</i>
	Decorative P-Trap		8888114.002	Polished Chrome	201
	• 1-1/4" (32 mm) diameter slip fit inlet		8888114.013	Polished Nickel	283
	Brass constructionRemovable trap eye for easy cleaning		8888114.278	Legacy Bronze	304
			8888114.295	Brushed Nickel	283 <i>9</i>
	Decorative P-Trap		7720018.002	Polished Chrome	133
	• Fully plated drain with 17 gauge tube • 1-1/4" x 1-1/4" (32 x 32 mm) trap with 9" (229 mm) drain tube • Includes flange and reducer seal to attach 1-1/4" (3. mm) drain tube to 1-1/2" (38 mm) wall drain	2	7720018.295	Brushed Nickel	186



- IAPMO (UPC) Approved
 Fits most standard bathroom sinks
 No special tools required for installation

Lavatory Faucets

	Description	SKU #	Color/Finish	List Pric
8	1.5 gpm/5.7 L/ min Pressure-Compensating	M922887-0020A	Polished Chrome	19
chy 784	Vandal-Resistant Aerator With Key 15/16" (8 mm) male threads 1.5 gpm/5.7 L/min maximum Available in Chrome Includes aerated spray and key	M922887-2950A	Brushed Nickel	19
	1.5 gpm/5.7 L/min Pressure-Compensating Vandal-Resistant Aerator With Key • 55/64" (21 mm) female threads • 1.5 gpm/5.7 L/min maximum • Available in Chrome • Includes aerated spray and key	M922888-0020A	Polished Chrome	17
	1.0 gpm/3.8 L/min Pressure-Compensating Aerator • 15/16" (24 mm) male threads • 1.0 gpm/3.8 L/min maximum • Specify color when ordering • Includes aerated spray	M922991-0020A	Polished Chrome	8
	1.0 gpm/3.8 L/min Pressure-Compensating Aerator • 55/64" (21 mm) female threads •1.0 gpm/3.8 L/min maximum • Available in Chrome • Includes aerated spray	M922992-0020A	Polished Chrome	8
	1.0 gpm/3.8 L/min Pressure-Compensating Vandal-Resistant Aerator With Key • For use on metering lavatory faucet series 1340 including pillar tap • 15/16" (24 mm) male threads • 1.0 gpm/3.8 L/min maximum • Available in Chrome • Includes aerated spray and key	M922996-0020A	Polished Chrome	19
	1.0 gpm/3.8 L/min Pressure-Compensating Vandal-Resistant Aerator With Key • For use on metering spread and center set lavatory faucet series 1340 • 55/64" (21 mm) female threads • 1.0 gpm/3.8 L/min maximum • Available in Chrome • Includes aerated spray and key	M922997-0020A	Polished Chrome	19
	O.5 gpm/1.9 L/min Pressure-Compensating Non-Aerated Spray 15/16" (24 mm) male threads 0.5 gpm/1.9 L/min maximum Available in Chrome Includes non-aerated spray	M922901-0020A	Polished Chrome	10

Lavatory Faucets

	Description	SKU #	Color/Finish	List Price
	0.5 gpm/1.9 L/min Pressure-Compensating Non-Aerated Spray	M922903-0020A	Polished Chrome	11
The state of the s	 55/64" (21 mm) female threads 0.5 gpm/1.9 L/min maximum Available in Chrome Includes non-aerated spray 			
	0.5 gpm Non-Aerated Spray With Key	066508-0020A	Polished Chrome	19
	 For use on 605X, 2506 & 250B, 5500, 6500, 7295, 1340 series faucets Vandal resistant 15/16" (24 mm) male threads 0.5 gpm/1.9 L/min maximum Available in Chrome 			



0.5 gpm Non-Aerated Spray

066074-0020A Polished Chrome 19

For use on 6500, 6502, 6503, 6532 series spread lavatory faucets
 Vandal-resistant
 55/64" (21 mm) female threads
 0.5 gpm/1.9 L/min maximum
 Available in Chrome

Flash® Rough-In Valves

Parts

	Description	SKU #	Color/Finish	List Price
	Flat Aerator Kit For single control pressure balance bath/showers For all trim kits used in conjunction with R116SS or R126SS Includes hardware to provide an additional ¾" (19 mm) rough-in depth	M962818-0070A	No Finish	32
	Extension Kit • Extends shank 2-1/4" (57 mm) • For use on 4" centersets with 1/2" (13 mm) male inlet shanks • For use on top mount kitchens with 1/2" (13 mm) male inlet shanks • For use on 4" center-set faucets with 1/2" male inlet shanks and top mount faucets with 1/2" (13 mm) male inlet shanks • Includes 2 extensions	M960131-0070A	No Finish	42
	Deep Rough-in Kit for Pressure Balance Valve • For All TU series pressure balance valve trim kits used in conjunction with Flash® shower rough-in valves • Provides additional ¾" (19 mm) rough-in depth • Includes two 4" (102 mm) screws for trim kit installation and handle adaptor screw • Specify color when ordering	M970649-0020A M970649-2780A M970649-2950A	Polished Chrome Legacy Bronze Brushed Nickel	43 52 47
	Pressure Balance Cartridge for Flash® • Suitable for both standard installation & BTB solution • Includes removal ring to aid in removal of cartridge from valve	M970654-0070A	No Finish	37
0	Removal Ring • Aids in removing cartridge from valve	M970648-0070A	No Finish	7
	Retaining Ring • For use with all Flash® shower rough-in valves • Secure cartridges/test cap to valve body • Made of stainless steel	M970452-0070A	No Finish	11
	Service Stops • For use with all Flash® shower rough-in valves • Set of two	M970451-0070A	No Finish	15

Flash® Rough-In Valves

Flash® Rough-l	In Valves			Parts
	Description	SKU #	Color/Finish	List Price
	Flush Plug Assembly	M970545-0070A	No Finish	11
	Two way flush plug assembly			
	Conversion Kit for TRIMendous® Trim Kits	M970645-0070A	No Finish	83
	Converts TRIMendous® trim kits to work with all Flash® shower rough-in valves For use with the following T series trim kits: Berwick®, Colony® PRO, Edgemere®, Fluent®, Patience®, Serin®, Studio® S, Times Square®, Town Square® S, Townsend® NOT for use with the following TRIMendous® trim kits: Portsmouth®, Quentin®, Reliant 3®, Town Square® (T555520 series), Colony Soft®, Seva®, Studio Available in Chrome			
	Locking Cam Screw Set	M970453-0070A	No Finish	11
68	 For use with all Flash® shower rough-in valves Used for thin wall applications Set of two 			



M970652-0070A No Finish

• Universal cartridge removal tool for shower valves



Cartridges and Rough-In Kits

Parts

•	•			
	Description	SKU #	Color/Finish	List Price
	Temperature Control Pressure Balance	A954440-0070AP	No Finish	39
	Valve Cartridge • For bath/shower pressure balance valves • Ships standard with R111 series valves • Protects against scalding	A954440-0070A	No Finish	42
	Volume and Temperature Control	023529-0070A/H	No Finish	25
	Pressure Balance Valve Cartridge	023529-0070A	No Finish	29
	 For bath/shower pressure balance valves Ships standard with R121 series valves 	023529-0070AP	No Finish	25
	Back-to-Back Volume and Temperature Control Pressure Balance Valve Cartridge	952377-0070A	No Finish	31
	For use in back-to-back installations to reverse hot and cold lines without removing R121 series rough valve body For bath/shower pressure balance valves			
	Temperature Control Pressure Balance	M952100-0070A/H	No Finish	27
	Valve Cartridge	M952100-0070AP	No Finish	33
	 For use on R110, R120, R115, R125 rough-in valves Ships standard with R111/R121 series valves Protects against scalding 	M952100-0070A	No Finish	34
	Flash® 2-Way Shared Diverter Cartridge	M970720-0070A	No Finish	79
	◆ For use with RU521 valve			
	Flash® 3-Way Shared Diverter Cartridge	M970730-0070A	No Finish	79
	● For use with RU531 valve			
	Modernization Plate	★ M961819-0020A	Polished Chrome	72
	 For all trim kits used in conjunction with RU series valves Metal construction for durability Specify color when ordering 			

Cartridges and Rough-In Kits

our triagos aria	mough in thio		i ai to	
	Description	SKU#	Color/Finish	List Price
	Deep Rough-In Kit	M961818-0020A	Polished Chrome	42
	For single control pressure balance bath/showers For all trim kits used in conjunction with R111 or R121 series valves Includes hardware to provide an additional ¾" (19 mm) rough-in depth Specify color when ordering	M961818-2950A	Brushed Nickel	45
	Deep Rough-In Kit	M962262-0070A	No Finish	35
	 For use with Cadet 3275 series 2-handle bath/shower (metal lever handle) Includes hardware to provide an additional ¾" (19 mm) rough-in depth No finish Kit includes two extension nuts, two handle adapter extensions and two 8-18 x ½ phillips pan head screws 			
	Deep Rough-In Kit	M962263-0070A	No Finish	99
	 For use with Cadet 3375 series 3-handle bath/shower (metal lever handle) Includes hardware to provide an additional ¾" (19 mm) rough-in depth No finish Kit includes two extension nuts, three handle adapter extensions, three 8-18 x ½ phillips pan head screws and 1 valve nut extension 			
	Thermostat and Volume Control Valve Deep Rough-In Kit	963434-0020A	Polished Chrome	151
The state of the s	For use with R510, R520, R531 RU521 and RU531 series valves Maximum ¾" (19 mm) extension Available in Chrome Kit includes deep rough-in and hex key			
	R700 Series Thermostat and Volume Control Valve Deep Rough-In Kit	066078-0070A	No Finish	86
	For use with R701 and R711 series on/off volume control valves Maximum ¾" (19 mm) extension Brass construction for durability			
	Diverter Extension Kit	963554-0020A	Polished Chrome	42
	For use with R422 and R433 valves, shared and discrete Maximum ¾" (19 mm) extension Specify color when ordering Kit includes spindle, escutcheon and spring clip	963554-2950A	Brushed Nickel	50

americanstandard.com List Price Guide 2023-4

Modifications Kitchen Faucets

Faucet Modifications - How to Order

ORDERING

- Special Manufacturing or Modification requests can be made through your sales rep or customer care
- You will need to provide basic information regarding the request for review by category and manufacturing teams

PRICING

• Pricing will be provided by sales rep after review of request

CONDITIONS

- Some modifications may not be feasible. Each request will be reviewed by category and manufacturing
- Order minimum: 100 pieces. Exceptions will be considered on large job quotes
- A one-time setup charge may be applied to modification

Faucet Aerator Cross Reference – Kitchen Faucet Aerators

• Select the appropriate aerator for your faucet using these aerator cross reference charts.

Name	Series	Available Finishes	Aerator Type	1.5 gpm (5.7 L/min)
Beale®	4931.002	002, 075	N/A	N/A
Colony® PRO	7074	002, 075	N/A	N/A
Delancey®	4279.300/400/701		N/A	N/A
	4279.410	002, 013, 075, 278	Male	M922917
Edgewater®	4932	002, 075	N/A	N/A
	4205.00x	002 Male		M922887
Reliant+®	4205.104	002, 075	N/A	N/A
	4803100			
Studio® S	4803300/350	000 075 040	Mala	N/A
	4803410	002, 075, 243	Male	M922909
	4803900			N/A

Additional modifications available.

Faucet Aerator Cross Reference – Lavatory Faucet Aerators

• Select the appropriate aerator for your faucet using these aerator cross reference charts.

Name	Series	Aerator Type	Available Finishes	0.5 gpm (1.9 L/min) PCA Spray	0.5 gpm (1.9 L/min) Vandal- Resistant PCA Spray	1.0 gpm (3.8 L/min) PCA Aerator	1.0 gpm (3.8 L/min) Vandal- Resistant PCA Aerator	1.2 gpm (4.5 L/min) Vandal- Resistant PCA Aerator
	7075.0XX			N/A	M922917	N/A	N/A	N/A
Colony® PRO	7075.1XX/80X	Slim	Plain, no finish	N/A	M922917	N/A	N/A	N/A
	7075.20X			N/A	N/A	M923845	N/A	N/A
Delancey®	7052.107/2X7/8X7	Slim	Plain, no finish	N/A	N/A	M923845	N/A	N/A
Fluent®	7186.2XX/8XX	Slim	Plain, no finish	N/A	M922917	N/A	N/A	N/A
	7186.10X	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Reliant 3®	7385	Regular Male	002, 295	M922901	066508	M922991	M922996	M923811
	2064.101/151/152	Regular Male	002, 295	M922901	066508	M922991	M922996	M922811
	2064.13X			M922901	N/A	M922991	N/A	N/A
Serin®	2064.451/461	Caché Thumb	Plain, no finish	N/A	N/A	M922998	M922998	N/A
	2064.8XX	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	7105.10X/152/8X7		002, 295	N/A	N/A	M923845	N/A	N/A
Studio® S	7105.80X/82X	Regular Male		N/A	N/A	N/A	N/A	N/A
Town Square® S	7455	Regular Male	002, 013, 278, 295	M922901	N/A	M922991	N/A	N/A
Townsend®	7353	Slim	Plain, no finish	N/A	N/A	M923845	N/A	N/A

Finishes:

0020A Polished Chrome -0130A Polished Nickel

-0750A Stainless Steel -2240A Oil Rubbed Bronze -2780A Legacy Bronze -2950A Brushed Nickel N/A Not Available

All residential faucets shipped with 1.2 gpm (4.5 L/min) standard aerator. Additional modifications available.

americanstandard.com List Price Guide 2023-4

Warranties

American Standard product warranty information is available online by visiting: americanstandard.com/warranty or scan the **QR code** below.





American Standard



Related Literature



2023 Commercial Fittings and Fixtures List Price Guide



2023 LIXIL Builder Advantage Program Brochure



2023 AS Distributor Support Programs Brochure

For American Standard Customer Care

Call 1-800-442-1902 - Monday - Friday, 8:00 am - 7:00 pm EST

Visit www.Americanstandard.com

Front Cover: AquaWash* Slim Non-Electric SpaLet* Bidet Seat With Manual Operation Inside Back Cover: Colony*3 Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet

Back Cover: Colony® PRO Single Handle Pull-Down Kitchen Faucet